

Future Computing Platforms

Challenges and Opportunities

Onur Mutlu

omutlu@gmail.com

<https://people.inf.ethz.ch/omutlu>

20 February 2021

IEEE CS Turkey Master Class Invited Talk

SAFARI

ETH zürich

Carnegie Mellon

Brief Self Introduction



■ Onur Mutlu


- ❑ Full Professor @ ETH Zurich ITET (INFK), since September 2015
- ❑ Strecker Professor @ Carnegie Mellon University ECE/CS, 2009-2016, 2016-...
- ❑ PhD from UT-Austin, worked at Google, VMware, Microsoft Research, Intel, AMD
- ❑ <https://people.inf.ethz.ch/omutlu/>
- ❑ omutlu@gmail.com (Best way to reach me)
- ❑ <https://people.inf.ethz.ch/omutlu/projects.htm>

■ Research and Teaching in:

- ❑ Computer architecture, computer systems, hardware security, bioinformatics
- ❑ Memory and storage systems
- ❑ Hardware security, safety, predictability
- ❑ Fault tolerance
- ❑ Hardware/software cooperation
- ❑ Architectures for bioinformatics, health, medicine
- ❑ ...

Current Research Mission

Computer architecture, HW/SW, systems, bioinformatics, security




Build fundamentally better architectures

Four Key Current Directions


- Fundamentally **Secure/Reliable/Safe** Architectures
- Fundamentally **Energy-Efficient** Architectures
 - **Memory-centric** (Data-centric) Architectures
- Fundamentally **Low-Latency and Predictable** Architectures
- Architectures for **AI/ML, Genomics, Medicine, Health**

The Transformation Hierarchy



To achieve the highest **energy efficiency** and **performance**:

we must take the expanded view
of computer architecture




Co-design across the hierarchy:
Algorithms to devices

Specialize as much as possible
within the design goals

Current Research Mission & Major Topics

Build fundamentally better architectures




**Broad research
spanning apps, systems, logic
with architecture at the center**

- Data-centric arch. for low energy & high perf.
 - Proc. in Mem/DRAM, NVM, unified mem/storage
- Low-latency & predictable architectures
 - Low-latency, low-energy yet low-cost memory
 - QoS-aware and predictable memory systems
- Fundamentally secure/reliable/safe arch.
 - Tolerating all bit flips; patchable HW; secure mem
- Architectures for ML/AI/Genomics/Health/Med
 - Algorithm/arch./logic co-design; full heterogeneity
- Data-driven and data-aware architectures
 - ML/AI-driven architectural controllers and design
 - Expressive memory and expressive systems

Onur Mutlu's SAFARI Research Group

Computer architecture, HW/SW, systems, bioinformatics, security, memory

<https://safari.ethz.ch/safari-newsletter-april-2020/>



SAFARI
SAFARI Research Group
safari.ethz.ch

Think BIG, Aim HIGH!

SAFARI

<https://safari.ethz.ch>

SAFARI Newsletter January 2021 Edition

- <https://safari.ethz.ch/safari-newsletter-january-2021/>



Newsletter
January 2021

*Think Big, Aim High, and
Have a Wonderful 2021!*



Dear SAFARI friends,

Happy New Year! We are excited to share our group highlights with you in this second edition of the SAFARI newsletter (You can find the first edition from April 2020 [here](#)). 2020 has

Principle: Teaching and Research

...

Teaching drives Research

Research drives Teaching

...

Principle: Insight and Ideas

Focus on Insight

Encourage New Ideas

Research & Teaching: Some Overview Talks

<https://www.youtube.com/onurmutlulectures>

■ Future Computing Architectures

- https://www.youtube.com/watch?v=kgiZISOcGFM&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=1

■ Enabling In-Memory Computation

- https://www.youtube.com/watch?v=njX_14584Jw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=16

■ Accelerating Genome Analysis

- https://www.youtube.com/watch?v=r7sn41IH-4A&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=41

■ Rethinking Memory System Design

- https://www.youtube.com/watch?v=F7xZLNMIY1E&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=3

■ Intelligent Architectures for Intelligent Machines

- https://www.youtube.com/watch?v=c6_LgzuNdkw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=25

■ The Story of RowHammer

- https://www.youtube.com/watch?v=sgd7PHQQ1AI&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=39

An Interview on Research and Education

- Computing Research and Education (@ ISCA 2019)
 - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz
- Maurice Wilkes Award Speech (10 minutes)
 - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=15

More Thoughts and Suggestions

- Onur Mutlu,
"Some Reflections (on DRAM)"
*Award Speech for ACM SIGARCH Maurice Wilkes Award, at the **ISCA** Awards Ceremony, Phoenix, AZ, USA, 25 June 2019.*
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Video of Award Acceptance Speech \(Youtube; 10 minutes\)](#)] [[Youku; 13 minutes](#)]
[[Video of Interview after Award Acceptance \(Youtube; 1 hour 6 minutes\)](#)] [[Youku; 1 hour 6 minutes](#)]
[[News Article on "ACM SIGARCH Maurice Wilkes Award goes to Prof. Onur Mutlu"](#)]

- Onur Mutlu,
"How to Build an Impactful Research Group"
*57th Design Automation Conference Early Career Workshop (**DAC**), Virtual, 19 July 2020.*
[[Slides \(pptx\)](#)] [[pdf](#)]

Future Computing Architectures

Challenges and Opportunities

Why Do We Do Computing?

To Solve Problems

To Gain Insight

To Enable
a Better Life & Future


How Does a Computer Solve Problems?

Orchestrating Electrons

In today's dominant technologies

How Do Problems Get Solved by Electrons?

The Transformation Hierarchy



Computer Architecture

- is the **science** and **art** of designing **computing platforms** (hardware, interface, system SW, and programming model)
- to achieve a set of **design goals**
 - E.g., highest performance on earth on workloads X, Y, Z
 - E.g., longest battery life at a form factor that fits in your pocket with cost < \$\$\$ CHF
 - E.g., best average performance across all known workloads at the best performance/cost ratio
 - ...
- Designing a supercomputer is different from designing a smartphone → But, many fundamental principles are similar

Different Platforms, Different Goals



Different Platforms, Different Goals



Different Platforms, Different Goals



Different Platforms, Different Goals



Different Platforms, Different Goals



Different Platforms, Different Goals



Jack Dongarra

Different Platforms, Different Goals




Figure 3. TPU Printed Circuit Board. It can be inserted in the slot for an SATA disk in a server, but the card uses PCIe Gen3 x16.





Figure 4. Systolic data flow of the Matrix Multiply Unit. Software has the illusion that each 256B input is read at once, and they instantly update one location of each of 256 accumulator RAMs.

Jouppi et al., “In-Datcenter Performance Analysis of a Tensor Processing Unit”, ISCA 2017.


Different Platforms, Different Goals

- ML accelerator: 260 mm², 6 billion transistors, 600 GFLOPS GPU, 12 ARM 2.2 GHz CPUs.
- Two redundant chips for better safety.



To achieve the highest **energy efficiency** and **performance**:

we must take the expanded view
of computer architecture



Co-design across the hierarchy:
Algorithms to devices

Specialize as much as possible
within the design goals

What Kind of a Future Do We Want?

How Reliable/Secure/Safe is This Bridge?



Collapse of the “Galloping Gertie”



Another View



How Secure Are These People?



Security is about preventing unforeseen consequences


Challenge and Opportunity for Future

Reliable, Secure, Safe

Do We Want This?




Or This?



Sustainable and Energy Efficient

Many Difficult Problems: Climate



Many Difficult Problems: Congestion




Many Difficult Problems: Intelligence



Many Difficult Problems: Public Health




Many Difficult Problems: Genome Analysis



development of high-throughput sequencing (HTS) technologies

Number of Genomes Sequenced



The Economist

Accelerating Genome Analysis

- Mohammed Alser, Zülal Bingöl, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, and Onur Mutlu,
"Accelerating Genome Analysis: A Primer on an Ongoing Journey"
IEEE Micro (IEEE MICRO), Vol. 40, No. 5, pages 65-75, September/October 2020.
[\[Slides \(pptx\)\(pdf\)\]](#)
[\[Talk Video \(1 hour 2 minutes\)\]](#)

Accelerating Genome Analysis: A Primer on an Ongoing Journey

Mohammed Alser

ETH Zürich

Zülal Bingöl

Bilkent University

Damla Senol Cali

Carnegie Mellon University

Jeremie Kim

ETH Zurich and Carnegie Mellon University

Saugata Ghose

University of Illinois at Urbana–Champaign and
Carnegie Mellon University

Can Alkan

Bilkent University

Onur Mutlu

ETH Zurich, Carnegie Mellon University, and
Bilkent University

More on Fast Genome Analysis ...

- Onur Mutlu,
"Accelerating Genome Analysis: A Primer on an Ongoing Journey"
Invited Lecture at [Technion](#), Virtual, 26 January 2021.
[[Slides \(pptx\)](#) ([pdf](#))]
[[Talk Video](#) (1 hour 37 minutes, including Q&A)]
[[Related Invited Paper \(at IEEE Micro, 2020\)](#)]

Insight: Shifting a String Helps Similarity Search

7 matches 1 mismatch

ISTANBUL

ISTNBUL

ISTNBUL

81

46:08 / 1:37:37

Onur Mutlu - Invited Lecture @Technion: Accelerating Genome Analysis: A Primer on an Ongoing Journey

566 views · Premiered Feb 6, 2021

Onur Mutlu Lectures
13.9K subscribers

ANALYTICS EDIT VIDEO

Detailed Lectures on Genome Analysis

- **Computer Architecture, Fall 2020, Lecture 3a**
 - **Introduction to Genome Sequence Analysis** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=CrRb32v7SJc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=5>
- **Computer Architecture, Fall 2020, Lecture 8**
 - **Intelligent Genome Analysis** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=ygmQpdDTL7o&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=14>
- **Computer Architecture, Fall 2020, Lecture 9a**
 - **GenASM: Approx. String Matching Accelerator** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=XoLpzmN-Pas&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=15>
- **Accelerating Genomics Project Course, Fall 2020, Lecture 1**
 - **Accelerating Genomics** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=rgjl8ZyLsAg&list=PL5Q2soXY2Zi9E2bBVAgCqLgwiDRQDTyId>


High Performance

(to solve
the **toughest & all** problems)

Personalized Medicine



Comparative Genomics



Source: By Aaron E. Darling, István Miklós, Mark A. Ragan - Figure 1 from Darling AE, Miklós I, Ragan MA (2008).

"Dynamics of Genome Rearrangement in Bacterial Populations". PLOS Genetics. DOI:10.1371/journal.pgen.1000128., CC BY 2.5, <https://commons.wikimedia.org/w/index.php?curid=30550950>

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, <https://doi.org/10.1093/bib/bby017>

Published: 02 April 2018 **Article history** ▼



Oxford Nanopore MinION

Senol Cali+, “**Nanopore Sequencing Technology and Tools for Genome Assembly: Computational Analysis of the Current State, Bottlenecks and Future Directions**,” *Briefings in Bioinformatics*, 2018.

[[Preliminary arxiv.org version](#)]

Personalized and Private

(in every aspect of life:
health, medicine,
spaces, devices, robotics, ...)

This Lecture is About ...

- Questioning what limits us in designing the best computing architectures for the future
- Providing directions for fundamentally better designs
- Advocating principled approaches

Increasingly Demanding Applications

Dream


and, they will come

As applications push boundaries, computing platforms will become increasingly strained.

Key Realization


Modern Systems are Bottlenecked by Data Storage and Movement

Focus is on Data Storage Systems (Memory)




- Main memory is a critical component of all computing systems: server, mobile, embedded, desktop, sensor
- Main memory system must scale (in *size, technology, efficiency, cost, and management algorithms*) to maintain performance growth and technology scaling benefits

Focus is on Data Storage Systems (Memory)



- Main memory is a critical component of all computing systems: server, mobile, embedded, desktop, sensor
- Main memory system must scale (in *size, technology, efficiency, cost, and management algorithms*) to maintain performance growth and technology scaling benefits

Focus is on Data Storage Systems (Memory)



- Main memory is a critical component of all computing systems: server, mobile, embedded, desktop, sensor
- Main memory system must scale (in *size, technology, efficiency, cost, and management algorithms*) to maintain performance growth and technology scaling benefits

Computing

is Bottlenecked by Data

Data is Key for AI, ML, Genomics, ...

- Important workloads are all data intensive
- They require rapid and efficient processing of large amounts of data
- Data is increasing
 - We can generate more than we can process

Memory Is Critical for Performance (I)




In-memory Databases

[Mao+, EuroSys'12;
Clapp+ (Intel), IISWC'15]




In-Memory Data Analytics

[Clapp+ (Intel), IISWC'15;
Awan+, BDCloud'15]



Graph/Tree Processing

[Xu+, IISWC'12; Umuroglu+, FPL'15]




Datacenter Workloads

[Kanev+ (Google), ISCA'15]

Memory Is Critical for Performance (I)



In-memory Databases




Graph/Tree Processing

Memory → bottleneck



In-Memory Data Analytics

[Clapp+ (Intel), IISWC'15;
Awan+, BDCloud'15]



Datacenter Workloads

[Kanev+ (Google), ISCA'15]

Memory Is Critical for Performance (II)



Chrome

Google's web browser



TensorFlow Mobile

Google's machine learning
framework

VP9



Video Playback

Google's **video codec**

VP9



Video Capture

Google's **video codec**

Memory Is Critical for Performance (II)



Chrome



TensorFlow Mobile

Memory → bottleneck

VP9



Video Playback


Google's **video codec**

VP9




Video Capture

Google's **video codec**



Billions of Short Reads

ATATATACGTACTAGTACGT
 TTTAGTACGTACGT
 ATACGTACTAGTACGT
 CGCCCCTACGTA
 ACGTACTAGTACGT
 TTAGTACGTACGT
 TACGTACTAAAGTACGT
 TACGTACTAGTACGT
 TTTAAACGTA
 CGTACTAGTACGT
 GGGAGTACGTACGT



1 Sequencing

Genome Analysis

2 Read Mapping

reference: TTTATCGCTTCCATGACGCAG

read1: ATCGCATCC

read2: TATCGCATC

read3: CATCCATGA

read4: CGCTTCCAT



read5: CCATGACGC

read6: TTCCATGAC



3 Variant Calling

4 Scientific Discovery



Memory → bottleneck

Reference: TTTATCGCTTCATGACGCAG

read1: ATCGCATCC

read2: TATCGCATC

read3: CATCCATGA

read4: CGCTTCCAT

read5: CCATGACGC

read6: TTCCATGAC



New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, <https://doi.org/10.1093/bib/bby017>

Published: 02 April 2018 **Article history** ▼



Oxford Nanopore MinION

Senol Cali+, “**Nanopore Sequencing Technology and Tools for Genome Assembly: Computational Analysis of the Current State, Bottlenecks and Future Directions**,” *Briefings in Bioinformatics*, 2018.

[[Open arxiv.org version](#)]

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, <https://doi.org/10.1093/bib/bby017>

Published: 02 April 2018 **Article history** ▼



Oxford Nanopore MinION

Memory → bottleneck

Memory is Critical for Energy

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"** *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS)*, Williamsburg, VA, USA, March 2018.

**62.7% of the total system energy
is spent on data movement**

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand¹

Saugata Ghose¹

Youngsok Kim²

Rachata Ausavarungnirun¹

Eric Shiu³

Rahul Thakur³

Daehyun Kim^{4,3}

Aki Kuusela³


Allan Knies³

Parthasarathy Ranganathan³

Onur Mutlu^{5,1}

Memory is Critical for Reliability

- Data from all of Facebook's servers worldwide
- Meza+, "Revisiting Memory Errors in Large-Scale Production Data Centers," DSN'15.



As memory capacity increases, system reliability reduces

Modern Systems are
Bottlenecked by
Memory


Four Key Issues in Future Platforms

- Fundamentally **Secure/Reliable/Safe** Architectures
- Fundamentally **Energy-Efficient** Architectures
 - **Memory-centric** (Data-centric) Architectures
- Fundamentally **Low-Latency and Predictable** Architectures
- Architectures for **AI/ML, Genomics, Medicine, Health**

Maslow's (Human) Hierarchy of Needs

Maslow, "A Theory of Human Motivation,"
Psychological Review, 1943.

Maslow, "Motivation and Personality,"
Book, 1954-1970.



- We need to start with reliability and security...

How Reliable/Secure/Safe is This Bridge?



Collapse of the “Galloping Gertie”



How Secure Are These People?




Security is about preventing unforeseen consequences

The Problem

We do not seem to have
design principles for
(guaranteeing)
reliability and security

As Memory Scales, It Becomes Unreliable


- Data from all of Facebook's servers worldwide
- Meza+, "Revisiting Memory Errors in Large-Scale Production Data Centers," DSN'15.



*Intuition:
quadratic
increase
in
capacity*

The DRAM Scaling Problem

- DRAM stores charge in a capacitor (charge-based memory)
 - ❑ Capacitor must be large enough for reliable sensing
 - ❑ Access transistor must be large enough for long data retention time



- As DRAM cell becomes **smaller**, it becomes **more vulnerable**

Infrastructures to Understand Such Issues




An Experimental Study of Data Retention Behavior in Modern DRAM Devices: Implications for Retention Time Profiling Mechanisms (Liu et al., ISCA 2013)

The Efficacy of Error Mitigation Techniques for DRAM Retention Failures: A Comparative Experimental Study (Khan et al., SIGMETRICS 2014)


Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors (Kim et al., ISCA 2014)

Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common-Case (Lee et al., HPCA 2015)

AVATAR: A Variable-Retention-Time (VRT) Aware Refresh for DRAM Systems (Qureshi et al., DSN 2015)




Infrastructures to Understand Such Issues



SoftMC: Open Source DRAM Infrastructure

- Hasan Hassan et al., “**SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies**,” HPCA 2017.
- Flexible
- Easy to Use (C++ API)
- Open-source
github.com/CMU-SAFARI/SoftMC



- <https://github.com/CMU-SAFARI/SoftMC>

SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies

Hasan Hassan^{1,2,3} Nandita Vijaykumar³ Samira Khan^{4,3} Saugata Ghose³ Kevin Chang³
Gennady Pekhimenko^{5,3} Donghyuk Lee^{6,3} Oguz Ergin² Onur Mutlu^{1,3}

¹*ETH Zürich* ²*TOBB University of Economics & Technology* ³*Carnegie Mellon University*
⁴*University of Virginia* ⁵*Microsoft Research* ⁶*NVIDIA Research*

A Curious Discovery [Kim et al., ISCA 2014]

One can
predictably induce errors
in most DRAM memory chips

DRAM RowHammer

A simple hardware failure mechanism
can create a widespread
system security vulnerability

WIRED

Forget Software—Now Hackers Are Exploiting Physics

BUSINESS	CULTURE	DESIGN	GEAR	SCIENCE
----------	---------	--------	------	---------

ANDY GREENBERG SECURITY 08.31.16 7:00 AM

SHARE




SHARE
18276



TWEET

FORGET SOFTWARE—NOW HACKERS ARE EXPLOITING PHYSICS


Modern DRAM is Prone to Disturbance Errors




Repeatedly reading a row enough times (before memory gets refreshed) induces **disturbance errors** in adjacent rows in **most real DRAM chips you can buy today**

Most DRAM Modules Are Vulnerable


A company



B company



C company




Up to
 1.0×10^7
errors


Up to
 2.7×10^6
errors

Up to
 3.3×10^5
errors


Recent DRAM Is More Vulnerable



Recent DRAM Is More Vulnerable



Recent DRAM Is More Vulnerable




All modules from 2012-2013 are vulnerable

Why Is This Happening?




- DRAM cells are too close to each other!
 - They are not electrically isolated from each other
- Access to one cell affects the value in nearby cells
 - due to **electrical interference** between
 - the cells
 - wires used for accessing the cells
 - Also called cell-to-cell coupling/interference
- Example: When we activate (apply high voltage) to a row, an adjacent row gets slightly activated as well
 - Vulnerable cells in that slightly-activated row lose a little bit of charge
 - If row hammer happens enough times, charge in such cells gets drained

Higher-Level Implications


- This simple circuit level failure mechanism has enormous implications on upper layers of the transformation hierarchy






A Simple Program Can Induce Many Errors




```
loop:  
  mov  (X), %eax  
  mov  (Y), %ebx  
  clflush (X)  
  clflush (Y)  
  mfence  
  jmp  loop
```






A Simple Program Can Induce Many Errors




```
loop:  
  mov  (X), %eax  
  mov  (Y), %ebx  
  clflush (X)  
  clflush (Y)  
  mfence  
  jmp  loop
```





A Simple Program Can Induce Many Errors




```
loop:  
  mov  (X), %eax  
  mov  (Y), %ebx  
  clflush (X)  
  clflush (Y)  
  mfence  
  jmp  loop
```



A Simple Program Can Induce Many Errors



```
loop:  
  mov  (X),  %eax  
  mov  (Y),  %ebx  
  clflush (X)  
  clflush (Y)  
  mfence  
  jmp  loop
```



Observed Errors in Real Systems

CPU Architecture	Errors	Access-Rate
Intel Haswell (2013)	22.9K	12.3M/sec
Intel Ivy Bridge (2012)	20.7K	11.7M/sec
Intel Sandy Bridge (2011)	16.1K	11.6M/sec
AMD Piledriver (2012)	59	6.1M/sec

A real reliability & security issue

One Can Take Over an Otherwise-Secure System

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors

Abstract. Memory isolation is a key property of a reliable and secure computing system — an access to one memory address should not have unintended side effects on data stored in other addresses. However, as DRAM process technology

Project Zero

Flipping Bits in Memory Without Accessing Them:
An Experimental Study of DRAM Disturbance Errors
(Kim et al., ISCA 2014)

News and updates from the Project Zero team at Google

Exploiting the DRAM rowhammer bug to
gain kernel privileges (Seaborn+, 2015)

Monday, March 9, 2015

Exploiting the DRAM rowhammer bug to gain kernel privileges

RowHammer Security Attack Example

- “Rowhammer” is a problem with some recent DRAM devices in which repeatedly accessing a row of memory can cause bit flips in adjacent rows (Kim et al., ISCA 2014).
 - Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors (Kim et al., ISCA 2014)
- We tested a selection of laptops and found that a subset of them exhibited the problem.
- We built two working privilege escalation exploits that use this effect.
 - Exploiting the DRAM rowhammer bug to gain kernel privileges (Seaborn+, 2015)
- One exploit uses rowhammer-induced bit flips to **gain kernel privileges** on x86-64 Linux when run as an unprivileged userland process.
- When run on a machine vulnerable to the rowhammer problem, the process was able to induce bit flips in page table entries (PTEs).
- It was able to use this to gain write access to its own page table, and hence gain read-write access to all of physical memory.

Security Implications



Security Implications



It's like breaking into an apartment by repeatedly slamming a neighbor's door until the vibrations open the door you were after

More Security Implications (I)

“We can gain unrestricted access to systems of website visitors.”

www.iaik.tugraz.at ■

Not there yet, but ...



ROOT privileges for web apps!

29

Daniel Gruss (@lavados), Clémentine Maurice (@BloodyTangerine),
December 28, 2015 — 32c3, Hamburg, Germany



GATED
COMMUNITIES

Rowhammer.js: A Remote Software-Induced Fault Attack in JavaScript (DIMVA'16)

More Security Implications (II)


"Can gain control of a smart phone deterministically"



Drammer: Deterministic Rowhammer
Attacks on Mobile Platforms, CCS'16¹⁰⁷

More Security Implications (III)

- Using an integrated GPU in a mobile system to remotely escalate privilege via the WebGL interface

A screenshot of the top portion of an Ars Technica article. The header features the 'ars TECHNICA' logo on the left, with 'ars' in a red circle and 'TECHNICA' in white. To the right, a navigation bar lists categories: 'BIZ & IT', 'TECH', 'SCIENCE', 'POLICY', 'CARS', and 'GAMING & CULTURE'. Below this, the article title 'Drive-by Rowhammer attack uses GPU to compromise an Android phone' is displayed in large black font, preceded by a green sub-header '"GRAND PWNING UNIT" —'. A summary line reads 'JavaScript based GLitch pwns browsers by flipping bits inside memory chips.' and the byline 'DAN GOODIN - 5/3/2018, 12:00 PM' is at the bottom.

ars TECHNICA

BIZ & IT TECH SCIENCE POLICY CARS GAMING & CULTURE

"GRAND PWNING UNIT" —

Drive-by Rowhammer attack uses GPU to compromise an Android phone

JavaScript based GLitch pwns browsers by flipping bits inside memory chips.

DAN GOODIN - 5/3/2018, 12:00 PM

Grand Pwning Unit: Accelerating Microarchitectural Attacks with the GPU

Pietro Frigo
Vrije Universiteit
Amsterdam
p.frigo@vu.nl

Cristiano Giuffrida
Vrije Universiteit
Amsterdam
giuffrida@cs.vu.nl

Herbert Bos
Vrije Universiteit
Amsterdam
herbertb@cs.vu.nl

Kaveh Razavi
Vrije Universiteit
Amsterdam
kaveh@cs.vu.nl

More Security Implications (IV)

■ Rowhammer over RDMA (I)



TECHNICA

BIZ & IT

TECH

SCIENCE

POLICY

CARS

GAMING & CULTURE

THROWHAMMER —

Packets over a LAN are all it takes to trigger serious Rowhammer bit flips

The bar for exploiting potentially serious DDR weakness keeps getting lower.

DAN GOODIN - 5/10/2018, 5:26 PM

Throwhammer: Rowhammer Attacks over the Network and Defenses

Andrei Tatar
VU Amsterdam

Radhesh Krishnan
VU Amsterdam

Elias Athanasopoulos
University of Cyprus

Cristiano Giuffrida
VU Amsterdam

Herbert Bos
VU Amsterdam

Kaveh Razavi
VU Amsterdam

More Security Implications (V)

■ Rowhammer over RDMA (II)



Nethammer—Exploiting DRAM Rowhammer Bug Through Network Requests



Nethammer: Inducing Rowhammer Faults through Network Requests

Moritz Lipp
Graz University of Technology

Daniel Gruss
Graz University of Technology

Misiker Tadesse Aga
University of Michigan

Clémentine Maurice
Univ Rennes, CNRS, IRISA


Michael Schwarz
Graz University of Technology

Lukas Raab
Graz University of Technology

Lukas Lamster
Graz University of Technology

More Security Implications (VI)

- IEEE S&P 2020



RAMBleed

RAMBleed: Reading Bits in Memory Without Accessing Them

Andrew Kwong
University of Michigan
ankwong@umich.edu

Daniel Genkin
University of Michigan
genkin@umich.edu

Daniel Gruss
Graz University of Technology
daniel.gruss@iaik.tugraz.at

Yuval Yarom
University of Adelaide and Data61
yval@cs.adelaide.edu.au

More Security Implications (VII)

■ USENIX Security 2019

Terminal Brain Damage: Exposing the Graceless Degradation in Deep Neural Networks Under Hardware Fault Attacks

Sanghyun Hong, Pietro Frigo[†], Yiğitcan Kaya, Cristiano Giuffrida[†], Tudor Dumitraş

University of Maryland, College Park

[†]Vrije Universiteit Amsterdam



A Single Bit-flip Can Cause Terminal Brain Damage to DNNs

One specific bit-flip in a DNN's representation leads to accuracy drop over 90%

Our research found that a specific bit-flip in a DNN's bitwise representation can cause the accuracy loss up to 90%, and the DNN has 40-50% parameters, on average, that can lead to the accuracy drop over 10% when individually subjected to such single bitwise corruptions...

[Read More](#)

More Security Implications (VIII)

■ USENIX Security 2020

DeepHammer: Depleting the Intelligence of Deep Neural Networks through Targeted Chain of Bit Flips

Fan Yao

University of Central Florida

fan.yao@ucf.edu

Adnan Siraj Rakin

Arizona State University

asrakin@asu.edu

Deliang Fan


Arizona State University

dfan@asu.edu

Degrade the inference accuracy to the level of Random Guess

Example: ResNet-20 for CIFAR-10, 10 output classes

Before attack, **Accuracy: 90.2%** After attack, **Accuracy: ~10% (1/10)**



More Security Implications (IX)

- Rowhammer on MLC NAND Flash (based on [Cai+, HPCA 2017])



Security

Rowhammer RAM attack adapted to hit flash storage

Project Zero's two-year-old dog learns a new trick

By [Richard Chirgwin](#) 17 Aug 2017 at 04:27

17 SHARE ▼

**From random block corruption to privilege escalation:
A filesystem attack vector for rowhammer-like attacks**

Anil Kurmus

Nikolas Ioannou

Matthias Neugschwandtner

Nikolaos Papandreou

Thomas Parnell

IBM Research – Zurich

More Security Implications?



Apple's Patch for RowHammer

- <https://support.apple.com/en-gb/HT204934>

Available for: OS X Mountain Lion v10.8.5, OS X Mavericks v10.9.5

Impact: A malicious application may induce memory corruption to escalate privileges

Description: A disturbance error, also known as Rowhammer, exists with some DDR3 RAM that could have led to memory corruption. This issue was mitigated by increasing memory refresh rates.

CVE-ID

CVE-2015-3693 : Mark Seaborn and Thomas Dullien of Google, working from original research by Yoongu Kim et al (2014)

HP, Lenovo, and other vendors released similar patches

Solution Direction: Principled Designs

Design fundamentally secure
computing architectures

Predict and prevent
such safety issues

Our Solution to RowHammer

- PARA: *Probabilistic Adjacent Row Activation*
- Key Idea
 - After closing a row, we activate (i.e., refresh) one of its neighbors with a low probability: $p = 0.005$
- Reliability Guarantee
 - When $p=0.005$, errors in one year: 9.4×10^{-14}
 - By adjusting the value of p , we can vary the strength of protection against errors


Advantages of PARA

- *PARA refreshes rows infrequently*
 - Low power
 - Low performance-overhead
 - Average slowdown: **0.20%** (for 29 benchmarks)
 - Maximum slowdown: **0.75%**
- *PARA is stateless*
 - Low cost
 - Low complexity
- *PARA is an effective and low-overhead solution to prevent disturbance errors*


Requirements for PARA

- If implemented in **DRAM chip** (done today)
 - Enough slack in timing and refresh parameters
 - Plenty of slack today:
 - Lee et al., “**Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common Case**,” HPCA 2015.
 - Chang et al., “**Understanding Latency Variation in Modern DRAM Chips**,” SIGMETRICS 2016.
 - Lee et al., “**Design-Induced Latency Variation in Modern DRAM Chips**,” SIGMETRICS 2017.
 - Chang et al., “**Understanding Reduced-Voltage Operation in Modern DRAM Devices**,” SIGMETRICS 2017.
 - Ghose et al., “**What Your DRAM Power Models Are Not Telling You: Lessons from a Detailed Experimental Study**,” SIGMETRICS 2018.
 - Kim et al., “**Solar-DRAM: Reducing DRAM Access Latency by Exploiting the Variation in Local Bitlines**,” ICCD 2018.
- If implemented in **memory controller**
 - Better coordination between memory controller and DRAM
 - Memory controller should know which rows are physically adjacent

Probabilistic Activation in Real Life (I)



Probabilistic Activation in Real Life (II)



Detailed Lectures on RowHammer

- Computer Architecture, Fall 2020, Lecture 4b

- RowHammer (ETH Zürich, Fall 2020)
- <https://www.youtube.com/watch?v=KDy632z23UE&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=8>

- Computer Architecture, Fall 2020, Lecture 5c

- Secure and Reliable Memory (ETH Zürich, Fall 2020)
- <https://www.youtube.com/watch?v=HvswnsfG3oQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=11>

<https://www.youtube.com/onurmutlulectures>

First RowHammer Analysis

- Yoongu Kim, Ross Daly, Jeremie Kim, Chris Fallin, Ji Hye Lee, Donghyuk Lee, Chris Wilkerson, Konrad Lai, and Onur Mutlu,
"Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors"
Proceedings of the 41st International Symposium on Computer Architecture (ISCA), Minneapolis, MN, June 2014.
[\[Slides \(pptx\) \(pdf\)\]](#) [\[Lightning Session Slides \(pptx\) \(pdf\)\]](#) [\[Source Code and Data\]](#)

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors

Yoongu Kim¹ Ross Daly* Jeremie Kim¹ Chris Fallin* Ji Hye Lee¹
Donghyuk Lee¹ Chris Wilkerson² Konrad Lai Onur Mutlu¹

¹Carnegie Mellon University ²Intel Labs

More on RowHammer Analysis

- Yoongu Kim, Ross Daly, Jeremie Kim, Chris Fallin, Ji Hye Lee, Donghyuk Lee, Chris Wilkerson, Konrad Lai, and Onur Mutlu,
"Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors"
Proceedings of the 41st International Symposium on Computer Architecture (ISCA), Minneapolis, MN, June 2014.
[[Slides \(pptx\)](#)] [[pdf](#)] [[Lightning Session Slides \(pptx\)](#)] [[pdf](#)] [[Source Code and Data](#)]

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors

Yoongu Kim¹ Ross Daly* Jeremie Kim¹ Chris Fallin* Ji Hye Lee¹
Donghyuk Lee¹ Chris Wilkerson² Konrad Lai Onur Mutlu¹

¹Carnegie Mellon University ²Intel Labs

Future of Memory Reliability/Security

- Onur Mutlu,
"The RowHammer Problem and Other Issues We May Face as Memory Becomes Denser"
Invited Paper in Proceedings of the Design, Automation, and Test in Europe Conference (DATE), Lausanne, Switzerland, March 2017.
[[Slides \(pptx\)](#) ([pdf](#))]

The RowHammer Problem and Other Issues We May Face as Memory Becomes Denser

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch
<https://people.inf.ethz.ch/omutlu>

A More Recent RowHammer Retrospective

- Onur Mutlu and Jeremie Kim,
"RowHammer: A Retrospective"
IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems (TCAD) Special Issue on Top Picks in Hardware and Embedded Security, 2019.
[[Preliminary arXiv version](#)]
[[Slides from COSADE 2019 \(pptx\)](#)]
[[Slides from VLSI-SOC 2020 \(pptx\) \(pdf\)](#)]
[[Talk Video](#) (30 minutes)]

RowHammer: A Retrospective

Onur Mutlu^{§‡} Jeremie S. Kim^{‡§}
[§]ETH Zürich [‡]Carnegie Mellon University

RowHammer in 2020

RowHammer in 2020 (I)

- Jeremie S. Kim, Minesh Patel, A. Giray Yaglikci, Hasan Hassan, Roknoddin Azizi, Lois Orosa, and Onur Mutlu,
"Revisiting RowHammer: An Experimental Analysis of Modern Devices and Mitigation Techniques"
Proceedings of the 47th International Symposium on Computer Architecture (ISCA), Valencia, Spain, June 2020.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Lightning Talk Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#) (20 minutes)]
[[Lightning Talk Video](#) (3 minutes)]

Revisiting RowHammer: An Experimental Analysis of Modern DRAM Devices and Mitigation Techniques

Jeremie S. Kim^{§†} Minesh Patel[§] A. Giray Yağlıkçı[§]
Hasan Hassan[§] Roknoddin Azizi[§] Lois Orosa[§] Onur Mutlu^{§†}
[§]*ETH Zürich* [†]*Carnegie Mellon University*

Key Takeaways from 1580 Chips

- Chips of newer DRAM technology nodes are **more vulnerable** to RowHammer
- There are chips today whose weakest cells fail after **only 4800 hammers**
- Chips of newer DRAM technology nodes can exhibit RowHammer bit flips 1) in **more rows** and 2) **farther away** from the victim row.
- Existing mitigation mechanisms are not effective

RowHammer in 2020 (II)

- Pietro Frigo, Emanuele Vannacci, Hasan Hassan, Victor van der Veen, Onur Mutlu, Cristiano Giuffrida, Herbert Bos, and Kaveh Razavi,
"TRRespass: Exploiting the Many Sides of Target Row Refresh"
Proceedings of the 41st IEEE Symposium on Security and Privacy (S&P), San Francisco, CA, USA, May 2020.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Lecture Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#)] (17 minutes)
[[Lecture Video](#)] (59 minutes)
[[Source Code](#)]
[[Web Article](#)]
Best paper award.
Pwnie Award 2020 for Most Innovative Research. [Pwnie Awards 2020](#)

TRRespass: Exploiting the Many Sides of Target Row Refresh

Pietro Frigo^{*†} Emanuele Vannacci^{*†} Hasan Hassan[§] Victor van der Veen[¶]
Onur Mutlu[§] Cristiano Giuffrida^{*} Herbert Bos^{*} Kaveh Razavi^{*}

RowHammer in 2020 (III)

- Lucian Cojocar, Jeremie Kim, Minesh Patel, Lillian Tsai, Stefan Saroiu, Alec Wolman, and Onur Mutlu,
"Are We Susceptible to Rowhammer? An End-to-End Methodology for Cloud Providers"
Proceedings of the 41st IEEE Symposium on Security and Privacy (S&P), San Francisco, CA, USA, May 2020.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#) (17 minutes)]

Are We Susceptible to Rowhammer?

An End-to-End Methodology for Cloud Providers

Lucian Cojocar, Jeremie Kim^{§†}, Minesh Patel[§], Lillian Tsai[‡],
Stefan Saroiu, Alec Wolman, and Onur Mutlu^{§†}
Microsoft Research, [§]ETH Zürich, [†]CMU, [‡]MIT

Coming Up in HPCA 2021...

- A. Giray Yaglikci, Minesh Patel, Jeremie S. Kim, Roknoddin Azizi, Ataberk Olgun, Lois Orosa, Hasan Hassan, Jisung Park, Konstantinos Kanellopoulos, Taha Shahroodi, Saugata Ghose, and Onur Mutlu, **"BlockHammer: Preventing RowHammer at Low Cost by Blacklisting Rapidly-Accessed DRAM Rows"**
Proceedings of the 27th International Symposium on High-Performance Computer Architecture (HPCA), Virtual, February-March 2021.

BlockHammer: Preventing RowHammer at Low Cost by Blacklisting Rapidly-Accessed DRAM Rows


A. Giray Yağlıkçı¹ Minesh Patel¹ Jeremie S. Kim¹ Roknoddin Azizi¹ Ataberk Olgun¹ Lois Orosa¹
Hasan Hassan¹ Jisung Park¹ Konstantinos Kanellopoulos¹ Taha Shahroodi¹ Saugata Ghose² Onur Mutlu¹
¹ETH Zürich ²University of Illinois at Urbana-Champaign

Detailed Lectures on RowHammer

- Computer Architecture, Fall 2020, Lecture 4b
 - RowHammer (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=KDy632z23UE&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=8>
- Computer Architecture, Fall 2020, Lecture 5a
 - RowHammer in 2020: TRRespass (ETH Zürich, Fall 2020)
 - https://www.youtube.com/watch?v=pwRw7QqK_qA&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=9
- Computer Architecture, Fall 2020, Lecture 5b
 - RowHammer in 2020: Revisiting RowHammer (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=gR7XR-Eepcg&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=10>
- Computer Architecture, Fall 2020, Lecture 5c
 - Secure and Reliable Memory (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=HvswnsfG3oQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=11>

The Story of RowHammer Lecture ...

- Onur Mutlu,
"The Story of RowHammer"
Keynote Talk at *Secure Hardware, Architectures, and Operating Systems Workshop (SeHAS)*, held with *HiPEAC 2021 Conference*, Virtual, 19 January 2021.
[[Slides \(pptx\)](#) ([pdf](#))]
[[Talk Video](#) (1 hr 15 minutes, with Q&A)]



The video player shows a presentation slide titled "The Story of RowHammer" by Onur Mutlu. The slide includes contact information: omutlu@gmail.com, <https://people.inf.ethz.ch/omutlu>, and the date 19 January 2021. It also mentions "SEHAS Keynote @ HiPEAC". Logos for SAFARI, ETH zürich, and Carnegie Mellon are at the bottom. The video player interface shows a progress bar at 58:18 / 1:14:41, a video thumbnail of Onur Mutlu, and engagement metrics: 64 likes, 0 comments, and 1,293 views. The channel name "Onur Mutlu Lectures" with 13.9K subscribers is also visible.

The Story of RowHammer - Secure Hardware, Architectures, and Operating Systems Keynote - Onur Mutlu

1,293 views • Premiered Feb 2, 2021

64 0 SHARE SAVE ...

Onur Mutlu Lectures
13.9K subscribers

ANALYTICS EDIT VIDEO



Rowhammer

Future of Main Memory Reliability

- DRAM is becoming less reliable → more vulnerable
- Due to difficulties in DRAM scaling, other problems may also appear (or they may be going unnoticed)
- Some errors may already be slipping into the field
 - Read disturb errors (Rowhammer)
 - Retention errors
 - Read errors, write errors
 - ...
- These errors can also pose security vulnerabilities


All Memory Technologies are Vulnerable

- DRAM
- Flash memory
- Emerging Technologies
 - Phase Change Memory
 - STT-MRAM
 - RRAM, memristors
 - ...


How Do We Keep Memory Secure?

- **Understand:** Methodologies for failure modeling and discovery
 - Modeling and prediction based on real (device) data
- **Architect:** Principled co-architecting of system and memory
 - Good partitioning of duties across the stack
- **Design & Test:** Principled design, automation, testing
 - High coverage and good interaction with system reliability methods

Understand and Model with Experiments (DRAM)



Understand and Model with Experiments (Flash)



[DATE 2012, ICCD 2012, DATE 2013, ITJ 2013, ICCD 2013, SIGMETRICS 2014, HPCA 2015, DSN 2015, MSST 2015, JSAC 2016, HPCA 2017, DFRWS 2017, PIEEE 2017, HPCA 2018, SIGMETRICS 2018]

NAND Daughter Board

Cai+, "Error Characterization, Mitigation, and Recovery in Flash Memory Based Solid State Drives," Proc. IEEE 2017.



Proceedings of the IEEE, Sept. 2017


Error Characterization, Mitigation, and Recovery in Flash-Memory-Based Solid-State Drives

This paper reviews the most recent advances in solid-state drive (SSD) error characterization, mitigation, and data recovery techniques to improve both SSD's reliability and lifetime.

By YU CAI, SAUGATA GHOSE, ERICH F. HARATSCH, YIXIN LUO, AND ONUR MUTLU

There are Two Other Solution Directions

- **New Technologies:** Replace or (more likely) augment DRAM with a different technology
 - ❑ Non-volatile memories
- **Embracing Un-reliability:**
Design memories with different reliability and store data intelligently across them
[Luo+ DSN 2014]
- ...



**Fundamental solutions to security
require co-design across the hierarchy**

Fundamentally Secure, Reliable, Safe Computing Architectures

Main Memory Needs
Intelligent Controllers


Four Key Issues in Future Platforms

- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
 - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

Maslow's (Human) Hierarchy of Needs, Revisited

Maslow, "A Theory of Human Motivation,"
Psychological Review, 1943.

Maslow, "Motivation and Personality,"
Book, 1954-1970.



Do We Want This?



Or This?



High Performance,
Energy Efficient,
Sustainable

The Problem

Data access is the major performance and energy bottleneck


Our current
design principles
cause great energy waste
(and great performance loss)

The Problem


Processing of data
is performed
far away from the data

A Computing System

- Three key components
- Computation
- Communication
- Storage/memory




Burks, Goldstein, von Neumann, "Preliminary discussion of the logical design of an electronic computing instrument," 1946.




A Computing System

- Three key components
- Computation
- Communication
- Storage/memory




Burks, Goldstein, von Neumann, "Preliminary discussion of the logical design of an electronic computing instrument," 1946.

Computing System



Today's Computing Systems


- Are overwhelmingly processor centric
- All data processed in the processor → at great system cost
- Processor is heavily optimized and is considered the master
- Data storage units are dumb and are largely unoptimized (except for some that are on the processor die)



Yet ...

I expect that over the coming decade memory subsystem design will be the *only* important design issue for microprocessors.

- **“It’s the Memory, Stupid!”** (Richard Sites, MPR, 1996)



The Performance Perspective

- Onur Mutlu, Jared Stark, Chris Wilkerson, and Yale N. Patt,
"Runahead Execution: An Alternative to Very Large Instruction Windows for Out-of-order Processors"
Proceedings of the 9th International Symposium on High-Performance Computer Architecture (HPCA), pages 129-140, Anaheim, CA, February 2003. [Slides \(pdf\)](#)

Runahead Execution: An Alternative to Very Large Instruction Windows for Out-of-order Processors

Onur Mutlu § Jared Stark † Chris Wilkerson ‡ Yale N. Patt §


§ECE Department
The University of Texas at Austin
{onur,patt}@ece.utexas.edu

†Microprocessor Research
Intel Labs
jared.w.stark@intel.com

‡Desktop Platforms Group
Intel Corporation
chris.wilkerson@intel.com

The Performance Perspective (2015)

- All of Google's Data Center Workloads (2015):



The Performance Perspective (2015)

- All of Google's Data Center Workloads (2015):





Figure 11: Half of cycles are spent stalled on caches.

Perils of Processor-Centric Design

- **Grossly-imbalanced systems**
 - ❑ Processing done only in **one place**
 - ❑ Everything else just stores and moves data: **data moves a lot**
 - Energy inefficient
 - Low performance
 - Complex
- **Overly complex and bloated processor (and accelerators)**
 - ❑ To tolerate data access from memory
 - ❑ Complex hierarchies and mechanisms
 - Energy inefficient
 - Low performance
 - Complex

Perils of Processor-Centric Design



Most of the system is dedicated to storing and moving data

Three Key Systems Trends

1. Data access is a major bottleneck

- ▣ Applications are increasingly data hungry

2. Energy consumption is a key limiter


3. Data movement energy dominates compute

- ▣ Especially true for off-chip to on-chip movement

Data Movement vs. Computation Energy

Communication Dominates Arithmetic


Dally, HiPEAC 2015



Data Movement vs. Computation Energy

Communication Dominates Arithmetic


Dally, HiPEAC 2015



A memory access consumes $\sim 100-1000X$ the energy of a complex addition

Data Movement vs. Computation Energy

- **Data movement** is a major system energy bottleneck
 - ❑ Comprises 41% of mobile system energy during web browsing [2]
 - ❑ Costs ~ 115 times as much energy as an ADD operation [1, 2]



[1]: Reducing data Movement Energy via Online Data Clustering and Encoding (MICRO'16)

[2]: Quantifying the energy cost of data movement for emerging smart phone workloads on mobile platforms (IISWC'14)

Energy Waste in Mobile Devices

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"** *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS)*, Williamsburg, VA, USA, March 2018.

**62.7% of the total system energy
is spent on data movement**

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand¹

Saugata Ghose¹

Youngsok Kim²

Rachata Ausavarungnirun¹

Eric Shiu³

Rahul Thakur³

Daehyun Kim^{4,3}

Aki Kuusela³

Allan Knies³


Parthasarathy Ranganathan³

Onur Mutlu^{5,1}

We Do Not Want to Move Data!

Communication Dominates Arithmetic

Dally, HiPEAC 2015




A memory access consumes $\sim 1000\times$
the energy of a complex addition

We Need A Paradigm Shift To ...

- Enable computation with minimal data movement
- Compute where it makes sense (where data resides)
- Make computing architectures more data-centric

Goal: Processing Inside Memory




- Many questions ... How do we design the:
 - ❑ compute-capable memory & controllers?
 - ❑ processor chip and in-memory units?
 - ❑ software and hardware interfaces?
 - ❑ system software, compilers, languages?
 - ❑ algorithms and theoretical foundations?


Problem
Algorithm
Program/Language
System Software
SW/HW Interface
Micro-architecture
Logic
Devices
Electrons

Starting Simple: Data Copy and Initialization


memmove & memcpy: 5% cycles in Google's datacenter [Kanev+ ISCA'15]



Forking



**Zero initialization
(e.g., security)**



Checkpointing




**VM Cloning
Deduplication**



Page Migration


...
Many more

Today's Systems: Bulk Data Copy



1046ns, 3.6uJ (for 4KB page copy via DMA)


Future Systems: In-Memory Copy




1046ns, 3.6uJ → 90ns, 0.04uJ

RowClone: In-DRAM Row Copy

Idea: Two consecutive ACTivates
Negligible HW cost



RowClone: Latency and Energy Savings



Seshadri et al., "RowClone: Fast and Efficient In-DRAM Copy and Initialization of Bulk Data," MICRO 2013.

More on RowClone

- Vivek Seshadri, Yoongu Kim, Chris Fallin, Donghyuk Lee, Rachata Ausavarungnirun, Gennady Pekhimenko, Yixin Luo, Onur Mutlu, Michael A. Kozuch, Phillip B. Gibbons, and Todd C. Mowry,
"RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization"
Proceedings of the 46th International Symposium on Microarchitecture (MICRO), Davis, CA, December 2013. [[Slides \(pptx\)](#)] [[pdf](#)] [[Lightning Session Slides \(pptx\)](#)] [[pdf](#)] [[Poster \(pptx\)](#)] [[pdf](#)]

RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization


Vivek Seshadri vseshadr@cs.cmu.edu	Yoongu Kim yoongukim@cmu.edu	Chris Fallin* cfallin@c1f.net	Donghyuk Lee donghyuk1@cmu.edu
---------------------------------------	---------------------------------	----------------------------------	-----------------------------------

Rachata Ausavarungnirun rachata@cmu.edu	Gennady Pekhimenko gpekhime@cs.cmu.edu	Yixin Luo yixinluo@andrew.cmu.edu
--	---	--------------------------------------

Onur Mutlu onur@cmu.edu	Phillip B. Gibbons† phillip.b.gibbons@intel.com	Michael A. Kozuch† michael.a.kozuch@intel.com	Todd C. Mowry tcm@cs.cmu.edu
----------------------------	--	--	---------------------------------

Carnegie Mellon University †Intel Pittsburgh

Memory as an Accelerator



Memory similar to a "conventional" accelerator

(Truly) In-Memory Computation

- We can support in-DRAM AND, OR, NOT
- At low cost
- Using analog computation capability of DRAM
 - Idea: activating multiple rows performs computation
- 30-60X performance and energy improvement
 - Seshadri+, “Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology,” MICRO 2017.
- New memory technologies enable even more opportunities
 - Memristors, resistive RAM, phase change mem, STT-MRAM, ...
 - Can operate on data with minimal movement

In-DRAM Acceleration of Database Queries




Figure 11: Speedup offered by Ambit over baseline CPU with SIMD for BitWeaving

Seshadri+, "Ambit: In-Memory Accelerator for Bulk Bitwise Operations using Commodity DRAM Technology," MICRO 2017.

More on Ambit

- Vivek Seshadri et al., “**Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology**,” MICRO 2017.

Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology

Vivek Seshadri^{1,5} Donghyuk Lee^{2,5} Thomas Mullins^{3,5} Hasan Hassan⁴ Amirali Boroumand⁵
Jeremie Kim^{4,5} Michael A. Kozuch³ Onur Mutlu^{4,5} Phillip B. Gibbons⁵ Todd C. Mowry⁵

¹Microsoft Research India ²NVIDIA Research ³Intel ⁴ETH Zürich ⁵Carnegie Mellon University

In-DRAM Bulk Bitwise Execution

- Vivek Seshadri and Onur Mutlu,
"In-DRAM Bulk Bitwise Execution Engine"
Invited Book Chapter in Advances in Computers, to appear
in 2020.
[[Preliminary arXiv version](#)]

In-DRAM Bulk Bitwise Execution Engine

Vivek Seshadri
Microsoft Research India
`visesha@microsoft.com`

Onur Mutlu
ETH Zürich
`onur.mutlu@inf.ethz.ch`

Another Example: In-Memory Graph Processing

- Large graphs are everywhere (circa 2015)



36 Million
Wikipedia Pages



1.4 Billion
Facebook Users




300 Million
Twitter Users



30 Billion
Instagram Photos


- Scalable large-scale graph processing is challenging



Key Bottlenecks in Graph Processing

```
for (v: graph.vertices) {
    for (w: v.successors) {
        w.next_rank += weight * v.rank;
    }
}
```

1. Frequent random memory accesses




2. Little amount of computation

Opportunity: 3D-Stacked Logic+Memory



Hybrid Memory Cube
C O N S O R T I U M




Memory

Logic


Other "True 3D" technologies
under development

Tesseract System for Graph Processing


Interconnected set of 3D-stacked memory+logic chips with simple cores



Tesseract System for Graph Processing




Tesseract System for Graph Processing




Evaluated Systems

DDR3-OoO




102.4GB/s

HMC-OoO




640GB/s

HMC-MC



640GB/s


Tesseract




8TB/s

Tesseract Graph Processing Performance


>13X Performance Improvement



Tesseract Graph Processing Performance



Tesseract Graph Processing Energy



More on Tesseract

- Junwhan Ahn, Sungpack Hong, Sungjoo Yoo, Onur Mutlu, and Kiyoungh Choi,
"A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing"
Proceedings of the 42nd International Symposium on Computer Architecture (ISCA), Portland, OR, June 2015.
[\[Slides \(pdf\)\]](#) [\[Lightning Session Slides \(pdf\)\]](#)

A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn Sungpack Hong[§] Sungjoo Yoo Onur Mutlu[†] Kiyoungh Choi
junwhan@snu.ac.kr, sungpack.hong@oracle.com, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr

Seoul National University

[§]Oracle Labs

[†]Carnegie Mellon University

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand

Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun,
Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela,
Allan Knies, Parthasarathy Ranganathan, Onur Mutlu

SAFARI

Carnegie Mellon

Google



SEOUL
NATIONAL
UNIVERSITY

ETH zürich

Consumer Devices



Consumer devices are everywhere!

**Energy consumption is
a first-class concern in consumer devices**



Popular Google Consumer Workloads



Chrome

Google's web browser



TensorFlow Mobile

Google's machine learning framework

VP9



Video Playback

Google's **video codec**

VP9




Video Capture

Google's **video codec**

Energy Cost of Data Movement

1st key observation: **62.7%** of the total system energy is spent on **data movement**



Potential solution: move computation **close to data**

Challenge: limited area and energy budget

Using PIM to Reduce Data Movement

2nd key observation: a significant fraction of the **data movement** often comes from **simple functions**

We can design lightweight logic to implement these simple functions in **memory**

Small embedded
low-power core



Small fixed-function
accelerators



Offloading to PIM logic reduces energy and improves performance, on average, by 55.4% and 54.2%

Workload Analysis



Chrome

Google's web browser



TensorFlow Mobile

Google's machine learning
framework



Video Playback


Google's **video codec**



Video Capture

Google's **video codec**

TensorFlow Mobile



57.3% of the inference energy is spent on data movement



54.4% of the **data movement** energy comes from packing/unpacking and quantization

More on PIM for Mobile Devices

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu,

"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"

Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS), Williamsburg, VA, USA, March 2018.

[[Slides \(pptx\) \(pdf\)](#)] [[Lightning Session Slides \(pptx\) \(pdf\)](#)] [[Poster \(pptx\) \(pdf\)](#)]

[[Lightning Talk Video](#) (2 minutes)]

[[Full Talk Video](#) (21 minutes)]

■

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand¹

Saugata Ghose¹

Youngsok Kim²

Rachata Ausavarungnirun¹

Eric Shiu³

Rahul Thakur³

Daehyun Kim^{4,3}

Aki Kuusela³

Allan Knies³


Parthasarathy Ranganathan³

Onur Mutlu^{5,1}

Truly Distributed GPU Processing with PIM

**3D-stacked memory
(memory stack)**

SM (Streaming Multiprocessor)



```
__global__  
void applyScaleFactorsKernel( uint8_T * const out,  
    uint8_T const * const in, const double *factor,  
    size_t const numRows, size_t const numCols )  
{  
    // Work out which pixel we are working on.  
    const int rowIdx = blockIdx.x * blockDim.x + threadIdx.x;  
    const int colIdx = blockIdx.y;  
    const int sliceIdx = threadIdx.z;  
  
    // Check this thread isn't off the image  
    if( rowIdx >= numRows ) return;  
  
    // Compute the index of my element  
    size_t linearIdx = rowIdx + colIdx*numRows +  
        sliceIdx*numRows*numCols;
```

Accelerating GPU Execution with PIM (I)

- Kevin Hsieh, Eiman Ebrahimi, Gwangsun Kim, Niladrish Chatterjee, Mike O'Connor, Nandita Vijaykumar, Onur Mutlu, and Stephen W. Keckler, **"Transparent Offloading and Mapping (TOM): Enabling Programmer-Transparent Near-Data Processing in GPU Systems"**
Proceedings of the 43rd International Symposium on Computer Architecture (ISCA), Seoul, South Korea, June 2016.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Lightning Session Slides \(pptx\)](#)] [[pdf](#)]

Transparent Offloading and Mapping (TOM): Enabling Programmer-Transparent Near-Data Processing in GPU Systems

Kevin Hsieh[‡] Eiman Ebrahimi[†] Gwangsun Kim* Niladrish Chatterjee[†] Mike O'Connor[†]
Nandita Vijaykumar[‡] Onur Mutlu^{§‡} Stephen W. Keckler[†]

[‡]Carnegie Mellon University [†]NVIDIA *KAIST [§]ETH Zürich

Accelerating GPU Execution with PIM (II)

- Ashutosh Pattnaik, Xulong Tang, Adwait Jog, Onur Kayiran, Asit K. Mishra, Mahmut T. Kandemir, Onur Mutlu, and Chita R. Das,
"Scheduling Techniques for GPU Architectures with Processing-In-Memory Capabilities"
Proceedings of the 25th International Conference on Parallel Architectures and Compilation Techniques (PACT), Haifa, Israel, September 2016.

Scheduling Techniques for GPU Architectures with Processing-In-Memory Capabilities

Ashutosh Pattnaik¹ Xulong Tang¹ Adwait Jog² Onur Kayiran³
Asit K. Mishra⁴ Mahmut T. Kandemir¹ Onur Mutlu^{5,6} Chita R. Das¹
¹Pennsylvania State University ²College of William and Mary
³Advanced Micro Devices, Inc. ⁴Intel Labs ⁵ETH Zürich ⁶Carnegie Mellon University

Accelerating Linked Data Structures

- Kevin Hsieh, Samira Khan, Nandita Vijaykumar, Kevin K. Chang, Amirali Boroumand, Saugata Ghose, and Onur Mutlu,
"Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation"
Proceedings of the 34th IEEE International Conference on Computer Design (ICCD), Phoenix, AZ, USA, October 2016.

Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation

Kevin Hsieh[†] Samira Khan[‡] Nandita Vijaykumar[†]
Kevin K. Chang[†] Amirali Boroumand[†] Saugata Ghose[†] Onur Mutlu^{§†}
[†]*Carnegie Mellon University* [‡]*University of Virginia* [§]*ETH Zürich*

Accelerating Climate Modeling

- Gagandeep Singh, Dionysios Diamantopoulos, Christoph Hagleitner, Juan Gómez-Luna, Sander Stuijk, Onur Mutlu, and Henk Corporaal,
"NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling"
Proceedings of the 30th International Conference on Field-Programmable Logic and Applications (FPL), Gothenburg, Sweden, September 2020.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Lightning Talk Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#) (23 minutes)]
Nominated for the Stamatis Vassiliadis Memorial Award.

NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling

Gagandeep Singh^{a,b,c} Dionysios Diamantopoulos^c Christoph Hagleitner^c Juan Gómez-Luna^b
Sander Stuijk^a Onur Mutlu^b Henk Corporaal^a
^aEindhoven University of Technology ^bETH Zürich ^cIBM Research Europe, Zurich

Accelerating Genome Sequence Analysis

- Jeremie S. Kim, Damla Senol Cali, Hongyi Xin, Donghyuk Lee, Saugata Ghose, Mohammed Alser, Hasan Hassan, Oguz Ergin, Can Alkan, and Onur Mutlu,
"GRIM-Filter: Fast Seed Location Filtering in DNA Read Mapping Using Processing-in-Memory Technologies"
BMC Genomics, 2018.
Proceedings of the 16th Asia Pacific Bioinformatics Conference (APBC), Yokohama, Japan, January 2018.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Source Code](#)]
[[arxiv.org Version \(pdf\)](#)]
[[Talk Video at AACBB 2019](#)]

GRIM-Filter: Fast seed location filtering in DNA read mapping using processing-in-memory technologies

Jeremie S. Kim^{1,6*}, Damla Senol Cali¹, Hongyi Xin², Donghyuk Lee³, Saugata Ghose¹, Mohammed Alser⁴, Hasan Hassan⁶, Oguz Ergin⁵, Can Alkan^{4*} and Onur Mutlu^{6,1*}

From The Sixteenth Asia Pacific Bioinformatics Conference 2018
Yokohama, Japan. 15-17 January 2018

Accelerating Approximate String Matching

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
Proceedings of the 53rd International Symposium on Microarchitecture (MICRO), Virtual, October 2020.
[[Lighting Talk Video](#) (1.5 minutes)]
[[Lightning Talk Slides \(pptx\)](#) ([pdf](#))]
[[Talk Video](#) (18 minutes)]
[[Slides \(pptx\)](#) ([pdf](#))]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali^{†⌘} Gurpreet S. Kalsi[⌘] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim^{◇†}
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⌘]
Allison Scibisz[†] Sreenivas Subramoney[⌘] Can Alkan[▽] Saugata Ghose^{*†} Onur Mutlu^{◇†▽}
[†]Carnegie Mellon University [⌘]Processor Architecture Research Lab, Intel Labs [▽]Bilkent University [◇]ETH Zürich
[‡]Facebook [⊙]King Mongkut's University of Technology North Bangkok ^{*}University of Illinois at Urbana-Champaign


Accelerating Time Series Analysis

- Ivan Fernandez, Ricardo Quisiant, Christina Giannoula, Mohammed Alser, Juan Gómez-Luna, Eladio Gutiérrez, Oscar Plata, and Onur Mutlu,
"NATSA: A Near-Data Processing Accelerator for Time Series Analysis"
Proceedings of the 38th IEEE International Conference on Computer Design (ICCD), Virtual, October 2020.

NATSA: A Near-Data Processing Accelerator for Time Series Analysis

Ivan Fernandez [§]	Ricardo Quisiant [§]	Christina Giannoula [†]	Mohammed Alser [‡]
Juan Gómez-Luna [‡]	Eladio Gutiérrez [§]	Oscar Plata [§]	Onur Mutlu [‡]
[§] <i>University of Malaga</i>	[†] <i>National Technical University of Athens</i>	[‡] <i>ETH Zürich</i>	

We Need to Revisit the Entire Stack



We can get there step by step

PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu^{a,b}, Saugata Ghose^{b,c}, Juan Gómez-Luna^a, Rachata Ausavarungnirun^d

SAFARI Research Group

^a*ETH Zürich*

^b*Carnegie Mellon University*

^c*University of Illinois at Urbana-Champaign*

^d*King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,

"A Modern Primer on Processing in Memory"

*Invited Book Chapter in **Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann**, Springer, to be published in 2021.*

PIM Review and Open Problems (II)

A Workload and Programming Ease Driven Perspective of Processing-in-Memory

Saugata Ghose[†] Amirali Boroumand[†] Jeremie S. Kim^{†§} Juan Gómez-Luna[§] Onur Mutlu^{§†}

[†]*Carnegie Mellon University*

[§]*ETH Zürich*

Saugata Ghose, Amirali Boroumand, Jeremie S. Kim, Juan Gomez-Luna, and Onur Mutlu,



"Processing-in-Memory: A Workload-Driven Perspective"

Invited Article in IBM Journal of Research & Development, Special Issue on Hardware for Artificial Intelligence, to appear in November 2019.

[Preliminary arXiv version]

UPMEM Processing-in-DRAM Engine (2019)

- **Processing in DRAM Engine**
- Includes **standard DIMM modules**, with a **large number of DPU processors** combined with DRAM chips.
- Replaces **standard DIMMs**
 - DDR4 R-DIMM modules
 - 8GB+128 DPUs (16 PIM chips)
 - Standard 2x-nm DRAM process
 - **Large amounts of** compute & memory bandwidth



Detailed Lectures on PIM (I)

- **Computer Architecture, Fall 2020, Lecture 6**
 - **Computation in Memory** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=oGcZAGwfEUE&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=12>
- **Computer Architecture, Fall 2020, Lecture 7**
 - **Near-Data Processing** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=j2GIigqn1Qw&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=13>
- **Computer Architecture, Fall 2020, Lecture 11a**
 - **Memory Controllers** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=TeG773OgiMQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=20>
- **Computer Architecture, Fall 2020, Lecture 12d**
 - **Real Processing-in-DRAM with UPMEM** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=Sscy1Wrr22A&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=25>

Detailed Lectures on PIM (II)

- **Computer Architecture, Fall 2020, Lecture 15**
 - **Emerging Memory Technologies** (ETH Zürich, Fall 2020)
 - https://www.youtube.com/watch?v=AIE1rD9G_YU&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=28
- **Computer Architecture, Fall 2020, Lecture 16a**
 - **Opportunities & Challenges of Emerging Memory Technologies** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=pmLszWGmMGQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=29>
- **Computer Architecture, Fall 2020, Guest Lecture**
 - **In-Memory Computing: Memory Devices & Applications** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=wNmQqHiEZnk&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=41>

A Tutorial on PIM

- Onur Mutlu,
"Memory-Centric Computing Systems"
Invited Tutorial at 66th International Electron Devices Meeting (**IEDM**), Virtual, 12 December 2020.
[Slides (pptx) (pdf)]
[Executive Summary Slides (pptx) (pdf)]
[Tutorial Video (1 hour 51 minutes)]
[Executive Summary Video (2 minutes)]
[Abstract and Bio]
[Related Keynote Paper from VLSI-DAT 2020]
[Related Review Paper on Processing in Memory]

<https://www.youtube.com/watch?v=H3sEaINPBOE>

Memory-Centric Computing Systems



Onur Mutlu

omutlu@gmail.com

<https://people.inf.ethz.ch/omutlu>

12 December 2020

IEDM Tutorial

SAFARI

ETH zürich

Carnegie Mellon



0:06 / 1:51:05



IEDM 2020 Tutorial: Memory-Centric Computing Systems, Onur Mutlu, 12 December 2020

1,641 views • Dec 23, 2020

48 0 SHARE SAVE ...



Onur Mutlu Lectures
13.9K subscribers

ANALYTICS

EDIT VIDEO

<https://www.youtube.com/onurmutlulectures>

215

Fundamentally Energy-Efficient (Data-Centric) Computing Architectures

Four Key Issues in Future Platforms

- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
 - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health


Low Latency Communication is Critical



Maslow's Hierarchy of Needs, A Third Time


Maslow, "A Theory of Human Motivation,"
Psychological Review, 1943.

Maslow, "Motivation and Personality,"
Book, 1954-1970.



Fundamentally Low-Latency Computing Architectures

Main Memory Latency Lags Behind



Memory latency remains almost constant

The Memory Latency Problem

- High memory latency is a significant **limiter of system performance and energy-efficiency**
- It is becoming increasingly so with **higher memory contention** in multi-core and heterogeneous architectures
 - Exacerbating the bandwidth need
 - Exacerbating the QoS problem
- It increases **processor design complexity** due to the mechanisms incorporated to tolerate memory latency

Retrospective: Conventional Latency Tolerance Techniques

- Caching [initially by Wilkes, 1965]
 - Widely used, simple, effective, but inefficient, passive
 - Not all applications/phases exhibit temporal or spatial locality
- Prefetching [initially in IBM 360/91, 1967]

**None of These
Fundamentally Reduce
Memory Latency**

ongoing research effort

- Out-of-order execution [initially by Tomasulo, 1967]
 - **Tolerates cache misses that cannot be prefetched**
 - Requires extensive hardware resources for tolerating long latencies

Truly Reducing Memory Latency

Why the Long Memory Latency?


- Reason 1: Design of DRAM Micro-architecture
 - Goal: Maximize capacity/area, not minimize latency
- Reason 2: “One size fits all” approach to latency specification
 - Same latency parameters for all temperatures
 - Same latency parameters for all DRAM chips
 - Same latency parameters for all parts of a DRAM chip
 - Same latency parameters for all supply voltage levels
 - Same latency parameters for all application data
 - ...

Tackling the Fixed Latency Mindset

- Reliable operation latency is actually very heterogeneous
 - Across temperatures, chips, parts of a chip, voltage levels, ...
- Idea: Dynamically find out and use the lowest latency one can reliably access a memory location with
 - Adaptive-Latency DRAM [HPCA 2015]
 - Flexible-Latency DRAM [SIGMETRICS 2016]
 - Design-Induced Variation-Aware DRAM [SIGMETRICS 2017]
 - Voltron [SIGMETRICS 2017]
 - DRAM Latency PUF [HPCA 2018]
 - DRAM Latency True Random Number Generator [HPCA 2019]
 - ...
- We would like to find sources of latency heterogeneity and exploit them to minimize latency


Latency Variation in Memory Chips

Heterogeneous manufacturing & operating conditions →
latency variation in timing parameters



Why is Latency High?

- DRAM latency: Delay as specified in DRAM standards
 - Doesn't reflect true DRAM device latency
- Imperfect manufacturing process → latency variation
- **High standard latency** chosen to increase yield




What Causes the Long Memory Latency?

- **Conservative timing margins!**
- DRAM timing parameters are set to cover the worst case
- **Worst-case temperatures**
 - ❑ 85 degrees vs. common-case
 - ❑ to enable a wide range of operating conditions
- **Worst-case devices**
 - ❑ DRAM cell with smallest charge across any acceptable device
 - ❑ to tolerate process variation at acceptable yield
- This leads to large timing margins for the common case

Understanding and Exploiting Variation in DRAM Latency

DRAM Characterization Infrastructure



Adaptive-Latency DRAM

- *Key idea*
 - Optimize DRAM timing parameters online
- *Two components*
 - DRAM manufacturer provides multiple sets of **reliable DRAM timing parameters** at different temperatures for each DIMM
 - System monitors **DRAM temperature** & uses appropriate DRAM timing parameters

Latency Reduction Summary of 115 DIMMs

- *Latency reduction for read & write (55°C)*
 - *Read Latency: 32.7%*
 - *Write Latency: 55.1%*
- *Latency reduction for each timing parameter (55°C)*
 - *Sensing: 17.3%*
 - *Restore: 37.3% (read), 54.8% (write)*
 - *Precharge: 35.2%*

AL-DRAM: Real System Evaluation


- *System*
 - *CPU: AMD 4386 (8 Cores, 3.1GHz, 8MB LLC)*

D18F2x200_dct[0]_mp[1:0] DDR3 DRAM Timing 0

Reset: 0F05_0505h. See [2.9.3 \[DCT Configuration Registers\]](#).


Bits	Description								
31:30	Reserved.								
29:24	Tras: row active strobe. Read-write. BIOS: See 2.9.7.5 [SPD ROM-Based Configuration] . Specifies the minimum time in memory clock cycles from an activate command to a precharge command, both to the same chip select bank. <table><tr><th>Bits</th><th>Description</th></tr><tr><td>07h-00h</td><td>Reserved</td></tr><tr><td>2Ah-08h</td><td><Tras> clocks</td></tr><tr><td>3Fh-2Bh</td><td>Reserved</td></tr></table>	Bits	Description	07h-00h	Reserved	2Ah-08h	<Tras> clocks	3Fh-2Bh	Reserved
Bits	Description								
07h-00h	Reserved								
2Ah-08h	<Tras> clocks								
3Fh-2Bh	Reserved								
23:21	Reserved.								
20:16	Trp: row precharge time. Read-write. BIOS: See 2.9.7.5 [SPD ROM-Based Configuration] . Specifies the minimum time in memory clock cycles from a precharge command to an activate command or auto refresh command, both to the same bank.								

AL-DRAM: Single-Core Evaluation



AL-DRAM improves single-core performance on a real system

AL-DRAM: Multi-Core Evaluation



AL-DRAM provides higher performance on multi-programmed & multi-threaded workloads

Reducing Latency Also Reduces Energy

- AL-DRAM reduces DRAM power consumption by 5.8%
- Major reason: reduction in row activation time

Fundamentally Low-Latency Computing Architectures

D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput

Jeremie S. Kim Minesh Patel

Hasan Hassan Lois Orosa Onur Mutlu

SAFARI

ETH zürich

Carnegie Mellon


DRAM Latency Characterization of 282 LPDDR4 DRAM Devices

- Latency failures come from accessing DRAM with **reduced** timing parameters.
- **Key Observations:**
 1. A cell's **latency failure** probability is determined by **random process variation**
 2. Some cells fail **randomly**

D-RaNGe Key Idea

High % chance to fail
with reduced t_{RCD}

Low % chance to fail
with reduced t_{RCD}



Fails randomly
with reduced t_{RCD}

D-RaNGe Key Idea

High % chance to fail
with reduced t_{RCD}

Low % chance to fail
with reduced t_{RCD}

**We refer to cells that fail randomly
when accessed with a reduced t_{RCD}
as RNG cells**



Fails randomly
with reduced t_{RCD}

Our D-RaNGe Evaluation

- We generate **random values** by repeatedly accessing **RNG cells** and aggregating the data read
- The random data satisfies the NIST statistical test suite for randomness
- The **D-RaNGE** generates random numbers
 - **Throughput:** 717.4 Mb/s
 - **Latency:** 64 bits in <1us
 - **Power:** 4.4 nJ/bit

DRAM Latency True Random Number Generator

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, Lois Orosa, and Onur Mutlu,
"D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput"
Proceedings of the 25th International Symposium on High-Performance Computer Architecture (HPCA), Washington, DC, USA, February 2019.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Full Talk Video](#) (21 minutes)]
[[Full Talk Lecture Video](#) (27 minutes)]
Top Picks Honorable Mention by IEEE Micro.

D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput

Jeremie S. Kim^{‡§} Minesh Patel[§] Hasan Hassan[§] Lois Orosa[§] Onur Mutlu^{§‡}
[‡]Carnegie Mellon University [§]ETH Zürich

Lectures on Low-Latency Memory

- **Computer Architecture, Fall 2020, Lecture 10**
 - **Low-Latency Memory** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=vQd1YgOH1Mw&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=19>
- **Computer Architecture, Fall 2020, Lecture 12b**
 - **Capacity-Latency Reconfigurable DRAM** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=DUTPFW3jxq4&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=23>
- **Computer Architecture, Fall 2019, Lecture 11a**
 - **DRAM Latency PUF** (ETH Zürich, Fall 2019)
 - https://www.youtube.com/watch?v=7gqnrTZpjxE&list=PL5Q2soXY2Zi-DyoI3HbqcdtUm9YWRR_z-&index=15
- **Computer Architecture, Fall 2019, Lecture 11b**
 - **DRAM True Random Number Generator** (ETH Zürich, Fall 2020)
 - https://www.youtube.com/watch?v=Y3hPv1I5f8Y&list=PL5Q2soXY2Zi-DyoI3HbqcdtUm9YWRR_z-&index=16

Fundamentally Low-Latency Computing Architectures

Four Key Issues in Future Platforms

- Fundamentally **Secure/Reliable/Safe** Architectures
- Fundamentally **Energy-Efficient** Architectures
 - **Memory-centric** (Data-centric) Architectures
- Fundamentally **Low-Latency and Predictable** Architectures
- Architectures for **AI/ML, Genomics, Medicine, Health**

Intel Optane Persistent Memory (2019)

- Non-volatile main memory
- Based on 3D-XPoint Technology



PCM as Main Memory: Idea in 2009

- Benjamin C. Lee, Engin Ipek, Onur Mutlu, and Doug Burger, **"Architecting Phase Change Memory as a Scalable DRAM Alternative"**
Proceedings of the 36th International Symposium on Computer Architecture (ISCA), pages 2-13, Austin, TX, June 2009. [Slides](#) [\(pdf\)](#)

Architecting Phase Change Memory as a Scalable DRAM Alternative

Benjamin C. Lee[†] Engin Ipek[†] Onur Mutlu[‡] Doug Burger[†]

[†]Computer Architecture Group
Microsoft Research
Redmond, WA
{blee, ipek, dburger}@microsoft.com


[‡]Computer Architecture Laboratory
Carnegie Mellon University
Pittsburgh, PA
onur@cmu.edu

PCM as Main Memory: Idea in 2009

- Benjamin C. Lee, Ping Zhou, Jun Yang, Youtao Zhang, Bo Zhao, Engin Ipek, Onur Mutlu, and Doug Burger,
"Phase Change Technology and the Future of Main Memory"
IEEE Micro, Special Issue: Micro's Top Picks from 2009 Computer Architecture Conferences (**MICRO TOP PICKS**), Vol. 30, No. 1, pages 60-70, January/February 2010.

PHASE-CHANGE TECHNOLOGY AND THE FUTURE OF MAIN MEMORY

Cerebras's Wafer Scale Engine (2019)



Cerebras WSE

1.2 Trillion transistors

46,225 mm²

- The largest ML accelerator chip
- 400,000 cores



Largest GPU

21.1 Billion transistors

815 mm²


NVIDIA TITAN V

<https://www.anandtech.com/show/14758/hot-chips-31-live-blogs-cerebras-wafer-scale-deep-learning>

<https://www.cerebras.net/cerebras-wafer-scale-engine-why-we-need-big-chips-for-deep-learning/>

UPMEM Processing-in-DRAM Engine (2019)

- **Processing in DRAM Engine**
- Includes **standard DIMM modules**, with a **large number of DPU processors** combined with DRAM chips.
- Replaces **standard DIMMs**
 - DDR4 R-DIMM modules
 - 8GB+128 DPUs (16 PIM chips)
 - Standard 2x-nm DRAM process
 - **Large amounts of** compute & memory bandwidth



More on Processing in Memory (I)

- Vivek Seshadri and Onur Mutlu,
"In-DRAM Bulk Bitwise Execution Engine"
Invited Book Chapter in Advances in Computers, to appear
in 2020.
[[Preliminary arXiv version](#)]

In-DRAM Bulk Bitwise Execution Engine

Vivek Seshadri
Microsoft Research India
visesha@microsoft.com

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch

More on Processing in Memory (II)

- Junwhan Ahn, Sungpack Hong, Sungjoo Yoo, Onur Mutlu, and Kiyoun Choi,
"A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing"
Proceedings of the 42nd International Symposium on Computer Architecture (ISCA), Portland, OR, June 2015.
[\[Slides \(pdf\)\]](#) [\[Lightning Session Slides \(pdf\)\]](#)

A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn Sungpack Hong[§] Sungjoo Yoo Onur Mutlu[†] Kiyoun Choi
junwhan@snu.ac.kr, sungpack.hong@oracle.com, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr

Seoul National University

[§]Oracle Labs

[†]Carnegie Mellon University

More on Processing in Memory (III)

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"**
Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS), Williamsburg, VA, USA, March 2018.

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand¹

Saugata Ghose¹

Youngsok Kim²

Rachata Ausavarungnirun¹

Eric Shiu³

Rahul Thakur³

Daehyun Kim^{4,3}

Aki Kuusela³

Allan Knies³

Parthasarathy Ranganathan³

Onur Mutlu^{5,1}

More on Processing in Memory (IV)

- Junwhan Ahn, Sungjoo Yoo, Onur Mutlu, and Kiyoungh Choi, **"PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture"** *Proceedings of the 42nd International Symposium on Computer Architecture (ISCA)*, Portland, OR, June 2015.
[[Slides \(pdf\)](#)] [[Lightning Session Slides \(pdf\)](#)]

PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture

Junwhan Ahn Sungjoo Yoo Onur Mutlu[†] Kiyoungh Choi


junwhan@snu.ac.kr, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr

Seoul National University

[†]Carnegie Mellon University

TESLA Full Self-Driving Computer (2019)

- ML accelerator: 260 mm², 6 billion transistors, 600 GFLOPS GPU, 12 ARM 2.2 GHz CPUs.
- Two redundant chips for better safety.



Google TPU Generation I (~2016)




Figure 3. TPU Printed Circuit Board. It can be inserted in the slot for an SATA disk in a server, but the card uses PCIe Gen3 x16.





Figure 4. Systolic data flow of the Matrix Multiply Unit. Software has the illusion that each 256B input is read at once, and they instantly update one location of each of 256 accumulator RAMs.

Jouppi et al., “In-Datacenter Performance Analysis of a Tensor Processing Unit”, ISCA 2017.

Google TPU Generation II (2017)



<https://www.nextplatform.com/2017/05/17/first-depth-look-googles-new-second-generation-tpu/>

4 TPU chips
vs 1 chip in TPU1

High Bandwidth Memory
vs DDR3


Floating point operations
vs FP16

45 TFLOPS per chip
vs 23 TOPS

Designed for training
and inference
vs only inference

An Example Modern Systolic Array: TPU (II)

As reading a large SRAM uses much more power than arithmetic, the matrix unit uses systolic execution to save energy by reducing reads and writes of the Unified Buffer [Kun80][Ram91][Ovt15b]. Figure 4 shows that data flows in from the left, and the weights are loaded from the top. A given 256-element multiply-accumulate operation moves through the matrix as a diagonal wavefront. The weights are preloaded, and take effect with the advancing wave alongside the first data of a new block. Control and data are pipelined to give the illusion that the 256 inputs are read at once, and that they instantly update one location of each of 256 accumulators. From a correctness perspective, software is unaware of the systolic nature of the matrix unit, but for performance, it does worry about the latency of the unit.



Jouppi et al., “In-Datacenter Performance Analysis of a Tensor Processing Unit”, ISCA 2017.

An Example Modern Systolic Array: TPU (III)




Figure 1. TPU Block Diagram. The main computation part is the yellow Matrix Multiply unit in the upper right hand corner. Its inputs are the blue Weight FIFO and the blue Unified Buffer (UB) and its output is the blue Accumulators (Acc). The yellow Activation Unit performs the nonlinear functions on the Acc, which go to the UB.

Many (Other) AI/ML Chips

- Alibaba
- Amazon
- Facebook
- Google
- Huawei
- Intel
- Microsoft
- NVIDIA
- Tesla
- Many Others and Many Startups...
- **Many More to Come...**

Many (Other) AI/ML Chips

AI Chip Landscape

S.T.




All information contained within this infographic is gathered from the internet and periodically updated, no guarantee is given that the information provided is correct, complete, and up-to-date.

Accelerating Genome Analysis



Our Dream (circa 2007)

- An embedded device that can perform comprehensive genome analysis in real time (within a minute)
 - Which of these DNAs does this DNA segment match with?
 - What is the likely genetic disposition of this patient to this drug?
 - What disease/condition might this particular DNA/RNA piece associated with?
 - . . .

What Is a Genome Made Of?



DNA Under Electron Microscope



human chromosome #12
from HeLa's cell

DNA Sequencing

- Goal:

- Find the complete sequence of A, C, G, T's in DNA.

- Challenge:

- There is no machine that takes long DNA as an input, and gives the complete sequence as output
- All sequencing machines chop DNA into pieces and identify relatively small pieces (but not how they fit together)


Untangling Yarn Balls & DNA Sequencing



Genome Sequencers



Roche/454



AB SOLiD



Illumina MiSeq



Complete Genomics



Illumina HiSeq2000



Pacific Biosciences RS



Oxford Nanopore MinION



Illumina NovaSeq 6000



Ion Torrent PGM





Ion Torrent Proton



Oxford Nanopore GridION

SAFARI

... and more! All produce data with different properties.



1 Sequencing

Genome Analysis

2 Read Mapping

reference: TTTATCGCTTCCATGACGCAG

read1: ATCGCATCC

read2: TATCGCATC

read3: CATCCATGA

read4: CGCTTCCAT

read5: CCATGACGC


read6: TTCCATGAC



3 Variant Calling


4 Scientific Discovery

Genome Sequence Alignment: Example



Source: By Aaron E. Darling, István Miklós, Mark A. Ragan - Figure 1 from Darling AE, Miklós I, Ragan MA (2008).


"Dynamics of Genome Rearrangement in Bacterial Populations". PLOS Genetics. DOI:10.1371/journal.pgen.1000128., CC BY 2.5, <https://commons.wikimedia.org/w/index.php?curid=30550950>



Billions of Short Reads

ATATATACGTACTAGTACGT
 TTTAGTACGTACGT
 ATACGTACTAGTACGT
 CGCCCCTACGTA
 ACGTACTAGTACGT
 TTAGTACGTACGT
 TACGTACTAAAGTACGT
 TACGTACTAGTACGT
 TTTAAACGTA
 CGTACTAGTACGT
 GGGAGTACGTACGT

1 Sequencing




Read Mapping 2

Bottlenecked in Mapping!!

Illumina HiSeq4000

300 M
bases/min



on average

2 M
bases/min
(0.6%)

Hash Table Based Read Mappers

- + Guaranteed to find *a//* mappings → sensitive
- + Can tolerate up to *e* errors

nature
genetics


<http://mrfast.sourceforge.net/>

Personalized copy number and segmental duplication maps using next-generation sequencing

Can Alkan^{1,2}, Jeffrey M Kidd¹, Tomas Marques-Bonet^{1,3}, Gozde Aksay¹, Francesca Antonacci¹, Fereydoun Hormozdiari⁴, Jacob O Kitzman¹, Carl Baker¹, Maika Malig¹, Onur Mutlu⁵, S Cenk Sahinalp⁴, Richard A Gibbs⁶ & Evan E Eichler^{1,2}

Alkan+, "**Personalized copy number and segmental duplication maps using next-generation sequencing**", Nature Genetics 2009.

Read Mapping Execution Time Breakdown



Filter fast before you align

Minimize costly
“approximate string comparisons”

Our First Filter: Pure Software Approach

- Download the source code and try for yourself
 - [Download link to FastHASH](#)

Xin *et al.* *BMC Genomics* 2013, **14**(Suppl 1):S13
<http://www.biomedcentral.com/1471-2164/14/S1/S13>



PROCEEDINGS

Open Access

Accelerating read mapping with FastHASH

Hongyi Xin¹, Donghyuk Lee¹, Farhad Hormozdiari², Samihan Yedkar¹, Onur Mutlu^{1*}, Can Alkan^{3*}

From The Eleventh Asia Pacific Bioinformatics Conference (APBC 2013)
Vancouver, Canada. 21-24 January 2013

Shifted Hamming Distance: SIMD Acceleration

<https://github.com/CMU-SAFARI/Shifted-Hamming-Distance>

Bioinformatics, 31(10), 2015, 1553–1560

doi: 10.1093/bioinformatics/btu856

Advance Access Publication Date: 10 January 2015

Original Paper

OXFORD


Sequence analysis

Shifted Hamming distance: a fast and accurate SIMD-friendly filter to accelerate alignment verification in read mapping

Hongyi Xin^{1,*}, John Greth², John Emmons², Gennady Pekhimenko¹,
Carl Kingsford³, Can Alkan^{4,*} and Onur Mutlu^{2,*}

Xin+, "[Shifted Hamming Distance: A Fast and Accurate SIMD-friendly Filter to Accelerate Alignment Verification in Read Mapping](#)", **Bioinformatics 2015.**

GateKeeper: FPGA-Based Alignment Filtering



- 1 High throughput DNA sequencing (HTS) technologies
- 2 Read Pre-Alignment Filtering
Fast & Low False Positive Rate
- 3 Read Alignment
Slow & Zero False Positives

GateKeeper: FPGA-Based Alignment Filtering

- Mohammed Alser, Hasan Hassan, Hongyi Xin, Oguz Ergin, Onur Mutlu, and Can Alkan
"GateKeeper: A New Hardware Architecture for Accelerating Pre-Alignment in DNA Short Read Mapping"
Bioinformatics, [published online, May 31], 2017.
[[Source Code](#)]
[[Online link at Bioinformatics Journal](#)]

GateKeeper: a new hardware architecture for accelerating pre-alignment in DNA short read mapping

Mohammed Alser ✉, Hasan Hassan, Hongyi Xin, Oğuz Ergin, Onur Mutlu ✉, Can Alkan ✉

Bioinformatics, Volume 33, Issue 21, 1 November 2017, Pages 3355–3363,

<https://doi.org/10.1093/bioinformatics/btx342>

Published: 31 May 2017 **Article history** ▼

DNA Read Mapping & Filtering

- **Problem: Heavily bottlenecked by Data Movement**
- GateKeeper FPGA performance limited by DRAM bandwidth [Alser+, Bioinformatics 2017]
- Ditto for SHD on SIMD [Xin+, Bioinformatics 2015]
- **Solution: Processing-in-memory can alleviate the bottleneck**
- However, we need to design mapping & filtering algorithms to fit processing-in-memory

In-Memory DNA Sequence Analysis

- Jeremie S. Kim, Damla Senol Cali, Hongyi Xin, Donghyuk Lee, Saugata Ghose, Mohammed Alser, Hasan Hassan, Oguz Ergin, Can Alkan, and Onur Mutlu, **"GRIM-Filter: Fast Seed Location Filtering in DNA Read Mapping Using Processing-in-Memory Technologies"** ***BMC Genomics***, 2018.
Proceedings of the 16th Asia Pacific Bioinformatics Conference (APBC), Yokohama, Japan, January 2018.
[arxiv.org Version \(pdf\)](https://arxiv.org/abs/1801.00001)

GRIM-Filter: Fast seed location filtering in DNA read mapping using processing-in-memory technologies

Jeremie S. Kim^{1,6*}, Damla Senol Cali¹, Hongyi Xin², Donghyuk Lee³, Saugata Ghose¹, Mohammed Alser⁴, Hasan Hassan⁶, Oguz Ergin⁵, Can Alkan^{4*} and Onur Mutlu^{6,1*}

From The Sixteenth Asia Pacific Bioinformatics Conference 2018
Yokohama, Japan. 15-17 January 2018

Shouji (障子) [Alser+, Bioinformatics 2019]

Mohammed Alser, Hasan Hassan, Akash Kumar, Onur Mutlu, and Can Alkan,
"Shouji: A Fast and Efficient Pre-Alignment Filter for Sequence Alignment"
Bioinformatics, [published online, March 28], 2019.

[\[Source Code\]](#)

[\[Online link at Bioinformatics Journal\]](#)

Bioinformatics, 2019, 1–9

doi: 10.1093/bioinformatics/btz234

Advance Access Publication Date: 28 March 2019

Original Paper

OXFORD

Sequence alignment

Shouji: a fast and efficient pre-alignment filter for sequence alignment

**Mohammed Alser^{1,2,3,*}, Hasan Hassan¹, Akash Kumar², Onur Mutlu^{1,3,*}
and Can Alkan^{3,*}**

¹Computer Science Department, ETH Zürich, Zürich 8092, Switzerland, ²Chair for Processor Design, Center For Advancing Electronics Dresden, Institute of Computer Engineering, Technische Universität Dresden, 01062 Dresden, Germany and ³Computer Engineering Department, Bilkent University, 06800 Ankara, Turkey

*To whom correspondence should be addressed.

Associate Editor: Inanc Birol

Received on September 13, 2018; revised on February 27, 2019; editorial decision on March 7, 2019; accepted on March 27, 2019

SneakySnake [Alser+, Bioinformatics 2020]

Mohammed Alser, Taha Shahroodi, Juan-Gomez Luna, Can Alkan, and Onur Mutlu,
**"SneakySnake: A Fast and Accurate Universal Genome Pre-Alignment
Filter for CPUs, GPUs, and FPGAs"**

Bioinformatics, to appear in 2020.

[[Source Code](#)]

[[Online link at Bioinformatics Journal](#)]

Bioinformatics

doi.10.1093/bioinformatics/xxxxxx

Advance Access Publication Date: Day Month Year

Manuscript Category

OXFORD

Subject Section

SneakySnake: A Fast and Accurate Universal Genome Pre-Alignment Filter for CPUs, GPUs, and FPGAs

**Mohammed Alser^{1,2,*}, Taha Shahroodi¹, Juan Gómez-Luna^{1,2},
Can Alkan^{4,*}, and Onur Mutlu^{1,2,3,4,*}**

¹Department of Computer Science, ETH Zurich, Zurich 8006, Switzerland

²Department of Information Technology and Electrical Engineering, ETH Zurich, Zurich 8006, Switzerland

³Department of Electrical and Computer Engineering, Carnegie Mellon University, Pittsburgh 15213, PA, USA

⁴Department of Computer Engineering, Bilkent University, Ankara 06800, Turkey

GenASM Framework [MICRO 2020]

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
Proceedings of the 53rd International Symposium on Microarchitecture (MICRO), Virtual, October 2020.
[[Lighting Talk Video](#) (1.5 minutes)]
[[Lightning Talk Slides \(pptx\)](#) ([pdf](#))]
[[Talk Video](#) (18 minutes)]
[[Slides \(pptx\)](#) ([pdf](#))]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali^{†⋈} Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim^{◇†}
Rachata Ausavarungnirun[○] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose^{*†} Onur Mutlu^{◇†▽}
[†]Carnegie Mellon University [⋈]Processor Architecture Research Lab, Intel Labs [▽]Bilkent University [◇]ETH Zürich
[‡]Facebook [○]King Mongkut's University of Technology North Bangkok ^{*}University of Illinois at Urbana-Champaign

Quick Note: Key Principles and Results

- Two key principles:
 - ❑ **Exploit the structure of the genome** to minimize computation
 - ❑ **Morph and exploit the structure of the underlying hardware** to maximize performance and efficiency

- **Algorithm-architecture co-design** for DNA read mapping
 - ❑ **Speeds up** read mapping by **~100-1000X**
 - ❑ **Improves accuracy** of read mapping in the presence of errors

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, <https://doi.org/10.1093/bib/bby017>

Published: 02 April 2018 **Article history** ▼



Oxford Nanopore MinION

Senol Cali+, “**Nanopore Sequencing Technology and Tools for Genome Assembly: Computational Analysis of the Current State, Bottlenecks and Future Directions**,” *Briefings in Bioinformatics*, 2018.

[[Preliminary arxiv.org version](#)]

Nanopore Genome Assembly Pipeline




Figure 1. The analyzed genome assembly pipeline using nanopore sequence data, with its five steps and the associated tools for each step.


Recall Our Dream

- An embedded device that can perform comprehensive genome analysis in real time (within a minute)
- Still a long ways to go
 - Energy efficiency
 - Performance (latency)
 - Security
 - **Huge memory bottleneck**

Future of Genome Sequencing & Analysis



MinION from ONT



SmidgION from ONT

Why Do We Care? An Example from 2020

200 Oxford Nanopore sequencers have left UK for China, to support rapid, near-sample coronavirus sequencing for outbreak surveillance

Fri 31st January 2020

Following extensive support of, and collaboration with, public health professionals in China, Oxford Nanopore has shipped an additional 200 MinION sequencers and related consumables to China. These will be used to support the ongoing surveillance of the current coronavirus outbreak, adding to a large number of the devices already installed in the country.



Each MinION sequencer is approximately the size of a stapler, and can provide rapid sequence information about the coronavirus.




700Kg of Oxford Nanopore sequencers and consumables are on their way for use by Chinese scientists in understanding the current coronavirus outbreak.

Sequencing of COVID-19

- **Whole genome sequencing (WGS) and sequence data analysis are important**
 - ❑ To detect the virus from a human sample such as saliva, Bronchoalveolar fluid etc.
 - ❑ To understand the sources and modes of transmission of the virus
 - ❑ To discover the genomic characteristics of the virus, and compare with better-known viruses (e.g., 02-03 SARS epidemic)
 - ❑ To design and evaluate the diagnostic tests and deep-dive studies
- **Two key areas of COVID-19 genomic research**
 - ❑ To sequence the genome of the virus itself, COVID-19, in order to track the mutations in the virus.
 - ❑ To explore the genes of infected patients. This analysis can be used to understand why some people get more severe symptoms than others, as well as, help with the development of new treatments in the future.

COVID-19 Nanopore Sequencing (I)



• From ONT (<https://nanoporetech.com/covid-19/overview>)

COVID-19 Nanopore Sequencing (II)

How are scientists using nanopore sequencing to research COVID-19?



Samples
are collected

Validated SARS-CoV-2
RT-PCR test performed



SARS-CoV-2 positive samples



SARS-CoV-2 negative samples:
used as negative controls

How can this be used?
Genomic epidemiology: analyse variants
& mutation rate, track spread of virus,
identify clusters of transmission

What are the results?
From RNA to full
SARS-CoV-2 consensus
sequence in ~7 hours

How?
Targeted amplification of
SARS-CoV-2 genome + multiplexed,
rapid nanopore sequencing

Targeted SARS-CoV-2
nanopore sequencing



+
-
Metagenomic
nanopore sequencing

How?
1 x RNA metagenomic
sequencing run
1 x DNA metagenomic
sequencing run

What are the results?
RNA: data for RNA viruses (including
SARS-CoV-2) + microbial transcripts
DNA: data for bacteria + DNA viruses

How can this be used?
Characterise co-infecting bacteria
& viruses, identify any correlation
of risk factors, research potential
future treatment implications

SARS-CoV-2 Direct RNA whole
genome sequencing: assess
viral genome in its native RNA
form and the effect of base
modifications

Immune repertoire: assess
response of the immune system to
SARS-CoV-2 infection by
sequencing of full-length immune
cell receptor genes and transcripts

**Whole human genome
sequencing:** investigate what
might cause different responses
to the virus in different people
based on their genome

What's next?



Find out more at nanoporetech.com/covid19

MinION™



GridION™



PromethION™




Oxford Nanopore Technologies, the Wheel icon, GridION, PromethION and MinION are registered trademarks of Oxford Nanopore Technologies in various countries. © 2020 Oxford Nanopore Technologies. All rights reserved. Oxford Nanopore Technologies' products are currently for research use only. IG_1061[EN]_V1_03Apr2020

• From ONT (<https://nanoporetech.com/covid-19/overview>)

Future of Genome Sequencing & Analysis



MinION from ONT



SmidgION from ONT

Accelerating Genome Analysis: Overview

- Mohammed Alser, Zülal Bingöl, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, and Onur Mutlu,
"Accelerating Genome Analysis: A Primer on an Ongoing Journey"
IEEE Micro (**IEEE MICRO**), Vol. 40, No. 5, pages 65-75, September/October 2020.
[[Slides \(pptx\)\(pdf\)](#)]
[[Talk Video \(1 hour 2 minutes\)](#)]

Accelerating Genome Analysis: A Primer on an Ongoing Journey

Mohammed Alser

ETH Zürich

Zülal Bingöl

Bilkent University

Damla Senol Cali

Carnegie Mellon University

Jeremie Kim

ETH Zurich and Carnegie Mellon University

Saugata Ghose

University of Illinois at Urbana–Champaign and
Carnegie Mellon University

Can Alkan

Bilkent University

Onur Mutlu

ETH Zurich, Carnegie Mellon University, and
Bilkent University

More on Fast Genome Analysis ...

- Onur Mutlu,
"Accelerating Genome Analysis: A Primer on an Ongoing Journey"
Invited Lecture at [Technion](#), Virtual, 26 January 2021.
[[Slides \(pptx\)](#) ([pdf](#))]
[[Talk Video](#) (1 hour 37 minutes, including Q&A)]
[[Related Invited Paper \(at IEEE Micro, 2020\)](#)]

Insight: Shifting a String Helps Similarity Search

7 matches 1 mismatch

81

Onur Mutlu - Invited Lecture @Technion: Accelerating Genome Analysis: A Primer on an Ongoing Journey

566 views · Premiered Feb 6, 2021

Onur Mutlu Lectures
13.9K subscribers

ANALYTICS EDIT VIDEO

Detailed Lectures on Genome Analysis

- **Computer Architecture, Fall 2020, Lecture 3a**
 - **Introduction to Genome Sequence Analysis** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=CrRb32v7SJc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=5>
- **Computer Architecture, Fall 2020, Lecture 8**
 - **Intelligent Genome Analysis** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=ygmQpdDTL7o&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=14>
- **Computer Architecture, Fall 2020, Lecture 9a**
 - **GenASM: Approx. String Matching Accelerator** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=XoLpzmN-Pas&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=15>
- **Accelerating Genomics Project Course, Fall 2020, Lecture 1**
 - **Accelerating Genomics** (ETH Zürich, Fall 2020)
 - <https://www.youtube.com/watch?v=rgjl8ZyLsAg&list=PL5Q2soXY2Zi9E2bBVAgCqLgwiDRQDTyId>

High Performance

(to solve
the **toughest & all** problems)


Personalized and Private

(in every aspect of life:
health, medicine,
spaces, devices, robotics, ...)

Concluding Remarks

A Quote from A Famous Architect

- “architecture [...] based upon **principle**, and not upon **precedent**”



Precedent-Based Design

- “architecture [...] based upon **principle**, and not upon **precedent**”



Principled Design

- “architecture [...] based upon **principle**, and not upon **precedent**”





Another Example: Precedent-Based Design



Principled Design



Another Principled Design



Source: By Martín Gómez Tagle - Lisbon, Portugal, CC BY-SA 3.0, <https://commons.wikimedia.org/w/index.php?curid=13764903>

Source: <http://www.arcspace.com/exhibitions/unsorted/santiago-calatrava/>

Another Principled Design



Principle Applied to Another Structure



Source: By 準建築人手札網站 Forgemind ArchiMedia - Flickr: IMG_2489.JPG, CC BY 2.0

Source: <https://www.dezeen.com/2016/08/29/santiago-calatrava-oculus-world-trade-center-transportation-hub-new-york-photographs-hufton-crow/>
<https://commons.wikimedia.org/wiki/index.php?curid=91498396>, https://en.wikipedia.org/wiki/Santiago_Calatrava

Overarching Principles for Computing?



We Need to Exploit Good Principles

- Data-centric design
- All components intelligent
- Good cross-layer communication, expressive interfaces
- Better-than-worst-case design
- Heterogeneity
- Flexibility, adaptability


Open minds

Concluding Remarks


- It is time to design **principled computing architectures** to achieve the highest **security, performance, and efficiency**
- **Discover design principles** for fundamentally secure and reliable computer architectures
- **Design complete systems** to be balanced and energy-efficient, i.e., **data-centric (or memory-centric) and low-latency**
- **Enable new platforms** for genomics, medicine, health
- **This can**
 - Lead to **orders-of-magnitude** improvements
 - **Enable new applications & computing platforms**
 - **Enable better understanding of nature**
 - ...

The Future is Very Bright

- Regardless of challenges
 - in underlying technology and overlying problems/requirements



We Need to Think and Act Across the Stack



We can get there step by step

PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu^{a,b}, Saugata Ghose^{b,c}, Juan Gómez-Luna^a, Rachata Ausavarungnirun^d

SAFARI Research Group

^a*ETH Zürich*

^b*Carnegie Mellon University*

^c*University of Illinois at Urbana-Champaign*

^d*King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
"A Modern Primer on Processing in Memory"
*Invited Book Chapter in **Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann**, Springer, to be published in 2021.*

PIM Review and Open Problems (II)

A Workload and Programming Ease Driven Perspective of Processing-in-Memory

Saugata Ghose[†] Amirali Boroumand[†] Jeremie S. Kim^{†§} Juan Gómez-Luna[§] Onur Mutlu^{§†}

[†]*Carnegie Mellon University*

[§]*ETH Zürich*

Saugata Ghose, Amirali Boroumand, Jeremie S. Kim, Juan Gomez-Luna, and Onur Mutlu,

"Processing-in-Memory: A Workload-Driven Perspective"

Invited Article in IBM Journal of Research & Development, Special Issue on Hardware for Artificial Intelligence, to appear in November 2019.

[Preliminary arXiv version]

A Tutorial on Memory-Centric Systems

- Onur Mutlu,

"Memory-Centric Computing Systems"

Invited Tutorial at *66th International Electron Devices Meeting (IEDM)*, Virtual, 12 December 2020.

[[Slides \(pptx\)](#) ([pdf](#))]

[[Executive Summary Slides \(pptx\)](#) ([pdf](#))]

[[Tutorial Video](#) (1 hour 51 minutes)]

[[Executive Summary Video](#) (2 minutes)]

[[Abstract and Bio](#)]

[[Related Keynote Paper from VLSI-DAT 2020](#)]

[[Related Review Paper on Processing in Memory](#)]

<https://www.youtube.com/watch?v=H3sEaINPBOE>

Funding Acknowledgments

- Alibaba, AMD, [ASML](#), [Google](#), [Facebook](#), [Hi-Silicon](#), HP Labs, [Huawei](#), IBM, [Intel](#), [Microsoft](#), Nvidia, Oracle, Qualcomm, Rambus, Samsung, Seagate, [VMware](#)
- NSF
- NIH
- GSRC
- [SRC](#)
- CyLab

Acknowledgments

■ My current and past students and postdocs

- ❑ Rachata Ausavarungnirun, Abhishek Bhowmick, Amirali Boroumand, Rui Cai, Yu Cai, Kevin Chang, Saugata Ghose, Kevin Hsieh, Tyler Huberty, Ben Jaiyen, Samira Khan, Jeremie Kim, Yoongu Kim, Yang Li, Jamie Liu, Lavanya Subramanian, Donghyuk Lee, Yixin Luo, Justin Meza, Gennady Pekhimenko, Vivek Seshadri, Lavanya Subramanian, Nandita Vijaykumar, HanBin Yoon, Jishen Zhao, ...

■ My collaborators

- ❑ Can Alkan, Chita Das, Phil Gibbons, Sriram Govindan, Norm Jouppi, Mahmut Kandemir, Mike Kozuch, Konrad Lai, Ken Mai, Todd Mowry, Yale Patt, Moinuddin Qureshi, Partha Ranganathan, Bikash Sharma, Kushagra Vaid, Chris Wilkerson, ...

Acknowledgments

SAFARI

SAFARI Research Group

safari.ethz.ch


Think BIG, Aim HIGH!

<https://safari.ethz.ch>

Onur Mutlu's SAFARI Research Group

Computer architecture, HW/SW, systems, bioinformatics, security, memory

<https://safari.ethz.ch/safari-newsletter-january-2021/>



Think BIG, Aim HIGH!

SAFARI

<https://safari.ethz.ch>

SAFARI Newsletter April 2020 Edition

- <https://safari.ethz.ch/safari-newsletter-april-2020/>



[View in your browser](#)

Think Big, Aim High



Dear SAFARI friends,

2019 and the first three months of 2020 have been very positive eventful times for SAFARI.

SAFARI Newsletter January 2021 Edition

- <https://safari.ethz.ch/safari-newsletter-january-2021/>



SAFARI
SAFARI Research Group

Newsletter
January 2021

*Think Big, Aim High, and
Have a Wonderful 2021!*



Dear SAFARI friends,

Happy New Year! We are excited to share our group highlights with you in this second edition of the SAFARI newsletter (You can find the first edition from April 2020 [here](#)). 2020 has

Future Computing Platforms

Challenges and Opportunities

Onur Mutlu

omutlu@gmail.com

<https://people.inf.ethz.ch/omutlu>

20 February 2021

IEEE CS Turkey Master Class Invited Talk

SAFARI

ETH zürich

Carnegie Mellon

Readings, Videos, Reference Materials

Research & Teaching: Some Overview Talks

<https://www.youtube.com/onurmutlulectures>

■ Future Computing Architectures

- https://www.youtube.com/watch?v=kgiZISOcGFM&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=1

■ Enabling In-Memory Computation

- https://www.youtube.com/watch?v=njX_14584Jw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=16

■ Accelerating Genome Analysis

- https://www.youtube.com/watch?v=r7sn41IH-4A&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=41

■ Rethinking Memory System Design

- https://www.youtube.com/watch?v=F7xZLNMIY1E&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=3

■ Intelligent Architectures for Intelligent Machines

- https://www.youtube.com/watch?v=c6_LgzuNdkw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=25

■ The Story of RowHammer

- https://www.youtube.com/watch?v=sgd7PHQQ1AI&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=39

Accelerated Memory Course (~6.5 hours)

■ ACACES 2018

- ❑ Memory Systems and Memory-Centric Computing Systems
- ❑ Taught by Onur Mutlu July 9-13, 2018
- ❑ ~6.5 hours of lectures

■ Website for the Course including Videos, Slides, Papers

- ❑ <https://people.inf.ethz.ch/omutlu/acaces2018.html>
- ❑ <https://www.youtube.com/playlist?list=PL5Q2soXY2Zi-HXxomthrpDpMJm05P6J9x>

■ All Papers are at:

- ❑ <https://people.inf.ethz.ch/omutlu/projects.htm>
- ❑ Final lecture notes and readings (for all topics)

Longer Memory Course (~18 hours)

■ TU Wien 2019

- ❑ Memory Systems and Memory-Centric Computing Systems
- ❑ Taught by Onur Mutlu June 12-19, 2019
- ❑ ~18 hours of lectures

■ Website for the Course including Videos, Slides, Papers

- ❑ https://safari.ethz.ch/memory_systems/TUWien2019
- ❑ https://www.youtube.com/playlist?list=PL5Q2soXY2Zi_gntM55VoMIKlw7YrXOhbl

■ All Papers are at:

- ❑ <https://people.inf.ethz.ch/omutlu/projects.htm>
- ❑ Final lecture notes and readings (for all topics)

An Interview on Research and Education

- Computing Research and Education (@ ISCA 2019)
 - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz

- Maurice Wilkes Award Speech (10 minutes)
 - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=15

More Thoughts and Suggestions

- Onur Mutlu,
"Some Reflections (on DRAM)"
*Award Speech for ACM SIGARCH Maurice Wilkes Award, at the **ISCA** Awards Ceremony, Phoenix, AZ, USA, 25 June 2019.*
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Video of Award Acceptance Speech \(Youtube; 10 minutes\)](#)] [[Youku; 13 minutes](#)]
[[Video of Interview after Award Acceptance \(Youtube; 1 hour 6 minutes\)](#)] [[Youku; 1 hour 6 minutes](#)]
[[News Article on "ACM SIGARCH Maurice Wilkes Award goes to Prof. Onur Mutlu"](#)]

- Onur Mutlu,
"How to Build an Impactful Research Group"
*57th Design Automation Conference Early Career Workshop (**DAC**), Virtual, 19 July 2020.*
[[Slides \(pptx\)](#)] [[pdf](#)]

A Modern Primer on Processing in Memory

Onur Mutlu^{a,b}, Saugata Ghose^{b,c}, Juan Gómez-Luna^a, Rachata Ausavarungnirun^d

SAFARI Research Group

^a*ETH Zürich*

^b*Carnegie Mellon University*

^c*University of Illinois at Urbana-Champaign*

^d*King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
"A Modern Primer on Processing in Memory"
*Invited Book Chapter in **Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann**, Springer, to be published in 2021.*

Reference Overview Paper I

Processing Data Where It Makes Sense: Enabling In-Memory Computation

Onur Mutlu^{a,b}, Saugata Ghose^b, Juan Gómez-Luna^a, Rachata Ausavarungnirun^{b,c}

^a*ETH Zürich*

^b*Carnegie Mellon University*

^c*King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
**"Processing Data Where It Makes Sense: Enabling In-Memory
Computation"**

*Invited paper in Microprocessors and Microsystems (**MICPRO**), June 2019.
[arXiv version]*

Reference Overview Paper II

A Workload and Programming Ease Driven Perspective of Processing-in-Memory

Saugata Ghose[†] Amirali Boroumand[†] Jeremie S. Kim^{†§} Juan Gómez-Luna[§] Onur Mutlu^{§†}

[†]*Carnegie Mellon University*

[§]*ETH Zürich*

Saugata Ghose, Amirali Boroumand, Jeremie S. Kim, Juan Gomez-Luna, and Onur Mutlu,

"Processing-in-Memory: A Workload-Driven Perspective"

Invited Article in IBM Journal of Research & Development, Special Issue on Hardware for Artificial Intelligence, to appear in November 2019.

[Preliminary arXiv version]

Reference Overview Paper III

Enabling the Adoption of Processing-in-Memory: Challenges, Mechanisms, Future Research Directions

SAUGATA GHOSE, KEVIN HSIEH, AMIRALI BOROUMAND,
RACHATA AUSAVARUNGNIRUN

Carnegie Mellon University

ONUR MUTLU

ETH Zürich and Carnegie Mellon University

Saugata Ghose, Kevin Hsieh, Amirali Boroumand, Rachata Ausavarungnirun, Onur Mutlu,
**"Enabling the Adoption of Processing-in-Memory: Challenges, Mechanisms,
Future Research Directions"**

Invited Book Chapter, to appear in 2018.

[[Preliminary arxiv.org version](https://arxiv.org/pdf/1802.00320.pdf)]

Reference Overview Paper IV

- Onur Mutlu and Lavanya Subramanian,
"Research Problems and Opportunities in Memory Systems"
Invited Article in Supercomputing Frontiers and Innovations
*(**SUPERFRI**)*, 2014/2015.

Research Problems and Opportunities in Memory Systems

Onur Mutlu¹, Lavanya Subramanian¹

Reference Overview Paper V

- Onur Mutlu,
"The RowHammer Problem and Other Issues We May Face as Memory Becomes Denser"
*Invited Paper in Proceedings of the Design, Automation, and Test in Europe Conference (**DATE**), Lausanne, Switzerland, March 2017.*
[[Slides \(pptx\)](#) ([pdf](#))]

The RowHammer Problem and Other Issues We May Face as Memory Becomes Denser

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch
<https://people.inf.ethz.ch/omutlu>

Reference Overview Paper VI

- Onur Mutlu,
"Memory Scaling: A Systems Architecture Perspective"

*Technical talk at MemCon 2013 (**MEMCON**), Santa Clara, CA, August 2013. [[Slides \(pptx\)](#)] [[pdf](#)]
[[Video](#)] [[Coverage on StorageSearch](#)]*

Memory Scaling: A Systems Architecture Perspective

Onur Mutlu
Carnegie Mellon University
onur@cmu.edu
<http://users.ece.cmu.edu/~omutlu/>



Proceedings of the IEEE, Sept. 2017

Error Characterization, Mitigation, and Recovery in Flash-Memory-Based Solid-State Drives

This paper reviews the most recent advances in solid-state drive (SSD) error characterization, mitigation, and data recovery techniques to improve both SSD's reliability and lifetime.

By YU CAI, SAUGATA GHOSE, ERICH F. HARATSCH, YIXIN LUO, AND ONUR MUTLU

Reference Overview Paper VIII

- Onur Mutlu and Jeremie Kim,
"RowHammer: A Retrospective"
IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems (TCAD) Special Issue on Top Picks in Hardware and Embedded Security, 2019.
[[Preliminary arXiv version](#)]

RowHammer: A Retrospective

Onur Mutlu^{§‡} Jeremie S. Kim^{‡§}
§ETH Zürich ‡Carnegie Mellon University

Related Videos and Course Materials (I)

- **Undergraduate Digital Design & Computer Architecture Course Lecture Videos (2020, 2019, 2018, 2017, 2015, 2014, 2013)**
- **Undergraduate Digital Design & Computer Architecture Course Materials (2020, 2019, 2018, 2015, 2014, 2013)**
- **Graduate Computer Architecture Course Lecture Videos (2019, 2018, 2017, 2015, 2013)**
- **Graduate Computer Architecture Course Materials (2019, 2018, 2017, 2015, 2013)**
- **Parallel Computer Architecture Course Materials (Lecture Videos)**

Related Videos and Course Materials (II)

- **Seminar in Computer Architecture Course Lecture Videos (Spring 2020, Fall 2019, Spring 2019, 2018)**
- **Seminar in Computer Architecture Course Materials (Spring 2020, Fall 2019, Spring 2019, 2018)**
- **Memory Systems Course Lecture Videos (Sept 2019, July 2019, June 2019, October 2018)**
- **Memory Systems Short Course Lecture Materials (Sept 2019, July 2019, June 2019, October 2018)**
- **ACACES Summer School Memory Systems Course Lecture Videos (2018, 2013)**
- **ACACES Summer School Memory Systems Course Materials (2018, 2013)**

Some Open Source Tools (I)

- Rowhammer – Program to Induce RowHammer Errors
 - <https://github.com/CMU-SAFARI/rowhammer>
- Ramulator – Fast and Extensible DRAM Simulator
 - <https://github.com/CMU-SAFARI/ramulator>
- MemSim – Simple Memory Simulator
 - <https://github.com/CMU-SAFARI/memsim>
- NOCulator – Flexible Network-on-Chip Simulator
 - <https://github.com/CMU-SAFARI/NOCulator>
- SoftMC – FPGA-Based DRAM Testing Infrastructure
 - <https://github.com/CMU-SAFARI/SoftMC>
- Other open-source software from my group
 - <https://github.com/CMU-SAFARI/>
 - <http://www.ece.cmu.edu/~safari/tools.html>

Some Open Source Tools (II)

- MQSim – A Fast Modern SSD Simulator
 - <https://github.com/CMU-SAFARI/MQSim>
- Mosaic – GPU Simulator Supporting Concurrent Applications
 - <https://github.com/CMU-SAFARI/Mosaic>
- IMPICA – Processing in 3D-Stacked Memory Simulator
 - <https://github.com/CMU-SAFARI/IMPICA>
- SMLA – Detailed 3D-Stacked Memory Simulator
 - <https://github.com/CMU-SAFARI/SMLA>
- HWASim – Simulator for Heterogeneous CPU-HWA Systems
 - <https://github.com/CMU-SAFARI/HWASim>
- Other open-source software from my group
 - <https://github.com/CMU-SAFARI/>
 - <http://www.ece.cmu.edu/~safari/tools.html>

More Open Source Tools (III)

- A lot more open-source software from my group
 - ❑ <https://github.com/CMU-SAFARI/>
 - ❑ <http://www.ece.cmu.edu/~safari/tools.html>

The screenshot shows the GitHub repository page for the SAFARI Research Group. The header includes the SAFARI logo and the text "SAFARI Research Group at ETH Zurich and Carnegie Mellon University". Below this, it states "Site for source code and tools distribution from SAFARI Research Group at ETH Zurich and Carnegie Mellon University." and provides contact information: "ETH Zurich and Carnegi...", "http://www.ece.cmu.ed...", and "omutlu@gmail.com".

The repository statistics bar shows: Repositories 30, People 27, Teams 1, Projects 0, and Settings.

The search bar contains "Search repositories...". The filters are "Type: All" and "Language: All". There is a button "Customize pinned repositories" and a "New" button.

The main content area features the repository "MQSim". The description states: "MQSim is a fast and accurate simulator modeling the performance of modern multi-queue (MQ) SSDs as well as traditional SATA based SSDs. MQSim faithfully models new high-bandwidth protocol implementations, steady-state SSD conditions, and the full end-to-end latency of requests in modern SSDs. It is described in detail in the FAST 2018 paper by A...".

Below the description, it shows: C++ (14 stars), 14 forks, MIT license, and "Updated 8 days ago".

On the right, there are two sections: "Top languages" and "Most used topics".

Top languages: C++ (pink dot), C (black dot), C# (green dot), AGS Script (blue dot), Verilog (purple dot).

Most used topics: dram, reliability. There is a "Manage" link next to the topics.

ramulator-pim

A fast and flexible simulation infrastructure for exploring general-purpose processing-in-memory (PIM) architectures. Ramulator-PIM combines a widely-used simulator for out-of-order and in-order processors (ZSim) with Ramulator, a DRAM simulator with memory models for DDRx, LPDDRx, GDDRx, WIOx, HBMx, and HMCx. Ramulator is described in the IEEE ...

● C++ 🍴 11 ☆ 29 ⓘ 6 📄 0 Updated 19 days ago

SMASH

SMASH is a hardware-software cooperative mechanism that enables highly-efficient indexing and storage of sparse matrices. The key idea of SMASH is to compress sparse matrices with a hierarchical bitmap compression format that can be accelerated from hardware.

Described by Kanellopoulos et al. (MICRO '19)
<https://people.inf.ethz.ch/omutlu/pub/SMA...>

● C 🍴 1 ☆ 6 ⓘ 0 📄 0 Updated on May 17

MQSim

MQSim is a fast and accurate simulator modeling the performance of modern multi-queue (MQ) SSDs as well as traditional SATA based SSDs. MQSim faithfully models new high-bandwidth protocol implementations, steady-state SSD conditions, and the full end-to-end latency of requests in modern SSDs. It is described in detail in the FAST 2018 paper by A...

● C++ 🍴 MIT 🍴 54 ☆ 62 ⓘ 10 📄 1 Updated on May 15

Apollo

Apollo is an assembly polishing algorithm that attempts to correct the errors in an assembly. It can take multiple set of reads in a single run and polish the assemblies of genomes of any size. Described in the Bioinformatics journal paper (2020) by Firtina et al. at

<https://people.inf.ethz.ch/omutlu/pub/apollo-technology-independent-genome-assem...>

● C++ 🍴 GPL-3.0 🍴 1 ☆ 12 ⓘ 0 📄 0 Updated on May 10

ramulator

A Fast and Extensible DRAM Simulator, with built-in support for modeling many different DRAM technologies including DDRx, LPDDRx, GDDRx, WIOx, HBMx, and various academic proposals. Described in the IEEE CAL 2015 paper by Kim et al. at
http://users.ece.cmu.edu/~omutlu/pub/ramulator_dram_simulator-ieee-cal15.pdf

● C++ 🍴 MIT 🍴 93 ☆ 170 ⓘ 37 📄 2 Updated on Apr 13

Shifted-Hamming-Distance

Source code for the Shifted Hamming Distance (SHD) filtering mechanism for sequence alignment. Described in the Bioinformatics journal paper (2015) by Xin et al. at
http://users.ece.cmu.edu/~omutlu/pub/shifted-hamming-distance_bioinformatics15_proofs.pdf

● C 🍴 GPL-2.0 🍴 5 ☆ 20 ⓘ 0 📄 1 Updated on Mar 29

SneakySnake

The first and the only pre-alignment filtering algorithm that works on all modern high-performance computing architectures. It works efficiently and fast on CPU, FPGA, and GPU architectures and that greatly (by more than two orders of magnitude) expedites sequence alignment calculation. Described by Alser et al. (preliminary version at <https://a...>)

● VHDL 🍴 GPL-3.0 🍴 3 ☆ 11 ⓘ 0 📄 0 Updated on Mar 10

AirLift

AirLift is a tool that updates mapped reads from one reference genome to another. Unlike existing tools, It accounts for regions not shared between the two reference genomes and enables remapping across all parts of the references. Described by Kim et al. (preliminary version at <http://arxiv.org/abs/1912.08735>)

● C 🍴 0 ☆ 3 ⓘ 0 📄 0 Updated on Feb 19

GPGPUSim-Ramulator

The source code for GPGPUSim+Ramulator simulator. In this version, GPGPUSim uses Ramulator to simulate the DRAM. This simulator is used to produce some of the

Referenced Papers and Talks

- All are available at

<https://people.inf.ethz.ch/omutlu/projects.htm>

<http://scholar.google.com/citations?user=7XyGUGkAAAAJ&hl=en>

<https://www.youtube.com/onurmutlulectures>

An Interview on Research and Education

- Computing Research and Education (@ ISCA 2019)
 - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz
- Maurice Wilkes Award Speech (10 minutes)
 - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBjl&index=15

End of Backup Slides