Future Computing Platforms

Challenges and Opportunities

Onur Mutlu
omutlu@gmail.com
https://people.inf.ethz.ch/omutlu


16 May 2021

IEEE Egypt & IEEE Future University in Egypt Student Branch


SAFARI ETH zürich Carnegie Mellon

Current Research Mission

Computer architecture, HW/SW, systems, bioinformatics, security




Heterogeneous Processors and Accelerators






Hybrid Main Memory





Graphics and Vision Processing





Persistent Memory/Storage


Build fundamentally better architectures

Four Key Current Directions

- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
  - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

The Transformation Hierarchy

Computer Architecture (expanded view)




Computer Architecture (narrow view)

Axiom

To achieve the highest energy efficiency and performance:

we must take the expanded view

of computer architecture




Co-design across the hierarchy: Algorithms to devices

Specialize as much as possible within the design goals

Current Research Mission & Major Topics

Build fundamentally better architectures




Broad research spanning apps, systems, logic with architecture at the center

- Data-centric arch. for low energy & high perf.
  - Proc. in Mem/DRAM, NVM, unified mem/storage
- Low-latency & predictable architectures
  - Low-latency, low-energy yet low-cost memory
  - QoS-aware and predictable memory systems
- Fundamentally secure/reliable/safe arch.
  - Tolerating all bit flips; patchable HW; secure mem
- Architectures for ML/AI/Genomics/Health/Med
  - Algorithm/arch./logic co-design; full heterogeneity
- Data-driven and data-aware architectures
  - ML/AI-driven architectural controllers and design
  - Expressive memory and expressive systems

Onur Mutlu's SAFARI Research Group

Computer architecture, HW/SW, systems, bioinformatics, security, memory

https://safari.ethz.ch/safari-newsletter-april-2020/



Think BIG, Aim HIGH!

SAFARI

https://safari.ethz.ch

SAFARI Newsletter January 2021 Edition

- https://safari.ethz.ch/safari-newsletter-january-2021/

SAFARI
SAFARI Research Group

Newsletter
January 2021

Think Big, Aim High, and Have a Wonderful 2021!



Dear SAFARI friends,

Happy New Year! We are excited to share our group highlights with you in this second edition of the SAFARI newsletter (You can find the first edition from April 2020 **here**). 2020 has

Principle: Teaching and Research

...

Teaching drives Research

Research drives Teaching

...

Principle: Learning and Scholarship

Focus on

learning and scholarship

Principle: Insight and Ideas

Focus on Insight

Encourage New Ideas

Research & Teaching: Some Overview Talks

https://www.youtube.com/onurmutlulectures

- Future Computing Architectures
  - https://www.youtube.com/watch?v=kgiZlSOcGFM&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=1
- Enabling In-Memory Computation
  - https://www.youtube.com/watch?v=njX_14584Jw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=16
- Accelerating Genome Analysis
  - https://www.youtube.com/watch?v=r7sn41lH-4A&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=41
- Rethinking Memory System Design
  - https://www.youtube.com/watch?v=F7xZLNMIY1E&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=3
- Intelligent Architectures for Intelligent Machines
  - https://www.youtube.com/watch?v=c6_LgzuNdkw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=25
- The Story of RowHammer
  - https://www.youtube.com/watch?v=sgd7PHQQ1AI&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=39

An Interview on Research and Education

- Computing Research and Education (@ ISCA 2019)
  - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz

- Maurice Wilkes Award Speech (10 minutes)
  - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=15

More Thoughts and Suggestions

- Onur Mutlu,
  "Some Reflections (on DRAM)"
  *Award Speech for ACM SIGARCH Maurice Wilkes Award, at the **ISCA** Awards Ceremony*, Phoenix, AZ, USA, 25 June 2019.
  [Slides (pptx) (pdf)]
  [Video of Award Acceptance Speech (Youtube; 10 minutes) (Youku; 13 minutes)]
  [Video of Interview after Award Acceptance (Youtube; 1 hour 6 minutes) (Youku; 1 hour 6 minutes)]
  [News Article on "ACM SIGARCH Maurice Wilkes Award goes to Prof. Onur Mutlu"]

- Onur Mutlu,
  "How to Build an Impactful Research Group"
  *57th Design Automation Conference Early Career Workshop (**DAC**)*, Virtual, 19 July 2020.
  [Slides (pptx) (pdf)]

Referenced Papers, Talks, Artifacts

- All are available at

  https://people.inf.ethz.ch/omutlu/projects.htm

  http://scholar.google.com/citations?user=7XyGUGkAAAAJ&hl=en

  https://www.youtube.com/onurmutlulectures

  https://github.com/CMU-SAFARI/

Future Computing Platforms

Challenges and Opportunities

Why Do We Do Computing?

Answer

To Solve Problems

Answer Reworded

To Gain Insight

Answer Extended

To Enable

a Better Life & Future

How Does a Computer Solve Problems?

Answer


Orchestrating Electrons

In today's dominant technologies

How Do Problems Get Solved by Electrons?

The Transformation Hierarchy

Computer Architecture (expanded view)



Computer Architecture (narrow view)

Computer Architecture

- is the science and art of designing computing platforms (hardware, interface, system SW, and programming model)

- to achieve a set of design goals
  - E.g., highest performance on earth on workloads X, Y, Z
  - E.g., longest battery life at a form factor that fits in your pocket with cost < $$$ CHF
  - E.g., best average performance across all known workloads at the best performance/cost ratio
  - …

  - Designing a supercomputer is different from designing a smartphone → But, many fundamental principles are similar

Different Platforms, Different Goals





Source: http://www.sia-online.org (semiconductor industry association)

Different Platforms, Different Goals



Source: https://iq.intel.com/5-awesome-uses-for-drone-technology/

Different Platforms, Different Goals




Source: https://taxistartup.com/wp-content/uploads/2015/03/UK-Self-Driving-Cars.jpg

Different Platforms, Different Goals



Source: http://sm.pcmag.com/pcmag_uk/photo/g/google-self-driving-car-the-guts/google-self-driving-car-the-guts_dwx8.jpg

Different Platforms, Different Goals



Source: http://datacentervoice.com/wp-content/uploads/2015/10/data-center.jpg

Different Platforms, Different Goals



Source: https://fossbytes.com/wp-content/uploads/2015/06/Supercomputer-TIANHE2-china.jpg

Different Platforms, Different Goals




Figure 3. TPU Printed Circuit Board. It can be inserted in the slot for an SATA disk in a server, but the card uses PCIe Gen3 x16.





Figure 4. Systolic data flow of the Matrix Multiply Unit. Software has the illusion that each 256B input is read at once, and they instantly update one location of each of 256 accumulator RAMs.

Jouppi et al., "In-Datacenter Performance Analysis of a Tensor Processing Unit", ISCA 2017.


Different Platforms, Different Goals

- ML accelerator: 260 mm^2, 6 billion transistors, 600 GFLOPS GPU, 12 ARM 2.2 GHz CPUs.
- Two redundant chips for better safety.



https://youtu.be/Ucp0TTmvqOE?t=4236

Cerebras's Wafer Scale Engine (2019)



- The largest ML accelerator chip
- 400,000 cores




Cerebras WSE
1.2 Trillion transistors
46,225 mm^2

Largest GPU
21.1 Billion transistors
815 mm^2
NVIDIA TITAN V

https://www.anandtech.com/show/14758/hot-chips-31-live-blogs-cerebras-wafer-scale-deep-learning

https://www.cerebras.net/cerebras-wafer-scale-engine-why-we-need-big-chips-for-deep-learning/

Cerebras's Wafer Scale Engine-2 (2021)



- The largest ML accelerator chip (2021)
- 850,000 cores

Cerebras WSE-2
2.6 Trillion transistors
46,225 mm^2



Largest GPU
54.2 Billion transistors
826 mm^2
NVIDIA Ampere GA100

https://www.anandtech.com/show/14758/hot-chips-31-live-blogs-cerebras-wafer-scale-deep-learning


https://www.cerebras.net/cerebras-wafer-scale-engine-why-we-need-big-chips-for-deep-learning/

Many (Other) AI/ML Chips

- Alibaba
- Amazon
- Facebook
- Google
- Huawei
- Intel
- Microsoft
- NVIDIA
- Tesla
- Many Others and Many Startups are Building Their Own Chips…


- **Many More to Come…**

Many (Other) AI/ML Chips




UPMEM Processing-in-DRAM Engine (2019)

- Processing in DRAM Engine
- Includes **standard DIMM modules**, with a **large number of DPU processors** combined with DRAM chips.



- Replaces **standard** DIMMs
  - DDR4 R-DIMM modules
    - 8GB+128 DPUs (16 PIM chips)
    - Standard 2x-nm DRAM process
  - **Large amounts of** compute & memory bandwidth



https://www.anandtech.com/show/14750/hot-chips-31-analysis-inmemory-processing-by-upmem
https://www.upmem.com/video-upmem-presenting-its-true-processing-in-memory-solution-hot-chips-2019/

Experimental Analysis of the UPMEM PIM Engine

Benchmarking a New Paradigm: An Experimental Analysis of a Real Processing-in-Memory Architecture

JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
IZZAT EL HAJJ, American University of Beirut, Lebanon
IVAN FERNANDEZ, ETH Zürich, Switzerland and University of Malaga, Spain
CHRISTINA GIANNOULA, ETH Zürich, Switzerland and NTUA, Greece
GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Many modern workloads, such as neural networks, databases, and graph processing, are fundamentally memory-bound. For such workloads, the data movement between main memory and CPU cores imposes a significant overhead in terms of both latency and energy. A major reason is that this communication happens through a narrow bus with high latency and limited bandwidth, and the low data reuse in memory-bound workloads is insufficient to amortize the cost of main memory access. Fundamentally addressing this *data movement bottleneck* requires a paradigm where the memory system assumes an active role in computing by integrating processing capabilities. This paradigm is known as *processing-in-memory* (*PIM*).

Recent research explores different forms of PIM architectures, motivated by the emergence of new 3D-stacked memory technologies that integrate memory with a logic layer where processing elements can be easily placed. Past works evaluate these architectures in simulation or, at best, with simplified hardware prototypes. In contrast, the UPMEM company has designed and manufactured the first publicly-available real-world PIM architecture. The UPMEM PIM architecture combines traditional DRAM memory arrays with general-purpose in-order cores, called *DRAM Processing Units* (*DPUs*), integrated in the same chip.

This paper provides the first comprehensive analysis of the first publicly-available real-world PIM architecture. We make two key contributions. First, we conduct an experimental characterization of the UPMEM-based PIM system using microbenchmarks to assess various architecture limits such as compute throughput and memory bandwidth, yielding new insights. Second, we present *PrIM* (*Processing-In-Memory benchmarks*), a benchmark suite of 16 workloads from different application domains (e.g., dense/sparse linear algebra, databases, data analytics, graph processing, neural networks, bioinformatics, image processing), which we identify as memory-bound. We evaluate the performance and scaling characteristics of PrIM benchmarks on the UPMEM PIM architecture, and compare their performance and energy consumption to their state-of-the-art CPU and GPU counterparts. Our extensive evaluation conducted on two real UPMEM-based PIM systems with 640 and 2,556 DPUs provides new insights about suitability of different workloads to the PIM system, programming recommendations for software designers, and suggestions and hints for hardware and architecture designers of future PIM systems.

https://arxiv.org/pdf/2105.03814.pdf

Samsung Function-in-Memory DRAM (2021)

Samsung Newsroom

CORPORATE | PRODUCTS | PRESS RESOURCES | VIEWS | ABOUT US

Samsung Develops Industry's First High Bandwidth Memory with AI Processing Power

Korea on February 17, 2021 Audio Share

The new architecture will deliver over twice the system performance and reduce energy consumption by more than 70%


Samsung Electronics, the world leader in advanced memory technology, today announced that it has developed the industry's first High Bandwidth Memory (HBM) integrated with artificial intelligence (AI) processing power — the HBM-PIM. The new processing-in-memory (PIM) architecture brings powerful AI computing capabilities inside high-performance memory, to accelerate large-scale processing in data centers, high performance computing (HPC) systems and AI-enabled mobile applications.

Kwangil Park, senior vice president of Memory Product Planning at Samsung Electronics stated, "Our groundbreaking HBM-PIM is the industry's first programmable PIM solution tailored for diverse AI-driven workloads such as HPC, training and inference. We plan to build upon this breakthrough by further collaborating with AI solution providers for even more advanced PIM-powered applications."

https://news.samsung.com/global/samsung-develops-industrys-first-high-bandwidth-memory-with-ai-processing-power

Samsung Function-in-Memory DRAM (2021)

- FIMDRAM based on HBM2



[3D Chip Structure of HBM with FIMDRAM]

Chip Specification
128DQ / 8CH / 16 banks / BL4
32 PCU blocks (1 FIM block/2 banks)
1.2 TFLOPS (4H)
FP16 ADD / Multiply (MUL) / Multiply-Accumulate (MAC) / Multiply-and- Add (MAD)

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Genome Sequencing & Analysis Systems



MinION from ONT




SmidgION from ONT

Axiom

To achieve the highest energy efficiency and performance:

we must take the expanded view

of computer architecture



Co-design across the hierarchy: Algorithms to devices

Specialize as much as possible within the design goals

What Kind of a Future Do We Want?

How Reliable/Secure/Safe is This Bridge?



Source: http://www.technologystudent.com/struct1/tacom1.png

Collapse of the "Galloping Gertie"



Source: AP
http://www.wsdot.wa.gov/tnbhistory/connections/connections3.htm

Another View



Source: AP Source: http://www.seattlepi.com/science/article/A-Tacoma-Narrows-Galloping-Gertie-bridge-6617030.php

How Secure Are These People?



Security is about preventing unforeseen consequences

Source: https://s-media-cache-ak0.pinimg.com/originals/48/09/54/4809543a9c7700246a0cf8acdae27abf.jpg

Challenge and Opportunity for Future


Reliable, Secure, Safe

Do We Want This?



Source: V. Milutinovic

Or This?



Source: V. Milutinovic


Challenge and Opportunity for Future

Sustainable

and

Energy Efficient

Many Difficult Problems: Climate



Source: https://farm9.staticflickr.com/8571/16376102935_8628150df8_o.jpg

Many Difficult Problems: Congestion



Source: https://blogs-images.forbes.com/jimgorzelany/files/2015/10/China-G4-backup-this-oct-reuters.jpg

Many Difficult Problems: Intelligence




Source: http://spectrum.ieee.org/image/MjYzMzAyMg.jpeg

Many Difficult Problems: Public Health




Source: https://blog.wego.com/7-crowded-places-and-events-that-you-will-love/

Many Difficult Problems: Genome Analysis



development of high-throughput sequencing (HTS) technologies

Number of Genomes Sequenced




The Economist

http://www.economist.com/news/21631808-so-much-genetic-data-so-many-uses-genes-unzipped

Accelerating Genome Analysis

- Mohammed Alser, Zulal Bingol, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, and Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  IEEE Micro (***IEEE MICRO***), Vol. 40, No. 5, pages 65-75, September/October 2020.
  [Slides (pptx)(pdf)]
  [Talk Video (1 hour 2 minutes)]



Accelerating Genome Analysis: A Primer on an Ongoing Journey

Mohammed Alser
ETH Zürich

Zülal Bingöl
Bilkent University

Damla Senol Cali
Carnegie Mellon University

Jeremie Kim
ETH Zurich and Carnegie Mellon University

Saugata Ghose
University of Illinois at Urbana–Champaign and Carnegie Mellon University

Can Alkan
Bilkent University

Onur Mutlu
ETH Zurich, Carnegie Mellon University, and Bilkent University

GenASM Framework [MICRO 2020]

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.
  [Lighting Talk Video (1.5 minutes)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (18 minutes)]
  [Slides (pptx) (pdf)]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali[†⋈] Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim[◇†]
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose[⋆†] Onur Mutlu[◇†▽]

[†]*Carnegie Mellon University* [⋈]*Processor Architecture Research Lab, Intel Labs* [▽]*Bilkent University* [◇]*ETH Zürich*
[‡]*Facebook* [⊙]*King Mongkut's University of Technology North Bangkok* [⋆]*University of Illinois at Urbana–Champaign*

Future of Genome Sequencing & Analysis



MinION from ONT




SmidgION from ONT

Alser+, "Accelerating Genome Analysis: A Primer on an Ongoing Journey", IEEE Micro 2020.

More on Fast & Efficient Genome Analysis

- Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  Invited Lecture at Technion, Virtual, 26 January 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (1 hour 37 minutes, including Q&A)]
  [Related Invited Paper (at IEEE Micro, 2020)]



Detailed Lectures on Genome Analysis

- Computer Architecture, Fall 2020, Lecture 3a
  - **Introduction to Genome Sequence Analysis** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=CrRb32v7SJc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=5
- Computer Architecture, Fall 2020, Lecture 8
  - **Intelligent Genome Analysis** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=ygmQpdDTL7o&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=14
- Computer Architecture, Fall 2020, Lecture 9a
  - **GenASM: Approx. String Matching Accelerator** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=XoLpzmN-Pas&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=15
- Accelerating Genomics Project Course, Fall 2020, Lecture 1
  - **Accelerating Genomics** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=rgjl8ZyLsAg&list=PL5Q2soXY2Zi9E2bBVAgCqLgwiDRQDTyId


https://www.youtube.com/onurmutlulectures

Challenge and Opportunity for Future

High Performance


(to solve
the **toughest** & **all** problems)

Personalized Medicine



Source: Jane Ades, NHGRI

Comparative Genomics



Source: By Aaron E. Darling, István Miklós, Mark A. Ragan - Figure 1 from Darling AE, Miklós I, Ragan MA (2008). "Dynamics of Genome Rearrangement in Bacterial Populations". PLOS Genetics. DOI:10.1371/journal.pgen.1000128., CC BY 2.5, https://commons.wikimedia.org/w/index.php?curid=30550950

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, https://doi.org/10.1093/bib/bby017
Published: 02 April 2018 **Article history** ▾



Oxford Nanopore MinION

Senol Cali+, "**Nanopore Sequencing Technology and Tools for Genome Assembly: Computational Analysis of the Current State, Bottlenecks and Future Directions**," Briefings in Bioinformatics, 2018.
[Preliminary arxiv.org version]

Challenge and Opportunity for Future

Personalized and Private

(in every aspect of life:
health, medicine,
spaces, devices, robotics, ...)

This Lecture is About …

- Questioning what limits us in designing the best computing architectures for the future
- Providing directions for fundamentally better designs
- Advocating principled approaches

Increasingly Demanding Applications

Dream…

and, they will come

As applications push boundaries, computing platforms will become increasingly strained.


Key Realization

Realization

Modern Systems are Bottlenecked by

Data Storage and Movement


Focus is on Data Storage Systems (Memory)



- Main memory is a critical component of all computing systems: server, mobile, embedded, desktop, sensor

- Main memory system must scale (in *size*, *technology*, *efficiency*, *cost*, and *management algorithms*) to maintain performance growth and technology scaling benefits


Focus is on Data Storage Systems (Memory)



- Main memory is a critical component of all computing systems: server, mobile, embedded, desktop, sensor

- Main memory system must scale (in *size*, *technology*, *efficiency*, *cost*, and *management algorithms*) to maintain performance growth and technology scaling benefits

Focus is on Data Storage Systems (Memory)



- Main memory is a critical component of all computing systems: server, mobile, embedded, desktop, sensor

- Main memory system must scale (in *size*, *technology*, *efficiency*, *cost*, and *management algorithms*) to maintain performance growth and technology scaling benefits

The Problem


Computing

is Bottlenecked by Data

Data is Key for AI, ML, Genomics, …


- Important workloads are all data intensive
- They require rapid and efficient processing of large amounts of data
- Data is increasing
  - We can generate more than we can process

Memory Is Critical for Performance (I)



In-memory Databases

[Mao+, EuroSys'12;
Clapp+ (**Intel**), IISWC'15]




Graph/Tree Processing

[Xu+, IISWC'12; Umuroglu+, FPL'15]



In-Memory Data Analytics


[Clapp+ (**Intel**), IISWC'15;
Awan+, BDCloud'15]




Datacenter Workloads

[Kanev+ (**Google**), ISCA'15]

Memory Is Critical for Performance (I)



In-memory Databases




Graph/Tree Processing

Memory → bottleneck



In-Memory Data Analytics

[Clapp+ (**Intel**), IISWC'15; Awan+, BDCloud'15]



Datacenter Workloads

[Kanev+ (**Google**), ISCA'15]

Memory Is Critical for Performance (II)



Chrome

Google's web browser



TensorFlow Mobile

Google's machine learning framework

VP9

YouTube

Video Playback

Google's video codec

VP9

YouTube

Video Capture

Google's video codec

Memory Is Critical for Performance (II)



Chrome



TensorFlow Mobile

Memory → bottleneck

VP9

YouTube

Video Playback


Google's **video codec**

VP9


YouTube

Video Capture

Google's **video codec**



1 Sequencing



2 Read Mapping


Genome Analysis


```
reference: TTTATCGCTTCCATGACGCAG
read1:       ATCGCATCC
read2:      TATCGCATC
read3:           CATCCATGA
read4:         CGCTTCCAT
read5:               CCATGACGC
read6:             TTCCATGAC
```

3 Variant Calling



4 Scientific Discovery





Memory → bottleneck

```
reference: TTTATCGCTTCCATGACGCAG
read1:       ATCGCATCC
read2:      TATCGCATC
read3:           CATCCATGA
read4:         CGCTTCCAT
read5:               CCATGACGC
read6:             TTCCATGAC
```



3 Variant Calling

Scientific Discovery 4

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, https://doi.org/10.1093/bib/bby017
Published: 02 April 2018 **Article history** ▾



Oxford Nanopore MinION

Senol Cali+, "**Nanopore Sequencing Technology and Tools for Genome Assembly: Computational Analysis of the Current State, Bottlenecks and Future Directions**," Briefings in Bioinformatics, 2018.
[Open arxiv.org version]

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, https://doi.org/10.1093/bib/bby017
Published: 02 April 2018 **Article history** ▾



Oxford Nanopore MinION

Memory → bottleneck

Memory is Critical for Energy

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"** *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.


62.7% of the total system energy is spent on data movement

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand[1] Saugata Ghose[1] Youngsok Kim[2]
Rachata Ausavarungnirun[1] Eric Shiu[3] Rahul Thakur[3] Daehyun Kim[4,3]
Aki Kuusela[3] Allan Knies[3] Parthasarathy Ranganathan[3] Onur Mutlu[5,1]

Memory is Critical for Reliability

- Data from all of Facebook's servers worldwide
- Meza+, "Revisiting Memory Errors in Large-Scale Production Data Centers," DSN'15.




As memory capacity increases, system reliability reduces

Large-Scale Failure Analysis of DRAM Chips

- Analysis and modeling of memory errors found in all of Facebook's server fleet

- Justin Meza, Qiang Wu, Sanjeev Kumar, and Onur Mutlu, **"Revisiting Memory Errors in Large-Scale Production Data Centers: Analysis and Modeling of New Trends from the Field"** *Proceedings of the 45th Annual IEEE/IFIP International Conference on Dependable Systems and Networks* (***DSN***), Rio de Janeiro, Brazil, June 2015.
  [Slides (pptx) (pdf)] [DRAM Error Model]


Revisiting Memory Errors in Large-Scale Production Data Centers: Analysis and Modeling of New Trends from the Field

Justin Meza Qiang Wu * Sanjeev Kumar * Onur Mutlu

Carnegie Mellon University * Facebook, Inc.

Realization Reworded

Modern Systems are Bottlenecked by

Memory

An "Early" Overview Paper…

- Onur Mutlu,
  "Memory Scaling: A Systems Architecture Perspective"
  *Proceedings of the 5th International Memory Workshop (**IMW**)*, Monterey, CA, May 2013. Slides (pptx) (pdf)
  EETimes Reprint

Memory Scaling: A Systems Architecture Perspective

Onur Mutlu
Carnegie Mellon University
onur@cmu.edu
http://users.ece.cmu.edu/~omutlu/

https://people.inf.ethz.ch/omutlu/pub/memory-scaling_memcon13.pdf

Four Key Issues in Future Platforms


- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
  - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

Maslow's (Human) Hierarchy of Needs

Maslow, "A Theory of Human Motivation," Psychological Review, 1943.

Maslow, "Motivation and Personality," Book, 1954-1970.





- We need to start with reliability and security...

Source: https://www.simplypsychology.org/maslow.html

Source: By User:Factoryjoe - Mazlow's Hierarchy of Needs.svg, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=7964065

How Reliable/Secure/Safe is This Bridge?



Source: http://www.technologystudent.com/struct1/tacom1.png

Collapse of the "Galloping Gertie"



Source: AP
http://www.wsdot.wa.gov/tnbhistory/connections/connections3.htm

How Secure Are These People?



Security is about preventing unforeseen consequences

Source: https://s-media-cache-ak0.pinimg.com/originals/48/09/54/4809543a9c7700246a0cf8acdae27abf.jpg

The Problem

We do not seem to have


design principles for

(guaranteeing)

reliability and security

As Memory Scales, It Becomes Unreliable


- Data from all of Facebook's servers worldwide
- Meza+, "Revisiting Memory Errors in Large-Scale Production Data Centers," DSN'15.



Intuition: quadratic increase in capacity

The DRAM Scaling Problem

- DRAM stores charge in a capacitor (charge-based memory)
  - Capacitor must be large enough for reliable sensing
  - Access transistor must be large enough for long data retention time



- As DRAM cell becomes **smaller**, it becomes **more vulnerable**

Infrastructures to Understand Such Issues




An Experimental Study of Data Retention Behavior in Modern DRAM Devices: Implications for Retention Time Profiling Mechanisms (Liu et al., ISCA 2013)

The Efficacy of Error Mitigation Techniques for DRAM Retention Failures: A Comparative Experimental Study (Khan et al., SIGMETRICS 2014)


Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors (Kim et al., ISCA 2014)

Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common-Case (Lee et al., HPCA 2015)

AVATAR: A Variable-Retention-Time (VRT) Aware Refresh for DRAM Systems (Qureshi et al., DSN 2015)




Infrastructures to Understand Such Issues



Kim+, "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors," ISCA 2014.

SoftMC: Open Source DRAM Infrastructure

- Hasan Hassan et al., "**SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies**," HPCA 2017.



- **Flexible**
- **Easy to Use (C++ API)**
- **Open-source**

  github.com/CMU-SAFARI/SoftMC

SoftMC

- https://github.com/CMU-SAFARI/SoftMC

SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies

Hasan Hassan[1,2,3] Nandita Vijaykumar[3] Samira Khan[4,3] Saugata Ghose[3] Kevin Chang[3]
Gennady Pekhimenko[5,3] Donghyuk Lee[6,3] Oguz Ergin[2] Onur Mutlu[1,3]

[1]*ETH Zürich* [2]*TOBB University of Economics & Technology* [3]*Carnegie Mellon University*
[4]*University of Virginia* [5]*Microsoft Research* [6]*NVIDIA Research*

A Curious Discovery [Kim et al., ISCA 2014]


One can

predictably induce errors


in most DRAM memory chips

DRAM RowHammer

A simple hardware failure mechanism
can create a widespread
system security vulnerability






Modern DRAM is Prone to Disturbance Errors



Repeatedly reading a row enough times (before memory gets refreshed) induces disturbance errors in **adjacent rows** in most real DRAM chips you can buy today


[Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors](), (Kim et al., ISCA 2014)

Most DRAM Modules Are Vulnerable


A company	B company	C company
 86% (37/43)	 83% (45/54)	 88% (28/32)
Up to 1.0×10^{7} errors	Up to 2.7×10^{6} errors	Up to 3.3×10^{5} errors

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors, (Kim et al., ISCA 2014)


Recent DRAM Is More Vulnerable



Recent DRAM Is More Vulnerable



Recent DRAM Is More Vulnerable




All modules from 2012–2013 are vulnerable


Why Is This Happening?

- DRAM cells are too close to each other!
  - They are not electrically isolated from each other
- Access to one cell affects the value in nearby cells
  - due to electrical interference between
    - the cells
    - wires used for accessing the cells
  - Also called cell-to-cell coupling/interference
- Example: When we activate (apply high voltage) to a row, an adjacent row gets slightly activated as well
  - Vulnerable cells in that slightly-activated row lose a little bit of charge
  - If row hammer happens enough times, charge in such cells gets drained


Higher-Level Implications


- This simple circuit level failure mechanism has enormous implications on upper layers of the transformation hierarchy







A Simple Program Can Induce Many Errors










```
loop:
   mov (X), %eax
   mov (Y), %ebx
   clflush (X)
   clflush (Y)
   mfence
   jmp loop
```




Download from: https://github.com/CMU-SAFARI/rowhammer


A Simple Program Can Induce Many Errors










```
loop:
   mov (X), %eax
   mov (Y), %ebx
   clflush (X)
   clflush (Y)
   mfence
   jmp loop
```




Download from: https://github.com/CMU-SAFARI/rowhammer


A Simple Program Can Induce Many Errors










```
loop:
   mov (X), %eax
   mov (Y), %ebx
   clflush (X)
   clflush (Y)
   mfence
   jmp loop
```




Download from: https://github.com/CMU-SAFARI/rowhammer


A Simple Program Can Induce Many Errors








```
loop:
   mov (X), %eax
   mov (Y), %ebx
   clflush (X)
   clflush (Y)
   mfence
   jmp loop
```



Download from: https://github.com/CMU-SAFARI/rowhammer

Observed Errors in Real Systems

CPU Architecture	Errors	Access-Rate
Intel Haswell (2013)	22.9K	12.3M/sec
Intel Ivy Bridge (2012)	20.7K	11.7M/sec
Intel Sandy Bridge (2011)	16.1K	11.6M/sec
AMD Piledriver (2012)	59	6.1M/sec

A real reliability & security issue

Kim+, "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors," ISCA 2014.

One Can Take Over an Otherwise-Secure System

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors

Abstract. Memory isolation is a key property of a reliable and secure computing system — an access to one memory address should not have unintended side effects on data stored in other addresses. However, as DRAM process technology

Project Zero

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors (Kim et al., ISCA 2014)

News and updates from the Project Zero team at Google

Exploiting the DRAM rowhammer bug to gain kernel privileges (Seaborn+, 2015)

Monday, March 9, 2015

Exploiting the DRAM rowhammer bug to gain kernel privileges

RowHammer Security Attack Example

- "Rowhammer" is a problem with some recent DRAM devices in which repeatedly accessing a row of memory can cause bit flips in adjacent rows (Kim et al., ISCA 2014).
  - Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors (Kim et al., ISCA 2014)
- We tested a selection of laptops and found that a subset of them exhibited the problem.
- We built two working privilege escalation exploits that use this effect.
  - Exploiting the DRAM rowhammer bug to gain kernel privileges (Seaborn+, 2015)
- One exploit uses rowhammer-induced bit flips to **gain kernel privileges** on x86-64 Linux when run as an unprivileged userland process.
- When run on a machine vulnerable to the rowhammer problem, the process was able to induce bit flips in page table entries (PTEs).
- It was able to use this to gain write access to its own page table, and hence gain read-write access to all of physical memory.

Security Implications




Security Implications



It's like breaking into an apartment by repeatedly slamming a neighbor's door until the vibrations open the door you were after

More Security Implications (I)

"We can gain unrestricted access to systems of website visitors."



Rowhammer.js: A Remote Software-Induced Fault Attack in JavaScript (DIMVA'16)

Source: https://lab.dsst.io/32c3-slides/7197.html

More Security Implications (II)

"Can gain control of a smart phone deterministically"




Drammer: Deterministic Rowhammer Attacks on Mobile Platforms, CCS'16

Source: https://fossbytes.com/drammer-rowhammer-attack-android-root-devices/

More Security Implications (III)

- Using an integrated GPU in a mobile system to remotely escalate privilege via the WebGL interface



Grand Pwning Unit: Accelerating Microarchitectural Attacks with the GPU

Pietro Frigo
Vrije Universiteit
Amsterdam
p.frigo@vu.nl


Cristiano Giuffrida
Vrije Universiteit
Amsterdam
giuffrida@cs.vu.nl

Herbert Bos
Vrije Universiteit
Amsterdam
herbertb@cs.vu.nl

Kaveh Razavi
Vrije Universiteit
Amsterdam
kaveh@cs.vu.nl

More Security Implications (IV)

- Rowhammer over RDMA (I)



Throwhammer: Rowhammer Attacks over the Network and Defenses

Andrei Tatar
VU Amsterdam

Radhesh Krishnan
VU Amsterdam

Elias Athanasopoulos
University of Cyprus

Cristiano Giuffrida
VU Amsterdam

Herbert Bos
VU Amsterdam

Kaveh Razavi
VU Amsterdam

More Security Implications (V)

- Rowhammer over RDMA (II)

The Hacker News™
Security in a serious way

Nethammer—Exploiting DRAM Rowhammer Bug Through Network Requests



Nethammer:
Inducing Rowhammer Faults through Network Requests

Moritz Lipp
Graz University of Technology

Misiker Tadesse Aga
University of Michigan

Michael Schwarz
Graz University of Technology

Daniel Gruss
Graz University of Technology


Clémentine Maurice
Univ Rennes, CNRS, IRISA

Lukas Raab
Graz University of Technology

Lukas Lamster
Graz University of Technology

More Security Implications (VI)

- IEEE S&P 2020



RAMBleed

RAMBleed: Reading Bits in Memory Without Accessing Them

Andrew Kwong
University of Michigan
ankwong@umich.edu

Daniel Genkin
University of Michigan
genkin@umich.edu

Daniel Gruss
Graz University of Technology
daniel.gruss@iaik.tugraz.at

Yuval Yarom
University of Adelaide and Data61
yval@cs.adelaide.edu.au

More Security Implications (VII)

- USENIX Security 2019

Terminal Brain Damage: Exposing the Graceless Degradation in Deep Neural Networks Under Hardware Fault Attacks

Sanghyun Hong, Pietro Frigo†, Yiğitcan Kaya, Cristiano Giuffrida†, Tudor Dumitraş

University of Maryland, College Park
†*Vrije Universiteit Amsterdam*



A Single Bit-flip Can Cause Terminal Brain Damage to DNNs

One specific bit-flip in a DNN's representation leads to accuracy drop over 90%

Our research found that a specific bit-flip in a DNN's bitwise representation can cause the accuracy loss up to 90%, and the DNN has 40-50% parameters, on average, that can lead to the accuracy drop over 10% when individually subjected to such single bitwise corruptions...

Read More

More Security Implications (VIII)

- USENIX Security 2020

DeepHammer: Depleting the Intelligence of Deep Neural Networks through Targeted Chain of Bit Flips


Fan Yao
University of Central Florida
fan.yao@ucf.edu

Adnan Siraj Rakin
Deliang Fan
Arizona State University
asrakin@asu.edu
dfan@asu.edu

Degrade the **inference accuracy** to the level of **Random Guess**

Example: ResNet-20 for CIFAR-10, **10** output classes

Before attack, **Accuracy: 90.2%** After attack, **Accuracy: ~10% (1/10)**



More Security Implications (IX)

- Rowhammer on MLC NAND Flash (based on [Cai+, HPCA 2017])



Security

Rowhammer RAM attack adapted to hit flash storage

Project Zero's two-year-old dog learns a new trick

By Richard Chirgwin 17 Aug 2017 at 04:27 17 SHARE ▼

From random block corruption to privilege escalation: A filesystem attack vector for rowhammer-like attacks

Anil Kurmus Nikolas Ioannou Matthias Neugschwandtner Nikolaos Papandreou
Thomas Parnell
IBM Research – Zurich

More Security Implications?



Apple's Patch for RowHammer

- https://support.apple.com/en-gb/HT204934

Available for: OS X Mountain Lion v10.8.5, OS X Mavericks v10.9.5

Impact: A malicious application may induce memory corruption to escalate privileges

Description: A disturbance error, also known as Rowhammer, exists with some DDR3 RAM that could have led to memory corruption. This issue was mitigated by increasing memory refresh rates.

CVE-ID

CVE-2015-3693 : Mark Seaborn and Thomas Dullien of Google, working from original research by Yoongu Kim et al (2014)

HP, Lenovo, and other vendors released similar patches

Solution Direction: Principled Designs

Design fundamentally secure computing architectures

Predict and prevent such safety issues

Our Solution to RowHammer

- PARA: *Probabilistic Adjacent Row Activation*
- Key Idea
  - After closing a row, we activate (i.e., refresh) one of its neighbors with a low probability: $p = 0.005$
- Reliability Guarantee
  - When $p=0.005$, errors in one year: 9.4×10^{-14}
  - By adjusting the value of p, we can vary the strength of protection against errors

Advantages of PARA

- *PARA refreshes rows infrequently*
  - Low power
  - Low performance-overhead
    - Average slowdown: 0.20% (for 29 benchmarks)
    - Maximum slowdown: 0.75%
- *PARA is stateless*
  - Low cost
  - Low complexity


- *PARA is an effective and low-overhead solution to prevent disturbance errors*

Requirements for PARA

- If implemented in DRAM chip (done today)
  - Enough slack in timing and refresh parameters
  - Plenty of slack today:
    - Lee et al., "Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common Case," HPCA 2015.
    - Chang et al., "Understanding Latency Variation in Modern DRAM Chips," SIGMETRICS 2016.
    - Lee et al., "Design-Induced Latency Variation in Modern DRAM Chips," SIGMETRICS 2017.
    - Chang et al., "Understanding Reduced-Voltage Operation in Modern DRAM Devices," SIGMETRICS 2017.
    - Ghose et al., "What Your DRAM Power Models Are Not Telling You: Lessons from a Detailed Experimental Study," SIGMETRICS 2018.
    - Kim et al., "Solar-DRAM: Reducing DRAM Access Latency by Exploiting the Variation in Local Bitlines," ICCD 2018.


- If implemented in memory controller (done today)
  - Better coordination between memory controller and DRAM
  - Memory controller should know which rows are physically adjacent

Probabilistic Activation in Real Life (I)



https://twitter.com/isislovecruft/status/1021939922754723841

Probabilistic Activation in Real Life (II)



https://twitter.com/isislovecruft/status/1021939922754723841

Detailed Lectures on RowHammer

- Computer Architecture, Fall 2020, Lecture 4b
  - RowHammer (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=KDy632z23UE&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=8

- Computer Architecture, Fall 2020, Lecture 5c
  - Secure and Reliable Memory (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=HvswnsfG3oQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=11

https://www.youtube.com/onurmutlulectures

First RowHammer Analysis

- Yoongu Kim, Ross Daly, Jeremie Kim, Chris Fallin, Ji Hye Lee, Donghyuk Lee, Chris Wilkerson, Konrad Lai, and Onur Mutlu,
  "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors"
  *Proceedings of the 41st International Symposium on Computer Architecture (**ISCA**)*, Minneapolis, MN, June 2014.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)] [Source Code and Data]


Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors

Yoongu Kim[1] Ross Daly* Jeremie Kim[1] Chris Fallin* Ji Hye Lee[1]
Donghyuk Lee[1] Chris Wilkerson[2] Konrad Lai Onur Mutlu[1]

[1]Carnegie Mellon University [2]Intel Labs

Future of Memory Reliability/Security

- Onur Mutlu,
  "The RowHammer Problem and Other Issues We May Face as Memory Becomes Denser"
  *Invited Paper in Proceedings of the Design, Automation, and Test in Europe Conference (**DATE**)*, Lausanne, Switzerland, March 2017.
  [Slides (pptx) (pdf)]



The RowHammer Problem
and Other Issues We May Face as Memory Becomes Denser

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch
https://people.inf.ethz.ch/omutlu

A More Recent RowHammer Retrospective

- Onur Mutlu and Jeremie Kim,
  "RowHammer: A Retrospective"
  IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems (***TCAD***) *Special Issue on Top Picks in Hardware and Embedded Security*, 2019.
  [Preliminary arXiv version]
  [Slides from COSADE 2019 (pptx)]
  [Slides from VLSI-SOC 2020 (pptx) (pdf)]
  [Talk Video (30 minutes)]


RowHammer: A Retrospective

Onur Mutlu[§‡] Jeremie S. Kim[‡§]
[§]ETH Zürich [‡]Carnegie Mellon University

RowHammer in 2020

RowHammer in 2020 (I)

- Jeremie S. Kim, Minesh Patel, A. Giray Yaglikci, Hasan Hassan, Roknoddin Azizi, Lois Orosa, and Onur Mutlu,
  "Revisiting RowHammer: An Experimental Analysis of Modern Devices and Mitigation Techniques"
  *Proceedings of the 47th International Symposium on Computer Architecture (**ISCA**)*, Valencia, Spain, June 2020.
  [Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (20 minutes)]
  [Lightning Talk Video (3 minutes)]

Revisiting RowHammer: An Experimental Analysis of Modern DRAM Devices and Mitigation Techniques

Jeremie S. Kim[§†] Minesh Patel[§] A. Giray Yağlıkçı[§]
Hasan Hassan[§] Roknoddin Azizi[§] Lois Orosa[§] Onur Mutlu[§†]

[§]*ETH Zürich* [†]*Carnegie Mellon University*

Key Takeaways from 1580 Chips

- **Newer DRAM chips are more vulnerable to RowHammer**
- There are chips today whose weakest cells fail after **only 4800 hammers**
- Chips of newer DRAM technology nodes can exhibit RowHammer bit flips 1) in **more rows** and 2) **farther away** from the victim row.
- **Existing mitigation mechanisms are NOT effective**

RowHammer in 2020 (II)

- Pietro Frigo, Emanuele Vannacci, Hasan Hassan, Victor van der Veen, Onur Mutlu, Cristiano Giuffrida, Herbert Bos, and Kaveh Razavi,
  "TRRespass: Exploiting the Many Sides of Target Row Refresh"
  *Proceedings of the 41st IEEE Symposium on Security and Privacy (**S&P**)*, San Francisco, CA, USA, May 2020.
  [Slides (pptx) (pdf)]
  [Lecture Slides (pptx) (pdf)]
  [Talk Video (17 minutes)]
  [Lecture Video (59 minutes)]
  [Source Code]
  [Web Article]
  Best paper award.
  Pwnie Award 2020 for Most Innovative Research. Pwnie Awards 2020

TRRespass: Exploiting the Many Sides of Target Row Refresh

Pietro Frigo*† Emanuele Vannacci*† Hasan Hassan§ Victor van der Veen¶
Onur Mutlu§ Cristiano Giuffrida* Herbert Bos* Kaveh Razavi*

*Vrije Universiteit Amsterdam §ETH Zürich ¶Qualcomm Technologies Inc.

TRRespass Key Takeaways

RowHammer is still
an open problem

Security by obscurity
is likely not a good solution

RowHammer in 2020 (III)

- Lucian Cojocar, Jeremie Kim, Minesh Patel, Lillian Tsai, Stefan Saroiu, Alec Wolman, and Onur Mutlu,
  "Are We Susceptible to Rowhammer? An End-to-End Methodology for Cloud Providers"
  *Proceedings of the 41st IEEE Symposium on Security and Privacy (**S&P**)*, San Francisco, CA, USA, May 2020.
  [Slides (pptx) (pdf)]
  [Talk Video (17 minutes)]



Are We Susceptible to Rowhammer?
An End-to-End Methodology for Cloud Providers

Lucian Cojocar, Jeremie Kim[§†], Minesh Patel[§], Lillian Tsai[‡],
Stefan Saroiu, Alec Wolman, and Onur Mutlu[§†]
Microsoft Research, [§]ETH Zürich, [†]CMU, [‡]MIT

BlockHammer Solution in 2021

- A. Giray Yaglikci, Minesh Patel, Jeremie S. Kim, Roknoddin Azizi, Ataberk Olgun, Lois Orosa, Hasan Hassan, Jisung Park, Konstantinos Kanellopoulos, Taha Shahroodi, Saugata Ghose, and Onur Mutlu,
  "BlockHammer: Preventing RowHammer at Low Cost by Blacklisting Rapidly-Accessed DRAM Rows"
  *Proceedings of the 27th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Virtual, February-March 2021.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Video (22 minutes)]
  [Short Talk Video (7 minutes)]

BlockHammer: Preventing RowHammer at Low Cost by Blacklisting Rapidly-Accessed DRAM Rows


A. Giray Yağlıkçı[1] Minesh Patel[1] Jeremie S. Kim[1] Roknoddin Azizi[1] Ataberk Olgun[1] Lois Orosa[1]
Hasan Hassan[1] Jisung Park[1] Konstantinos Kanellopoulos[1] Taha Shahroodi[1] Saugata Ghose[2] Onur Mutlu[1]
[1]*ETH Zürich* [2]*University of Illinois at Urbana–Champaign*

Detailed Lectures on RowHammer

- Computer Architecture, Fall 2020, Lecture 4b
  - RowHammer (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=KDy632z23UE&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=8
- Computer Architecture, Fall 2020, Lecture 5a
  - RowHammer in 2020: TRRespass (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=pwRw7QqK_qA&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=9
- Computer Architecture, Fall 2020, Lecture 5b
  - RowHammer in 2020: Revisiting RowHammer (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=gR7XR-Eepcg&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=10
- Computer Architecture, Fall 2020, Lecture 5c
  - Secure and Reliable Memory (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=HvswnsfG3oQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=11

The Story of RowHammer Lecture …

- Onur Mutlu,
  "The Story of RowHammer"
  Keynote Talk at *Secure Hardware, Architectures, and Operating Systems Workshop* (***SeHAS***), *held with HiPEAC 2021 Conference*, Virtual, 19 January 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (1 hr 15 minutes, with Q&A)]




RowHammer

Future of Main Memory Reliability

- DRAM is becoming less reliable → more vulnerable
- Due to difficulties in DRAM scaling, other problems may also appear (or they may be going unnoticed)
- Some errors may already be slipping into the field
  - Read disturb errors (Rowhammer)
  - Retention errors
  - Read errors, write errors
  - …
- These errors can also pose security vulnerabilities


All Memory Technologies are Vulnerable

- DRAM
- Flash memory
- Emerging Technologies
  - Phase Change Memory
  - STT-MRAM
  - RRAM, memristors
  - …

How Do We Keep Memory Secure?


- **Understand**: Methodologies for failure modeling and discovery
  - Modeling and prediction based on real (device) data
- **Architect**: Principled co-architecting of system and memory
  - Good partitioning of duties across the stack
- **Design & Test**: Principled design, automation, testing
  - High coverage and good interaction with system reliability methods

Understand and Model with Experiments (DRAM)



Kim+, "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors," ISCA 2014.

Understand and Model with Experiments (Flash)



[DATE 2012, ICCD 2012, DATE 2013, ITJ 2013, ICCD 2013, SIGMETRICS 2014, HPCA 2015, DSN 2015, MSST 2015, JSAC 2016, HPCA 2017, DFRWS 2017, PIEEE 2017, HPCA 2018, SIGMETRICS 2018]

Cai+, "Error Characterization, Mitigation, and Recovery in Flash Memory Based Solid State Drives," Proc. IEEE 2017.

Understanding Flash Memory Reliability



Proceedings of the IEEE, Sept. 2017

Error Characterization, Mitigation, and Recovery in Flash-Memory-Based Solid-State Drives

This paper reviews the most recent advances in solid-state drive (SSD) error characterization, mitigation, and data recovery techniques to improve both SSD's reliability and lifetime.

By Yu Cai, Saugata Ghose, Erich F. Haratsch, Yixin Luo, and Onur Mutlu

https://arxiv.org/pdf/1706.08642

There are Two Other Solution Directions


- **New Technologies:** Replace or (more likely) augment DRAM with a different technology
  - Non-volatile memories

- **Embracing Un-reliability:**

  Design memories with different reliability and store data intelligently across them


  [Luo+ DSN 2014]

- …



Fundamental solutions to security require co-design across the hierarchy

Exploiting Memory Error Tolerance with Hybrid Memory Systems




On Microsoft's Web Search workload

Reduces server hardware cost by 4.7 %

Achieves single server availability target of 99.90 %


Heterogeneous-**R**eliability **M**emory [DSN 2014]

Heterogeneous-Reliability Memory



More on Heterogeneous Reliability Memory

- Yixin Luo, Sriram Govindan, Bikash Sharma, Mark Santaniello, Justin Meza, Aman Kansal, Jie Liu, Badriddine Khessib, Kushagra Vaid, and Onur Mutlu, **"Characterizing Application Memory Error Vulnerability to Optimize Data Center Cost via Heterogeneous-Reliability Memory"** *Proceedings of the 44th Annual IEEE/IFIP International Conference on Dependable Systems and Networks (**DSN**)*, Atlanta, GA, June 2014. [Summary] [Slides (pptx) (pdf)] [Coverage on ZDNet]



Characterizing Application Memory Error Vulnerability to Optimize Datacenter Cost via Heterogeneous-Reliability Memory

Yixin Luo Sriram Govindan* Bikash Sharma* Mark Santaniello* Justin Meza
Aman Kansal* Jie Liu* Badriddine Khessib* Kushagra Vaid* Onur Mutlu

Carnegie Mellon University, yixinluo@cs.cmu.edu, {meza, onur}@cmu.edu
*Microsoft Corporation, {srgovin, bsharma, marksan, kansal, jie.liu, bkhessib, kvaid}@microsoft.com

Challenge and Opportunity for Future

Fundamentally

Secure, Reliable, Safe

Computing Architectures

One Important Takeaway

Main Memory Needs Intelligent Controllers

The Takeaway, Again

In-Field Patch-ability

(Intelligent Memory)

Can Avoid Many Failures

Four Key Issues in Future Platforms


- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
  - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

Maslow's (Human) Hierarchy of Needs, Revisited

Maslow, "A Theory of Human Motivation," Psychological Review, 1943.

Maslow, "Motivation and Personality," Book, 1954-1970.






Source: https://www.simplypsychology.org/maslow.html

Do We Want This?



Source: V. Milutinovic

Or This?



Source: V. Milutinovic

Challenge and Opportunity for Future

High Performance,
Energy Efficient,
Sustainable

The Problem

Data access is the major performance and energy bottleneck

Our current

design principles

cause great energy waste

(and great performance loss)

The Problem


Processing of data

is performed

far away from the data

A Computing System

- Three key components
- Computation
- Communication
- Storage/memory



Burks, Goldstein, von Neumann, "Preliminary discussion of the logical design of an electronic computing instrument," 1946.





Image source: https://lbsitbytes2010.wordpress.com/2013/03/29/john-von-neumann-roll-no-15/

A Computing System

- Three key components
- Computation
- Communication
- Storage/memory



Burks, Goldstein, von Neumann, "Preliminary discussion of the logical design of an electronic computing instrument," 1946.





Image source: https://lbsitbytes2010.wordpress.com/2013/03/29/john-von-neumann-roll-no-15/

Today's Computing Systems


- Are overwhelmingly processor centric
- All data processed in the processor → at great system cost
- Processor is heavily optimized and is considered the master
- Data storage units are dumb and are largely unoptimized (except for some that are on the processor die)



Yet …

I expect that over the coming decade memory subsystem design will be the *only* important design issue for microprocessors.


- "**It's the Memory, Stupid!**" (Richard Sites, MPR, 1996)



Mutlu+, "Runahead Execution: An Alternative to Very Large Instruction Windows for Out-of-Order Processors," HPCA 2003.

The Performance Perspective

- Onur Mutlu, Jared Stark, Chris Wilkerson, and Yale N. Patt,
  "Runahead Execution: An Alternative to Very Large Instruction Windows for Out-of-order Processors"
  *Proceedings of the 9th International Symposium on High-Performance Computer Architecture (**HPCA**)*, pages 129-140, Anaheim, CA, February 2003. Slides (pdf)
  One of the 15 computer arch. papers of 2003 selected as Top Picks by IEEE Micro. HPCA Test of Time Award (awarded in 2021).



Runahead Execution: An Alternative to Very Large Instruction Windows for Out-of-order Processors

Onur Mutlu § Jared Stark † Chris Wilkerson ‡ Yale N. Patt §


§ECE Department
The University of Texas at Austin
{onur,patt}@ece.utexas.edu

†Microprocessor Research
Intel Labs
jared.w.stark@intel.com

‡Desktop Platforms Group
Intel Corporation
chris.wilkerson@intel.com

The Performance Perspective (2015)

- All of Google's Data Center Workloads (2015):



Kanev+, "Profiling a Warehouse-Scale Computer," ISCA 2015.

The Performance Perspective (2015)

- All of Google's Data Center Workloads (2015):




Figure 11: Half of cycles are spent stalled on caches.

Kanev+, "Profiling a Warehouse-Scale Computer," ISCA 2015.

Perils of Processor-Centric Design

- Grossly-imbalanced systems
  - Processing done only in **one place**
  - Everything else just stores and moves data: **data moves a lot**

  → Energy inefficient

  → Low performance

  → Complex


- Overly complex and bloated processor (and accelerators)
  - To tolerate data access from memory
  - Complex hierarchies and mechanisms

  → Energy inefficient

  → Low performance

  → Complex

Perils of Processor-Centric Design





Most of the system is dedicated to storing and moving data

Three Key Systems Trends

1. Data access is a major bottleneck


- Applications are increasingly data hungry

2. Energy consumption is a key limiter


3. Data movement energy dominates compute

- Especially true for off-chip to on-chip movement

Data Movement vs. Computation Energy




Data Movement vs. Computation Energy



A memory access consumes ~100-1000X the energy of a complex addition

Data Movement vs. Computation Energy

- Data movement is a major system energy bottleneck
  - Comprises 41% of mobile system energy during web browsing [2]
  - Costs ~115 times as much energy as an ADD operation [1, 2]



[1]: Reducing data Movement Energy via Online Data Clustering and Encoding (MICRO'16)

[2]: Quantifying the energy cost of data movement for emerging smart phone workloads on mobile platforms (IISWC'14)

Energy Waste in Mobile Devices


- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"** *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.

62.7% of the total system energy is spent on data movement

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand[1] Saugata Ghose[1] Youngsok Kim[2]
Rachata Ausavarungnirun[1] Eric Shiu[3] Rahul Thakur[3] Daehyun Kim[4,3]
Aki Kuusela[3] Allan Knies[3] Parthasarathy Ranganathan[3] Onur Mutlu[5,1]

We Do Not Want to Move Data!




A memory access consumes ~1000X the energy of a complex addition


We Need A Paradigm Shift To …

- Enable computation with minimal data movement
- Compute where it makes sense (where data resides)
- Make computing architectures more data-centric

Goal: Processing Inside Memory




- Many questions … How do we design the:
  - compute-capable memory & controllers?
  - processor chip and in-memory units?
  - software and hardware interfaces?
  - system software, compilers, languages?
  - algorithms and theoretical foundations?




Starting Simple: Data Copy and Initialization


memmove & memcpy: 5% cycles in Google's datacenter [Kanev+ ISCA'15]



Forking




Zero initialization (e.g., security)



Checkpointing




VM Cloning
Deduplication



Page Migration


• • •
Many more

Today's Systems: Bulk Data Copy



1046ns, 3.6uJ (for 4KB page copy via DMA)

Future Systems: In-Memory Copy




1046ns, 3.6uJ → 90ns, 0.04uJ


RowClone: In-DRAM Row Copy

Idea: Two consecutive ACTivates

Negligible HW cost



RowClone: Latency and Energy Savings



Seshadri et al., "RowClone: Fast and Efficient In-DRAM Copy and Initialization of Bulk Data," MICRO 2013.

More on RowClone

- Vivek Seshadri, Yoongu Kim, Chris Fallin, Donghyuk Lee, Rachata Ausavarungnirun, Gennady Pekhimenko, Yixin Luo, Onur Mutlu, Michael A. Kozuch, Phillip B. Gibbons, and Todd C. Mowry,
  "RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization"
  *Proceedings of the 46th International Symposium on Microarchitecture (**MICRO**)*, Davis, CA, December 2013. [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)] [Poster (pptx) (pdf)]



RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization

Vivek Seshadri vseshadr@cs.cmu.edu
Yoongu Kim yoongukim@cmu.edu
Chris Fallin* cfallin@c1f.net
Donghyuk Lee donghyuk1@cmu.edu
Rachata Ausavarungnirun rachata@cmu.edu
Gennady Pekhimenko gpekhime@cs.cmu.edu
Yixin Luo yixinluo@andrew.cmu.edu
Onur Mutlu onur@cmu.edu
Phillip B. Gibbons† phillip.b.gibbons@intel.com
Michael A. Kozuch† michael.a.kozuch@intel.com
Todd C. Mowry tcm@cs.cmu.edu
Carnegie Mellon University †Intel Pittsburgh

RowClone Extensions and Follow-Up Work

- Can this be improved to do faster inter-subarray copy?
  - Yes, see LISA [Chang et al., HPCA 2016]
- Can we enable data movement at smaller granularities within a bank?
  - Yes, see FIGARO [Wang et al., MICRO 2020]
- Can this be improved to do better inter-bank copy?
  - Yes, see Network-on-Memory [CAL 2020]
- Can similar ideas and DRAM properties be used to perform computation on data?
  - Yes, see Ambit [Seshadri et al., CAL 2015, MICRO 2017]

LISA: Increasing Connectivity in DRAM

- Kevin K. Chang, Prashant J. Nair, Saugata Ghose, Donghyuk Lee, Moinuddin K. Qureshi, and Onur Mutlu,
  "Low-Cost Inter-Linked Subarrays (LISA): Enabling Fast Inter-Subarray Data Movement in DRAM"
  *Proceedings of the 22nd International Symposium on High-Performance Computer Architecture (**HPCA**)*, Barcelona, Spain, March 2016.
  [Slides (pptx) (pdf)]
  [Source Code]




Low-Cost Inter-Linked Subarrays (LISA): Enabling Fast Inter-Subarray Data Movement in DRAM

Kevin K. Chang†, Prashant J. Nair⋆, Donghyuk Lee†, Saugata Ghose†, Moinuddin K. Qureshi⋆, and Onur Mutlu†

†*Carnegie Mellon University* ⋆*Georgia Institute of Technology*

FIGARO: Fine-Grained In-DRAM Copy

- Yaohua Wang, Lois Orosa, Xiangjun Peng, Yang Guo, Saugata Ghose, Minesh Patel, Jeremie S. Kim, Juan Gómez Luna, Mohammad Sadrosadati, Nika Mansouri Ghiasi, and Onur Mutlu,
  "FIGARO: Improving System Performance via Fine-Grained In-DRAM Data Relocation and Caching"
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.



FIGARO: Improving System Performance via Fine-Grained In-DRAM Data Relocation and Caching

Yaohua Wang[⋆] Lois Orosa[†] Xiangjun Peng[⊙⋆] Yang Guo[⋆] Saugata Ghose[◇‡] Minesh Patel[†]
Jeremie S. Kim[†] Juan Gómez Luna[†] Mohammad Sadrosadati[§] Nika Mansouri Ghiasi[†] Onur Mutlu[†‡]

[⋆]*National University of Defense Technology* [†]*ETH Zürich* [⊙]*Chinese University of Hong Kong*
[◇]*University of Illinois at Urbana–Champaign* [‡]*Carnegie Mellon University* [§]*Institute of Research in Fundamental Sciences*

Network-On-Memory: Fast Inter-Bank Copy


- Seyyed Hossein SeyyedAghaei Rezaei, Mehdi Modarressi, Rachata Ausavarungnirun, Mohammad Sadrosadati, Onur Mutlu, and Masoud Daneshtalab,
  "NoM: Network-on-Memory for Inter-Bank Data Transfer in Highly-Banked Memories"
  IEEE Computer Architecture Letters (***CAL***), to appear in 2020.

NoM: Network-on-Memory for Inter-bank Data Transfer in Highly-banked Memories

Seyyed Hossein SeyyedAghaei Rezaei[1] Mehdi Modarressi[1,3] Rachata Ausavarungnirun[2]
Mohammad Sadrosadati[3] Onur Mutlu[4] Masoud Daneshtalab[5]

[1]University of Tehran [2]King Mongkut's University of Technology North Bangkok [3]Institute for Research in Fundamental Sciences
[4]ETH Zürich [5]Mälardalens University

Memory as an Accelerator




Memory similar to a "conventional" accelerator

In-Memory Bulk Bitwise Operations

- We can also support in-DRAM AND, OR, NOT, MAJ
- At low cost
- Using analog computation capability of DRAM
  - Idea: activating multiple rows performs computation
- 30-60X performance and energy improvement
  - Seshadri+, "Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology," MICRO 2017.

- New memory technologies enable even more opportunities
  - Memristors, resistive RAM, phase change mem, STT-MRAM, …
  - Can operate on data with minimal movement

In-DRAM AND/OR: Triple Row Activation



Final State
AB + BC + AC

C(A + B) + ~C(AB)

Seshadri+, "Fast Bulk Bitwise AND and OR in DRAM", IEEE CAL 2015.

In-DRAM Acceleration of Database Queries




Figure 11: Speedup offered by Ambit over baseline CPU with SIMD for BitWeaving

Seshadri+, "Ambit: In-Memory Accelerator for Bulk Bitwise Operations using Commodity DRAM Technology," MICRO 2017.

More on In-DRAM Bulk AND/OR

- Vivek Seshadri, Kevin Hsieh, Amirali Boroumand, Donghyuk Lee, Michael A. Kozuch, Onur Mutlu, Phillip B. Gibbons, and Todd C. Mowry,
  "Fast Bulk Bitwise AND and OR in DRAM"
  IEEE Computer Architecture Letters (***CAL***), April 2015.

Fast Bulk Bitwise AND and OR in DRAM

Vivek Seshadri*, Kevin Hsieh*, Amirali Boroumand*, Donghyuk Lee*,
Michael A. Kozuch†, Onur Mutlu*, Phillip B. Gibbons†, Todd C. Mowry*
*Carnegie Mellon University †Intel Pittsburgh

More on Ambit

- Vivek Seshadri et al., "**Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology**," MICRO 2017.

Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology

Vivek Seshadri[1,5] Donghyuk Lee[2,5] Thomas Mullins[3,5] Hasan Hassan[4] Amirali Boroumand[5]
Jeremie Kim[4,5] Michael A. Kozuch[3] Onur Mutlu[4,5] Phillip B. Gibbons[5] Todd C. Mowry[5]

[1]Microsoft Research India [2]NVIDIA Research [3]Intel [4]ETH Zürich [5]Carnegie Mellon University

In-DRAM Bulk Bitwise Execution

- Vivek Seshadri and Onur Mutlu,
  "In-DRAM Bulk Bitwise Execution Engine"
  Invited Book Chapter in Advances in Computers, to appear in 2020.
  [Preliminary arXiv version]

In-DRAM Bulk Bitwise Execution Engine

Vivek Seshadri
Microsoft Research India
visesha@microsoft.com

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch

SIMDRAM Framework

- Nastaran Hajinazar, Geraldo F. Oliveira, Sven Gregorio, Joao Dinis Ferreira, Nika Mansouri Ghiasi, Minesh Patel, Mohammed Alser, Saugata Ghose, Juan Gomez-Luna, and Onur Mutlu, **"SIMDRAM: An End-to-End Framework for Bit-Serial SIMD Computing in DRAM"** *Proceedings of the 26th International Conference on Architectural Support for Programming Languages and Operating Systems* (***ASPLOS***), Virtual, March-April 2021.
  [2-page Extended Abstract]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Slides (pptx) (pdf)]
  [Short Talk Video (5 mins)]
  [Full Talk Video (27 mins)]

SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM


*Nastaran Hajinazar[1,2] *Geraldo F. Oliveira[1] Sven Gregorio[1] João Dinis Ferreira[1]
Nika Mansouri Ghiasi[1] Minesh Patel[1] Mohammed Alser[1] Saugata Ghose[3]
Juan Gómez-Luna[1] Onur Mutlu[1]

[1]ETH Zürich [2]Simon Fraser University [3]University of Illinois at Urbana–Champaign

SIMDRAM Key Idea

- **SIMDRAM:** An end-to-end processing-using-DRAM framework that provides the programming interface, the ISA, and the hardware support for:
  - **Efficiently** computing **complex** operations in DRAM
  - Providing the ability to implement **arbitrary** operations as required
  - Using an **in-DRAM massively-parallel SIMD substrate** that requires **minimal** changes to DRAM architecture

SIMDRAM Framework: Overview



More on the SIMDRAM Framework

- Nastaran Hajinazar, Geraldo F. Oliveira, Sven Gregorio, Joao Dinis Ferreira, Nika Mansouri Ghiasi, Minesh Patel, Mohammed Alser, Saugata Ghose, Juan Gomez-Luna, and Onur Mutlu, **"SIMDRAM: An End-to-End Framework for Bit-Serial SIMD Computing in DRAM"** *Proceedings of the 26th International Conference on Architectural Support for Programming Languages and Operating Systems* (***ASPLOS***), Virtual, March-April 2021.
  [2-page Extended Abstract]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Slides (pptx) (pdf)]
  [Short Talk Video (5 mins)]
  [Full Talk Video (27 mins)]


SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM

*Nastaran Hajinazar[1,2] *Geraldo F. Oliveira[1] Sven Gregorio[1] João Dinis Ferreira[1]
Nika Mansouri Ghiasi[1] Minesh Patel[1] Mohammed Alser[1] Saugata Ghose[3]
Juan Gómez-Luna[1] Onur Mutlu[1]

[1]ETH Zürich [2]Simon Fraser University [3]University of Illinois at Urbana–Champaign

In-DRAM Physical Unclonable Functions

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, and Onur Mutlu,
  "The DRAM Latency PUF: Quickly Evaluating Physical Unclonable Functions by Exploiting the Latency-Reliability Tradeoff in Modern DRAM Devices"
  *Proceedings of the 24th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Vienna, Austria, February 2018.
  [Lightning Talk Video]
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)]
  [Full Talk Lecture Video (28 minutes)]




The DRAM Latency PUF:
Quickly Evaluating Physical Unclonable Functions by Exploiting the Latency-Reliability Tradeoff in Modern Commodity DRAM Devices

Jeremie S. Kim[†§] Minesh Patel[§] Hasan Hassan[§] Onur Mutlu[§†]
[†]Carnegie Mellon University [§]ETH Zürich

In-DRAM True Random Number Generation

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, Lois Orosa, and Onur Mutlu,
  "D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput"
  *Proceedings of the 25th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Washington, DC, USA, February 2019.
  [Slides (pptx) (pdf)]
  [Full Talk Video (21 minutes)]
  [Full Talk Lecture Video (27 minutes)]
  Top Picks Honorable Mention by IEEE Micro.



D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput

Jeremie S. Kim[‡§] Minesh Patel[§] Hasan Hassan[§] Lois Orosa[§] Onur Mutlu[§‡]

[‡]Carnegie Mellon University [§]ETH Zürich

Another Example: In-Memory Graph Processing

- Large graphs are everywhere (circa 2015)



36 Million
Wikipedia Pages



1.4 Billion
Facebook Users




300 Million
Twitter Users



30 Billion
Instagram Photos


- Scalable large-scale graph processing is challenging



Key Bottlenecks in Graph Processing

```
for (v: graph.vertices) {
    for (w: v.successors) {
        w.next_rank += weight * v.rank;
    }
}
```

1. Frequent random memory accesses




2. Little amount of computation

Opportunity: 3D-Stacked Logic+Memory




Hybrid Memory Cube
CONSORTIUM




Other "True 3D" technologies under development

Tesseract System for Graph Processing


Interconnected set of 3D-stacked memory+logic chips with simple cores




Tesseract System for Graph Processing




Tesseract System for Graph Processing




Evaluated Systems




Tesseract Graph Processing Performance



Tesseract Graph Processing Performance



Tesseract Graph Processing System Energy



More on Tesseract


- Junwhan Ahn, Sungpack Hong, Sungjoo Yoo, Onur Mutlu, and Kiyoung Choi,
  "A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing"
  *Proceedings of the 42nd International Symposium on Computer Architecture (**ISCA**)*, Portland, OR, June 2015.
  [Slides (pdf)] [Lightning Session Slides (pdf)]

A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn Sungpack Hong[§] Sungjoo Yoo Onur Mutlu[†] Kiyoung Choi
junwhan@snu.ac.kr, sungpack.hong@oracle.com, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr
Seoul National University [§]Oracle Labs [†]Carnegie Mellon University

PIM on Mobile Devices

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"**
  *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.



Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand

Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, Onur Mutlu

SAFARI Carnegie Mellon Google

SAMSUNG SEOUL NATIONAL UNIVERSITY ETH Zürich

Consumer Devices








Consumer devices are everywhere!

Energy consumption is a first-class concern in consumer devices



Four Important Workloads



Chrome

Google's web browser



TensorFlow Mobile

Google's machine learning framework

VP9

YouTube

Video Playback

Google's video codec

VP9


YouTube

Video Capture

Google's video codec

Energy Cost of Data Movement

1st key observation: 62.7% of the total system energy is spent on data movement



Potential solution: move computation close to data

Challenge: limited area and energy budget

Using PIM to Reduce Data Movement


2nd key observation: a significant fraction of the data movement often comes from simple functions

We can design lightweight logic to implement these *simple functions* in memory

Small embedded low-power core



Small fixed-function accelerators



Offloading to PIM logic reduces energy and improves performance, on average, by 2.3X and 2.2X

Workload Analysis



Chrome

Google's web browser



TensorFlow Mobile

Google's machine learning framework



Video Playback


Google's video codec



Video Capture

Google's video codec

TensorFlow Mobile




57.3% of the inference energy is spent on data movement

↓

54.4% of the **data movement** energy comes from packing/unpacking and quantization

More on PIM for Mobile Devices

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu,
  "Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"
  *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)] [Poster (pptx) (pdf)]
  [Lightning Talk Video (2 minutes)]
  [Full Talk Video (21 minutes)]




Truly Distributed GPU Processing with PIM

```
__global__
void applyScaleFactorsKernel( uint8_T * const out,
    uint8_T const * const in, const double *factor,
    size_t const numRows, size_t const numCols )
{
    // Work out which pixel we are working on.
    const int rowIdx = blockIdx.x * blockDim.x + threadIdx.x;
    const int colIdx = blockIdx.y;
    const int sliceIdx = threadIdx.z;

    // Check this thread isn't off the image
    if( rowIdx >= numRows ) return;

    // Compute the index of my element
    size_t linearIdx = rowIdx + colIdx*numRows +
        sliceIdx*numRows*numCols;
```



Accelerating GPU Execution with PIM (I)

- Kevin Hsieh, Eiman Ebrahimi, Gwangsun Kim, Niladrish Chatterjee, Mike O'Connor, Nandita Vijaykumar, Onur Mutlu, and Stephen W. Keckler, **"Transparent Offloading and Mapping (TOM): Enabling Programmer-Transparent Near-Data Processing in GPU Systems"**
  *Proceedings of the 43rd International Symposium on Computer Architecture (**ISCA**)*, Seoul, South Korea, June 2016.
  [Slides (pptx) (pdf)]
  [Lightning Session Slides (pptx) (pdf)]

Transparent Offloading and Mapping (TOM):
Enabling Programmer-Transparent Near-Data Processing in GPU Systems

Kevin Hsieh[‡] Eiman Ebrahimi[†] Gwangsun Kim[*] Niladrish Chatterjee[†] Mike O'Connor[†]
Nandita Vijaykumar[‡] Onur Mutlu[§‡] Stephen W. Keckler[†]
[‡]Carnegie Mellon University [†]NVIDIA [*]KAIST [§]ETH Zürich

Accelerating GPU Execution with PIM (II)

- Ashutosh Pattnaik, Xulong Tang, Adwait Jog, Onur Kayiran, Asit K. Mishra, Mahmut T. Kandemir, Onur Mutlu, and Chita R. Das, **"Scheduling Techniques for GPU Architectures with Processing-In-Memory Capabilities"**
  *Proceedings of the 25th International Conference on Parallel Architectures and Compilation Techniques (**PACT**)*, Haifa, Israel, September 2016.

Scheduling Techniques for GPU Architectures with Processing-In-Memory Capabilities

Ashutosh Pattnaik[1] Xulong Tang[1] Adwait Jog[2] Onur Kayıran[3]
Asit K. Mishra[4] Mahmut T. Kandemir[1] Onur Mutlu[5,6] Chita R. Das[1]
[1]Pennsylvania State University [2]College of William and Mary
[3]Advanced Micro Devices, Inc. [4]Intel Labs [5]ETH Zürich [6]Carnegie Mellon University

Accelerating Linked Data Structures

- Kevin Hsieh, Samira Khan, Nandita Vijaykumar, Kevin K. Chang, Amirali Boroumand, Saugata Ghose, and Onur Mutlu,
  "Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation"
  *Proceedings of the 34th IEEE International Conference on Computer Design (**ICCD**)*, Phoenix, AZ, USA, October 2016.



Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation

Kevin Hsieh[†] Samira Khan[‡] Nandita Vijaykumar[†]
Kevin K. Chang[†] Amirali Boroumand[†] Saugata Ghose[†] Onur Mutlu[§†]
[†]*Carnegie Mellon University* [‡]*University of Virginia* [§]*ETH Zürich*

Accelerating Dependent Cache Misses

- Milad Hashemi, Khubaib, Eiman Ebrahimi, Onur Mutlu, and Yale N. Patt, **"Accelerating Dependent Cache Misses with an Enhanced Memory Controller"**
  *Proceedings of the 43rd International Symposium on Computer Architecture (**ISCA**)*, Seoul, South Korea, June 2016.
  [Slides (pptx) (pdf)]
  [Lightning Session Slides (pptx) (pdf)]

Accelerating Dependent Cache Misses with an Enhanced Memory Controller

Milad Hashemi*, Khubaib†, Eiman Ebrahimi‡, Onur Mutlu§, Yale N. Patt*

*The University of Texas at Austin †Apple ‡NVIDIA §ETH Zürich & Carnegie Mellon University

Accelerating Runahead Execution

- Milad Hashemi, Onur Mutlu, and Yale N. Patt,
  "Continuous Runahead: Transparent Hardware Acceleration for Memory Intensive Workloads"
  *Proceedings of the 49th International Symposium on Microarchitecture (**MICRO**)*, Taipei, Taiwan, October 2016.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pdf)] [Poster (pptx) (pdf)]



Accelerating Climate Modeling

- Gagandeep Singh, Dionysios Diamantopoulos, Christoph Hagleitner, Juan Gómez-Luna, Sander Stuijk, Onur Mutlu, and Henk Corporaal,
  "NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling"
  *Proceedings of the 30th International Conference on Field-Programmable Logic and Applications (**FPL**)*, Gothenburg, Sweden, September 2020.
  [Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (23 minutes)]
  Nominated for the Stamatis Vassiliadis Memorial Award.

NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling

Gagandeep Singh[a,b,c] Dionysios Diamantopoulos[c] Christoph Hagleitner[c] Juan Gómez-Luna[b]
Sander Stuijk[a] Onur Mutlu[b] Henk Corporaal[a]
[a]Eindhoven University of Technology [b]ETH Zürich [c]IBM Research Europe, Zurich

Accelerating Approximate String Matching

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.
  [Lighting Talk Video (1.5 minutes)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (18 minutes)]
  [Slides (pptx) (pdf)]


GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali[†⋈] Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim[◇†]
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose[⋆†] Onur Mutlu[◇†▽]

[†]*Carnegie Mellon University* [⋈]*Processor Architecture Research Lab, Intel Labs* [▽]*Bilkent University* [◇]*ETH Zürich*
[‡]*Facebook* [⊙]*King Mongkut's University of Technology North Bangkok* [⋆]*University of Illinois at Urbana–Champaign*

Accelerating Time Series Analysis

- Ivan Fernandez, Ricardo Quislant, Christina Giannoula, Mohammed Alser, Juan Gómez-Luna, Eladio Gutiérrez, Oscar Plata, and Onur Mutlu,
  "NATSA: A Near-Data Processing Accelerator for Time Series Analysis"
  *Proceedings of the 38th IEEE International Conference on Computer Design (**ICCD**)*, Virtual, October 2020.
  [Slides (pptx) (pdf)]
  [Talk Video (10 minutes)]



NATSA: A Near-Data Processing Accelerator for Time Series Analysis

Ivan Fernandez[§] Ricardo Quislant[§] Christina Giannoula[†] Mohammed Alser[‡]
Juan Gómez-Luna[‡] Eladio Gutiérrez[§] Oscar Plata[§] Onur Mutlu[‡]
[§]*University of Malaga* [†]*National Technical University of Athens* [‡]*ETH Zürich*

DAMOV Methodology & Workloads

DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks


GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
LOIS OROSA, ETH Zürich, Switzerland
SAUGATA GHOSE, University of Illinois at Urbana–Champaign, USA
NANDITA VIJAYKUMAR, University of Toronto, Canada
IVAN FERNANDEZ, University of Malaga, Spain & ETH Zürich, Switzerland
MOHAMMAD SADROSADATI, Institute for Research in Fundamental Sciences (IPM), Iran & ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Data movement between the CPU and main memory is a first-order obstacle against improving performance, scalability, and energy efficiency in modern systems. Computer systems employ a range of techniques to reduce overheads tied to data movement, spanning from traditional mechanisms (e.g., deep multi-level cache hierarchies, aggressive hardware prefetchers) to emerging techniques such as Near-Data Processing (NDP), where some computation is moved close to memory. Prior NDP works investigate the root causes of data movement bottlenecks using different profiling methodologies and tools. However, there is still a lack of understanding about the key metrics that can identify different data movement bottlenecks and their relation to traditional and emerging data movement mitigation mechanisms. Our goal is to methodically identify potential sources of data movement over a broad set of applications and to comprehensively compare traditional compute-centric data movement mitigation techniques (e.g., caching and prefetching) to more memory-centric techniques (e.g., NDP), thereby developing a rigorous understanding of the best techniques to mitigate each source of data movement.

With this goal in mind, we perform the first large-scale characterization of a wide variety of applications, across a wide range of application domains, to identify fundamental program properties that lead to data movement to/from main memory. We develop the first systematic methodology to classify applications based on the sources contributing to data movement bottlenecks. From our large-scale characterization of 77K functions across 345 applications, we select 144 functions to form the first open-source benchmark suite (DAMOV) for main memory data movement studies. We select a diverse range of functions that (1) represent different types of data movement bottlenecks, and (2) come from a wide range of application domains. Using NDP as a case study, we identify new insights about the different data movement bottlenecks and use these insights to determine the most suitable data movement mitigation mechanism for a particular application. We open-source DAMOV and the complete source code for our new characterization methodology at https://github.com/CMU-SAFARI/DAMOV.

https://arxiv.org/pdf/2105.03725.pdf

We Need to Revisit the Entire Stack



We can get there step by step

PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu[a,b], Saugata Ghose[b,c], Juan Gómez-Luna[a], Rachata Ausavarungnirun[d]

SAFARI Research Group

[a] *ETH Zürich*
[b] *Carnegie Mellon University*
[c] *University of Illinois at Urbana-Champaign*
[d] *King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
"A Modern Primer on Processing in Memory"
Invited Book Chapter in ***Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann***, Springer, to be published in 2021.

https://arxiv.org/pdf/1903.03988.pdf

PIM Review and Open Problems (II)

A Workload and Programming Ease Driven Perspective of Processing-in-Memory

Saugata Ghose[†] Amirali Boroumand[†] Jeremie S. Kim[†§] Juan Gómez-Luna[§] Onur Mutlu[§†]


[†]*Carnegie Mellon University* [§]*ETH Zürich*

Saugata Ghose, Amirali Boroumand, Jeremie S. Kim, Juan Gomez-Luna, and Onur Mutlu,
"Processing-in-Memory: A Workload-Driven Perspective"
Invited Article in IBM Journal of Research & Development, Special Issue on Hardware for Artificial Intelligence, to appear in November 2019.
[Preliminary arXiv version]


https://arxiv.org/pdf/1907.12947.pdf

UPMEM Processing-in-DRAM Engine (2019)

- Processing in DRAM Engine
- Includes **standard DIMM modules**, with a **large number of DPU processors** combined with DRAM chips.



- Replaces **standard** DIMMs
  - DDR4 R-DIMM modules
    - 8GB+128 DPUs (16 PIM chips)
    - Standard 2x-nm DRAM process
  - **Large amounts of** compute & memory bandwidth



https://www.anandtech.com/show/14750/hot-chips-31-analysis-inmemory-processing-by-upmem
https://www.upmem.com/video-upmem-presenting-its-true-processing-in-memory-solution-hot-chips-2019/

Experimental Analysis of the UPMEM PIM Engine

Benchmarking a New Paradigm: An Experimental Analysis of a Real Processing-in-Memory Architecture

JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
IZZAT EL HAJJ, American University of Beirut, Lebanon
IVAN FERNANDEZ, ETH Zürich, Switzerland and University of Malaga, Spain
CHRISTINA GIANNOULA, ETH Zürich, Switzerland and NTUA, Greece
GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Many modern workloads, such as neural networks, databases, and graph processing, are fundamentally memory-bound. For such workloads, the data movement between main memory and CPU cores imposes a significant overhead in terms of both latency and energy. A major reason is that this communication happens through a narrow bus with high latency and limited bandwidth, and the low data reuse in memory-bound workloads is insufficient to amortize the cost of main memory access. Fundamentally addressing this *data movement bottleneck* requires a paradigm where the memory system assumes an active role in computing by integrating processing capabilities. This paradigm is known as *processing-in-memory* (*PIM*).

Recent research explores different forms of PIM architectures, motivated by the emergence of new 3D-stacked memory technologies that integrate memory with a logic layer where processing elements can be easily placed. Past works evaluate these architectures in simulation or, at best, with simplified hardware prototypes. In contrast, the UPMEM company has designed and manufactured the first publicly-available real-world PIM architecture. The UPMEM PIM architecture combines traditional DRAM memory arrays with general-purpose in-order cores, called *DRAM Processing Units* (*DPUs*), integrated in the same chip.

This paper provides the first comprehensive analysis of the first publicly-available real-world PIM architecture. We make two key contributions. First, we conduct an experimental characterization of the UPMEM-based PIM system using microbenchmarks to assess various architecture limits such as compute throughput and memory bandwidth, yielding new insights. Second, we present *PrIM* (*Processing-In-Memory benchmarks*), a benchmark suite of 16 workloads from different application domains (e.g., dense/sparse linear algebra, databases, data analytics, graph processing, neural networks, bioinformatics, image processing), which we identify as memory-bound. We evaluate the performance and scaling characteristics of PrIM benchmarks on the UPMEM PIM architecture, and compare their performance and energy consumption to their state-of-the-art CPU and GPU counterparts. Our extensive evaluation conducted on two real UPMEM-based PIM systems with 640 and 2,556 DPUs provides new insights about suitability of different workloads to the PIM system, programming recommendations for software designers, and suggestions and hints for hardware and architecture designers of future PIM systems.

https://arxiv.org/pdf/2105.03814.pdf

Samsung Function-in-Memory DRAM (2021)

Samsung Newsroom

CORPORATE | PRODUCTS | PRESS RESOURCES | VIEWS | ABOUT US

Samsung Develops Industry's First High Bandwidth Memory with AI Processing Power

Korea on February 17, 2021 Audio Share

The new architecture will deliver over twice the system performance and reduce energy consumption by more than 70%


Samsung Electronics, the world leader in advanced memory technology, today announced that it has developed the industry's first High Bandwidth Memory (HBM) integrated with artificial intelligence (AI) processing power — the HBM-PIM. The new processing-in-memory (PIM) architecture brings powerful AI computing capabilities inside high-performance memory, to accelerate large-scale processing in data centers, high performance computing (HPC) systems and AI-enabled mobile applications.

Kwangil Park, senior vice president of Memory Product Planning at Samsung Electronics stated, "Our groundbreaking HBM-PIM is the industry's first programmable PIM solution tailored for diverse AI-driven workloads such as HPC, training and inference. We plan to build upon this breakthrough by further collaborating with AI solution providers for even more advanced PIM-powered applications."

https://news.samsung.com/global/samsung-develops-industrys-first-high-bandwidth-memory-with-ai-processing-power

Samsung Function-in-Memory DRAM (2021)

- FIMDRAM based on HBM2



[3D Chip Structure of HBM with FIMDRAM]

Chip Specification
128DQ / 8CH / 16 banks / BL4
32 PCU blocks (1 FIM block/2 banks)
1.2 TFLOPS (4H)
FP16 ADD / Multiply (MUL) / Multiply-Accumulate (MAC) / Multiply-and- Add (MAD)

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications


Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea


Samsung Function-in-Memory DRAM (2021)

Chip Implementation

- Mixed design methodology to implement FIMDRAM
  - Full-custom + Digital RTL



[Digital RTL design for PCU block]



ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Detailed Lectures on PIM (I)

- Computer Architecture, Fall 2020, Lecture 6
  - **Computation in Memory** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=oGcZAGwfEUE&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=12
- Computer Architecture, Fall 2020, Lecture 7
  - **Near-Data Processing** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=j2GIigqn1Qw&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=13
- Computer Architecture, Fall 2020, Lecture 11a
  - **Memory Controllers** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=TeG773OgiMQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=20
- Computer Architecture, Fall 2020, Lecture 12d
  - **Real Processing-in-DRAM with UPMEM** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=Sscy1Wrr22A&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=25


Detailed Lectures on PIM (II)

- Computer Architecture, Fall 2020, Lecture 15
  - **Emerging Memory Technologies** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=AlE1rD9G_YU&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=28
- Computer Architecture, Fall 2020, Lecture 16a
  - **Opportunities & Challenges of Emerging Memory Technologies** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=pmLszWGmMGQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=29
- Computer Architecture, Fall 2020, Guest Lecture
  - **In-Memory Computing: Memory Devices & Applications** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=wNmqQHiEZNk&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=41

A Tutorial on PIM

- Onur Mutlu,
  "Memory-Centric Computing Systems"
  Invited Tutorial at *66th International Electron Devices Meeting (**IEDM**)*, Virtual, 12 December 2020.
  [Slides (pptx) (pdf)]
  [Executive Summary Slides (pptx) (pdf)]
  [Tutorial Video (1 hour 51 minutes)]
  [Executive Summary Video (2 minutes)]
  [Abstract and Bio]
  [Related Keynote Paper from VLSI-DAT 2020]
  [Related Review Paper on Processing in Memory]

https://www.youtube.com/watch?v=H3sEaINPBOE



IEDM 2020 Tutorial: Memory-Centric Computing Systems, Onur Mutlu, 12 December 2020

1,641 views • Dec 23, 2020

48 0 SHARE SAVE

Onur Mutlu Lectures
13.9K subscribers

ANALYTICS EDIT VIDEO

https://www.youtube.com/onurmutlulectures

Computing Architectures with Minimal Data Movement

Challenge and Opportunity for Future

Fundamentally
Energy-Efficient
(Data-Centric)
Computing Architectures

Challenge and Opportunity for Future

Fundamentally
High-Performance
(Data-Centric)
Computing Architectures

Four Key Issues in Future Platforms

- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
  - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

Low Latency Communication is Critical




Source: http://spectrum.ieee.org/image/MjYzMzAyMg.jpeg

Maslow's Hierarchy of Needs, A Third Time

Maslow, "A Theory of Human Motivation," Psychological Review, 1943.

Maslow, "Motivation and Personality," Book, 1954-1970.





Source: https://www.simplypsychology.org/maslow.html


Challenge and Opportunity for Future

Fundamentally

Low-Latency

Computing Architectures

Main Memory Latency Lags Behind



Memory latency remains almost constant

The Memory Latency Problem

- High memory latency is a significant limiter of system performance and energy-efficiency
- It is becoming increasingly so with higher memory contention in multi-core and heterogeneous architectures
  - Exacerbating the bandwidth need
  - Exacerbating the QoS problem
- It increases processor design complexity due to the mechanisms incorporated to tolerate memory latency

Retrospective: Conventional Latency Tolerance Techniques

- Caching [initially by Wilkes, 1965]
  - Widely used, simple, effective, but inefficient, passive
  - Not all applications/phases exhibit temporal or spatial locality
- Prefetching [initially in IBM 360/91, 1967]

None of These Fundamentally Reduce Memory Latency

  - ongoing research effort
- Out-of-order execution [initially by Tomasulo, 1967]
  - Tolerates cache misses that cannot be prefetched
  - Requires extensive hardware resources for tolerating long latencies

Truly Reducing Memory Latency

Why the Long Memory Latency?

- Reason 1: Design of DRAM Micro-architecture
  - Goal: Maximize capacity/area, not minimize latency


- Reason 2: "One size fits all" approach to latency specification
  - Same latency parameters for all temperatures
  - Same latency parameters for all DRAM chips
  - Same latency parameters for all parts of a DRAM chip
  - Same latency parameters for all supply voltage levels
  - Same latency parameters for all application data
  - …

Tackling the Fixed Latency Mindset

- Reliable operation latency is actually very heterogeneous
  - Across temperatures, chips, parts of a chip, voltage levels, …
- Idea: Dynamically find out and use the lowest latency one can reliably access a memory location with
  - Adaptive-Latency DRAM [HPCA 2015]
  - Flexible-Latency DRAM [SIGMETRICS 2016]
  - Design-Induced Variation-Aware DRAM [SIGMETRICS 2017]
  - Voltron [SIGMETRICS 2017]
  - DRAM Latency PUF [HPCA 2018]
  - DRAM Latency True Random Number Generator [HPCA 2019]
  - …
- We would like to find sources of latency heterogeneity and exploit them to minimize latency


Latency Variation in Memory Chips

Heterogeneous manufacturing & operating conditions →
latency variation in timing parameters



Why is Latency High?

- DRAM latency: Delay as specified in DRAM standards
  - Doesn't reflect true DRAM device latency
- Imperfect manufacturing process → latency variation
- **High standard latency** chosen to increase yield




What Causes the Long Memory Latency?

- **Conservative timing margins!**
- DRAM timing parameters are set to cover the worst case
- Worst-case temperatures
  - 85 degrees vs. common-case
  - to enable a wide range of operating conditions
- Worst-case devices
  - DRAM cell with smallest charge across any acceptable device
  - to tolerate process variation at acceptable yield
- This leads to large timing margins for the common case

Understanding and Exploiting Variation in DRAM Latency

DRAM Characterization Infrastructure



Kim+, "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors," ISCA 2014.

Adaptive-Latency DRAM

- *Key idea*
  - Optimize DRAM timing parameters online
- *Two components*
  - DRAM manufacturer provides multiple sets of reliable DRAM timing parameters at different temperatures for each DIMM
  - System monitors DRAM temperature & uses appropriate DRAM timing parameters

Lee+, "Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common-Case," HPCA 2015.

Latency Reduction Summary of 115 DIMMs

- *Latency reduction for read & write (55°C)*
  - *Read Latency: **32.7%***
  - *Write Latency: **55.1%***
- *Latency reduction for each timing parameter (55°C)*
  - *Sensing: **17.3%***
  - *Restore: **37.3%** (read), **54.8%** (write)*
  - *Precharge: **35.2%***

Lee+, "Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common-Case," HPCA 2015.

AL-DRAM: Real System Evaluation


- *System*
  - *CPU: AMD 4386 (8 Cores, 3.1GHz, 8MB LLC)*

D18F2x200_dct[0]_mp[1:0] DDR3 DRAM Timing 0

Reset: 0F05_0505h. See 2.9.3 [DCT Configuration Registers].


Bits	Description
31:30	Reserved.
29:24	**Tras: row active strobe**. Read-write. BIOS: See 2.9.7.5 [SPD ROM-Based Configuration]. Specifies the minimum time in memory clock cycles from an activate command to a precharge command, both to the same chip select bank. Bits — Description 07h-00h — Reserved 2Ah-08h — <Tras> clocks 3Fh-2Bh — Reserved
23:21	Reserved.
20:16	**Trp: row precharge time**. Read-write. BIOS: See 2.9.7.5 [SPD ROM-Based Configuration]. Specifies the minimum time in memory clock cycles from a precharge command to an activate command or auto refresh command, both to the same bank.

AL-DRAM: Single-Core Evaluation



AL-DRAM ***improves single-core performance*** *on a real system*

AL-DRAM: Multi-Core Evaluation



AL-DRAM provides higher performance on


multi-programmed & multi-threaded workloads

Reducing Latency Also Reduces Energy

- AL-DRAM reduces DRAM power consumption by 5.8%
- Major reason: reduction in row activation time

More on Adaptive-Latency DRAM

- Donghyuk Lee, Yoongu Kim, Gennady Pekhimenko, Samira Khan, Vivek Seshadri, Kevin Chang, and Onur Mutlu,
  "Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common-Case"
  *Proceedings of the 21st International Symposium on High-Performance Computer Architecture (**HPCA**)*, Bay Area, CA, February 2015.
  [Slides (pptx) (pdf)] [Full data sets]




Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common-Case

Donghyuk Lee Yoongu Kim Gennady Pekhimenko
Samira Khan Vivek Seshadri Kevin Chang Onur Mutlu

Carnegie Mellon University

CLR-DRAM: Capacity-Latency Reconfigurability

- Haocong Luo, Taha Shahroodi, Hasan Hassan, Minesh Patel, A. Giray Yaglikci, Lois Orosa, Jisung Park, and Onur Mutlu, **"CLR-DRAM: A Low-Cost DRAM Architecture Enabling Dynamic Capacity-Latency Trade-Off"**
  *Proceedings of the 47th International Symposium on Computer Architecture (**ISCA**)*, Valencia, Spain, June 2020.
  [Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (20 minutes)]
  [Lightning Talk Video (3 minutes)]



CLR-DRAM: A Low-Cost DRAM Architecture Enabling Dynamic Capacity-Latency Trade-Off

Haocong Luo[§†] Taha Shahroodi[§] Hasan Hassan[§] Minesh Patel[§]
A. Giray Yağlıkçı[§] Lois Orosa[§] Jisung Park[§] Onur Mutlu[§]

[§]*ETH Zürich* [†]*ShanghaiTech University*

Analysis of Latency Variation in DRAM Chips

- Kevin Chang, Abhijith Kashyap, Hasan Hassan, Samira Khan, Kevin Hsieh, Donghyuk Lee, Saugata Ghose, Gennady Pekhimenko, Tianshi Li, and Onur Mutlu,
  "Understanding Latency Variation in Modern DRAM Chips: Experimental Characterization, Analysis, and Optimization"
  *Proceedings of the ACM International Conference on Measurement and Modeling of Computer Systems (**SIGMETRICS**)*, Antibes Juan-Les-Pins, France, June 2016.
  [Slides (pptx) (pdf)]
  [Source Code]

Understanding Latency Variation in Modern DRAM Chips: Experimental Characterization, Analysis, and Optimization

Kevin K. Chang[1] Abhijith Kashyap[1] Hasan Hassan[1,2]
Saugata Ghose[1] Kevin Hsieh[1] Donghyuk Lee[1] Tianshi Li[1,3]
Gennady Pekhimenko[1] Samira Khan[4] Onur Mutlu[5,1]

[1]Carnegie Mellon University [2]TOBB ETÜ [3]Peking University [4]University of Virginia [5]ETH Zürich

Design-Induced Latency Variation in DRAM


- Donghyuk Lee, Samira Khan, Lavanya Subramanian, Saugata Ghose, Rachata Ausavarungnirun, Gennady Pekhimenko, Vivek Seshadri, and Onur Mutlu,
  "Design-Induced Latency Variation in Modern DRAM Chips: Characterization, Analysis, and Latency Reduction Mechanisms"
  *Proceedings of the ACM International Conference on Measurement and Modeling of Computer Systems (**SIGMETRICS**)*, Urbana-Champaign, IL, USA, June 2017.

Design-Induced Latency Variation in Modern DRAM Chips: Characterization, Analysis, and Latency Reduction Mechanisms

Donghyuk Lee, NVIDIA and Carnegie Mellon University
Samira Khan, University of Virginia
Lavanya Subramanian, Saugata Ghose, Rachata Ausavarungnirun, Carnegie Mellon University
Gennady Pekhimenko, Vivek Seshadri, Microsoft Research
Onur Mutlu, ETH Zürich and Carnegie Mellon University

Solar-DRAM: Putting It Together

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, and Onur Mutlu,
  "Solar-DRAM: Reducing DRAM Access Latency by Exploiting the Variation in Local Bitlines"
  *Proceedings of the 36th IEEE International Conference on Computer Design (**ICCD**)*, Orlando, FL, USA, October 2018.
  [Slides (pptx) (pdf)]
  [Talk Video (16 minutes)]



Challenge and Opportunity for Future

Fundamentally

Low-Latency

Computing Architectures

D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput

Jeremie S. Kim **Minesh Patel**

Hasan Hassan **Lois Orosa** **Onur Mutlu**

SAFARI

ETH Zürich

Carnegie Mellon

DRAM Latency Characterization of 282 LPDDR4 DRAM Devices

- Latency failures come from accessing DRAM with **reduced** timing parameters.


- **Key Observations:**
  1. A cell's **latency failure** probability is determined by **random process variation**

  2. Some cells fail **randomly**

D-RaNGe Key Idea

High % chance to fail with reduced t_{RCD}

Low % chance to fail with reduced t_{RCD}




Fails randomly with reduced t_{RCD}

D-RaNGe Key Idea

High % chance to fail with reduced t_{RCD}

Low % chance to fail with reduced t_{RCD}

We refer to cells that fail randomly when accessed with a reduced t_{RCD} as RNG cells



Fails randomly with reduced t_{RCD}

Our D-RaNGe Evaluation


- We generate **random values** by repeatedly accessing **RNG cells** and aggregating the data read

- The random data satisfies the NIST statistical test suite for randomness

- The **D-RaNGE** generates random numbers
  - **Throughput**: 717.4 Mb/s
  - **Latency**: 64 bits in <1us
  - **Power**: 4.4 nJ/bit

DRAM Latency True Random Number Generator

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, Lois Orosa, and Onur Mutlu,
  "D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput"
  *Proceedings of the 25th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Washington, DC, USA, February 2019.
  [Slides (pptx) (pdf)]
  [Full Talk Video (21 minutes)]
  [Full Talk Lecture Video (27 minutes)]
  Top Picks Honorable Mention by IEEE Micro.




D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput

Jeremie S. Kim[‡§] Minesh Patel[§] Hasan Hassan[§] Lois Orosa[§] Onur Mutlu[§‡]
[‡]Carnegie Mellon University [§]ETH Zürich

DRAM Latency Physical Unclonable Functions

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, and Onur Mutlu,
  "The DRAM Latency PUF: Quickly Evaluating Physical Unclonable Functions by Exploiting the Latency-Reliability Tradeoff in Modern DRAM Devices"
  *Proceedings of the 24th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Vienna, Austria, February 2018.
  [Lightning Talk Video]
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)]
  [Full Talk Lecture Video (28 minutes)]




The DRAM Latency PUF:
Quickly Evaluating Physical Unclonable Functions by Exploiting the Latency-Reliability Tradeoff in Modern Commodity DRAM Devices

Jeremie S. Kim[†§] Minesh Patel[§] Hasan Hassan[§] Onur Mutlu[§†]
[†]Carnegie Mellon University [§]ETH Zürich

Lectures on Low-Latency Memory

- Computer Architecture, Fall 2020, Lecture 10
  - **Low-Latency Memory** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=vQd1YgOH1Mw&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=19
- Computer Architecture, Fall 2020, Lecture 12b
  - **Capacity-Latency Reconfigurable DRAM** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=DUtPFW3jxq4&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=23
- Computer Architecture, Fall 2019, Lecture 11a
  - **DRAM Latency PUF** (ETH Zürich, Fall 2019)
  - https://www.youtube.com/watch?v=7gqnrTZpjxE&list=PL5Q2soXY2Zi-DyoI3HbqcdtUm9YWRR_z-&index=15
- Computer Architecture, Fall 2019, Lecture 11b
  - **DRAM True Random Number Generator** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=Y3hPv1I5f8Y&list=PL5Q2soXY2Zi-DyoI3HbqcdtUm9YWRR_z-&index=16

A Tutorial on Low-Latency Memory



https://www.youtube.com/onurmutlulectures

Challenge and Opportunity for Future

Fundamentally Low-Latency Computing Architectures

Four Key Issues in Future Platforms

- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
  - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

Intel Optane Persistent Memory (2019)


- Non-volatile main memory
- Based on 3D-XPoint Technology



https://www.storagereview.com/intel_optane_dc_persistent_memory_module_pmm

PCM as Main Memory: Idea in 2009

- Benjamin C. Lee, Engin Ipek, Onur Mutlu, and Doug Burger, **"Architecting Phase Change Memory as a Scalable DRAM Alternative"**
  *Proceedings of the 36th International Symposium on Computer Architecture (**ISCA**)*, pages 2-13, Austin, TX, June 2009. Slides (pdf)



Architecting Phase Change Memory as a Scalable DRAM Alternative

Benjamin C. Lee† Engin Ipek† Onur Mutlu‡ Doug Burger†

†Computer Architecture Group
Microsoft Research
Redmond, WA
{blee, ipek, dburger}@microsoft.com


‡Computer Architecture Laboratory
Carnegie Mellon University
Pittsburgh, PA
onur@cmu.edu

PCM as Main Memory: Idea in 2009

- Benjamin C. Lee, Ping Zhou, Jun Yang, Youtao Zhang, Bo Zhao, Engin Ipek, Onur Mutlu, and Doug Burger, **"Phase Change Technology and the Future of Main Memory"** *IEEE Micro, Special Issue: Micro's Top Picks from 2009 Computer Architecture Conferences (**MICRO TOP PICKS**)*, Vol. 30, No. 1, pages 60-70, January/February 2010.



Cerebras's Wafer Scale Engine (2019)



- The largest ML accelerator chip
- 400,000 cores




Cerebras WSE
1.2 Trillion transistors
46,225 mm^2

Largest GPU
21.1 Billion transistors
815 mm^2
NVIDIA TITAN V

https://www.anandtech.com/show/14758/hot-chips-31-live-blogs-cerebras-wafer-scale-deep-learning

https://www.cerebras.net/cerebras-wafer-scale-engine-why-we-need-big-chips-for-deep-learning/

Cerebras's Wafer Scale Engine-2 (2021)



- The largest ML accelerator chip (2021)
- 850,000 cores



Cerebras WSE-2
2.6 Trillion transistors
46,225 mm^2


Largest GPU
54.2 Billion transistors
826 mm^2
NVIDIA Ampere GA100

https://www.anandtech.com/show/14758/hot-chips-31-live-blogs-cerebras-wafer-scale-deep-learning


https://www.cerebras.net/cerebras-wafer-scale-engine-why-we-need-big-chips-for-deep-learning/

UPMEM Processing-in-DRAM Engine (2019)

- Processing in DRAM Engine
- Includes **standard DIMM modules**, with a **large number of DPU processors** combined with DRAM chips.



- Replaces **standard** DIMMs
  - DDR4 R-DIMM modules
    - 8GB+128 DPUs (16 PIM chips)
    - Standard 2x-nm DRAM process
  - **Large amounts of** compute & memory bandwidth



https://www.anandtech.com/show/14750/hot-chips-31-analysis-inmemory-processing-by-upmem
https://www.upmem.com/video-upmem-presenting-its-true-processing-in-memory-solution-hot-chips-2019/

Experimental Analysis of the UPMEM PIM Engine

Benchmarking a New Paradigm: An Experimental Analysis of a Real Processing-in-Memory Architecture

JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
IZZAT EL HAJJ, American University of Beirut, Lebanon
IVAN FERNANDEZ, ETH Zürich, Switzerland and University of Malaga, Spain
CHRISTINA GIANNOULA, ETH Zürich, Switzerland and NTUA, Greece
GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Many modern workloads, such as neural networks, databases, and graph processing, are fundamentally memory-bound. For such workloads, the data movement between main memory and CPU cores imposes a significant overhead in terms of both latency and energy. A major reason is that this communication happens through a narrow bus with high latency and limited bandwidth, and the low data reuse in memory-bound workloads is insufficient to amortize the cost of main memory access. Fundamentally addressing this *data movement bottleneck* requires a paradigm where the memory system assumes an active role in computing by integrating processing capabilities. This paradigm is known as *processing-in-memory* (*PIM*).

Recent research explores different forms of PIM architectures, motivated by the emergence of new 3D-stacked memory technologies that integrate memory with a logic layer where processing elements can be easily placed. Past works evaluate these architectures in simulation or, at best, with simplified hardware prototypes. In contrast, the UPMEM company has designed and manufactured the first publicly-available real-world PIM architecture. The UPMEM PIM architecture combines traditional DRAM memory arrays with general-purpose in-order cores, called *DRAM Processing Units* (*DPUs*), integrated in the same chip.

This paper provides the first comprehensive analysis of the first publicly-available real-world PIM architecture. We make two key contributions. First, we conduct an experimental characterization of the UPMEM-based PIM system using microbenchmarks to assess various architecture limits such as compute throughput and memory bandwidth, yielding new insights. Second, we present *PrIM* (*Processing-In-Memory benchmarks*), a benchmark suite of 16 workloads from different application domains (e.g., dense/sparse linear algebra, databases, data analytics, graph processing, neural networks, bioinformatics, image processing), which we identify as memory-bound. We evaluate the performance and scaling characteristics of PrIM benchmarks on the UPMEM PIM architecture, and compare their performance and energy consumption to their state-of-the-art CPU and GPU counterparts. Our extensive evaluation conducted on two real UPMEM-based PIM systems with 640 and 2,556 DPUs provides new insights about suitability of different workloads to the PIM system, programming recommendations for software designers, and suggestions and hints for hardware and architecture designers of future PIM systems.

https://arxiv.org/pdf/2105.03814.pdf

Samsung Function-in-Memory DRAM (2021)

Samsung Newsroom

CORPORATE | PRODUCTS | PRESS RESOURCES | VIEWS | ABOUT US

Samsung Develops Industry's First High Bandwidth Memory with AI Processing Power

Korea on February 17, 2021 Audio Share

The new architecture will deliver over twice the system performance and reduce energy consumption by more than 70%


Samsung Electronics, the world leader in advanced memory technology, today announced that it has developed the industry's first High Bandwidth Memory (HBM) integrated with artificial intelligence (AI) processing power — the HBM-PIM. The new processing-in-memory (PIM) architecture brings powerful AI computing capabilities inside high-performance memory, to accelerate large-scale processing in data centers, high performance computing (HPC) systems and AI-enabled mobile applications.

Kwangil Park, senior vice president of Memory Product Planning at Samsung Electronics stated, "Our groundbreaking HBM-PIM is the industry's first programmable PIM solution tailored for diverse AI-driven workloads such as HPC, training and inference. We plan to build upon this breakthrough by further collaborating with AI solution providers for even more advanced PIM-powered applications."

https://news.samsung.com/global/samsung-develops-industrys-first-high-bandwidth-memory-with-ai-processing-power

Samsung Function-in-Memory DRAM (2021)

- FIMDRAM based on HBM2



[3D Chip Structure of HBM with FIMDRAM]

Chip Specification
128DQ / 8CH / 16 banks / BL4
32 PCU blocks (1 FIM block/2 banks)
1.2 TFLOPS (4H)
FP16 ADD / Multiply (MUL) / Multiply-Accumulate (MAC) / Multiply-and- Add (MAD)

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications


Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Samsung Function-in-Memory DRAM (2021)

Programmable Computing Unit

- Configuration of PCU block
  - Interface unit to control data flow
  - Execution unit to perform operations
  - Register group
    - 32 entries of CRF for instruction memory
    - 16 GRF for weight and accumulation
    - 16 SRF to store constants for MAC operations



[Block diagram of PCU in FIMDRAM]

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Samsung Function-in-Memory DRAM (2021)

[Available instruction list for FIM operation]

Type	CMD	Description
Floating Point	ADD	FP16 addition
	MUL	FP16 multiplication
	MAC	FP16 multiply-accumulate
	MAD	FP16 multiply and add
Data Path	MOVE	Load or store data
	FILL	Copy data from bank to GRFs
Control Path	NOP	Do nothing
	JUMP	Jump instruction
	EXIT	Exit instruction

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications


Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea


Samsung Function-in-Memory DRAM (2021)

Chip Implementation

- Mixed design methodology to implement FIMDRAM
  - Full-custom + Digital RTL



[Digital RTL design for PCU block]



ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

More on Processing in Memory (I)

- Vivek Seshadri et al., "**Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology**," MICRO 2017.

Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology

Vivek Seshadri[1,5] Donghyuk Lee[2,5] Thomas Mullins[3,5] Hasan Hassan[4] Amirali Boroumand[5]
Jeremie Kim[4,5] Michael A. Kozuch[3] Onur Mutlu[4,5] Phillip B. Gibbons[5] Todd C. Mowry[5]

[1]Microsoft Research India [2]NVIDIA Research [3]Intel [4]ETH Zürich [5]Carnegie Mellon University

More on Processing in Memory (II)

- Vivek Seshadri and Onur Mutlu,
  "In-DRAM Bulk Bitwise Execution Engine"
  Invited Book Chapter in Advances in Computers, to appear in 2020.
  [Preliminary arXiv version]

In-DRAM Bulk Bitwise Execution Engine

Vivek Seshadri
Microsoft Research India
visesha@microsoft.com

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch

More on Processing in Memory (III)

- Nastaran Hajinazar, Geraldo F. Oliveira, Sven Gregorio, Joao Dinis Ferreira, Nika Mansouri Ghiasi, Minesh Patel, Mohammed Alser, Saugata Ghose, Juan Gomez-Luna, and Onur Mutlu, **"SIMDRAM: An End-to-End Framework for Bit-Serial SIMD Computing in DRAM"** *Proceedings of the 26th International Conference on Architectural Support for Programming Languages and Operating Systems* (***ASPLOS***), Virtual, March-April 2021.
  [2-page Extended Abstract]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Slides (pptx) (pdf)]
  [Short Talk Video (5 mins)]
  [Full Talk Video (27 mins)]

SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM

*Nastaran Hajinazar[1,2] *Geraldo F. Oliveira[1] Sven Gregorio[1] João Dinis Ferreira[1]
Nika Mansouri Ghiasi[1] Minesh Patel[1] Mohammed Alser[1] Saugata Ghose[3]
Juan Gómez-Luna[1] Onur Mutlu[1]

[1]ETH Zürich [2]Simon Fraser University [3]University of Illinois at Urbana–Champaign

More on Processing in Memory (IV)


- Junwhan Ahn, Sungpack Hong, Sungjoo Yoo, Onur Mutlu, and Kiyoung Choi,
  "A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing"
  *Proceedings of the 42nd International Symposium on Computer Architecture (**ISCA**)*, Portland, OR, June 2015.
  [Slides (pdf)] [Lightning Session Slides (pdf)]

A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn Sungpack Hong[§] Sungjoo Yoo Onur Mutlu[†] Kiyoung Choi
junwhan@snu.ac.kr, sungpack.hong@oracle.com, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr
Seoul National University [§]Oracle Labs [†]Carnegie Mellon University


More on Processing in Memory (V)

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"**
  *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.



More on Processing in Memory (VI)

- Junwhan Ahn, Sungjoo Yoo, Onur Mutlu, and Kiyoung Choi, **"PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture"** *Proceedings of the 42nd International Symposium on Computer Architecture (**ISCA**)*, Portland, OR, June 2015. [Slides (pdf)] [Lightning Session Slides (pdf)]




PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture

Junwhan Ahn Sungjoo Yoo Onur Mutlu† Kiyoung Choi
junwhan@snu.ac.kr, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr
Seoul National University †Carnegie Mellon University

TESLA Full Self-Driving Computer (2019)

- ML accelerator: 260 mm^2, 6 billion transistors, 600 GFLOPS GPU, 12 ARM 2.2 GHz CPUs.
- Two redundant chips for better safety.



https://youtu.be/Ucp0TTmvqOE?t=4236

Google TPU Generation I (~2016)




Figure 3. TPU Printed Circuit Board. It can be inserted in the slot for an SATA disk in a server, but the card uses PCIe Gen3 x16.





Figure 4. Systolic data flow of the Matrix Multiply Unit. Software has the illusion that each 256B input is read at once, and they instantly update one location of each of 256 accumulator RAMs.

Jouppi et al., "In-Datacenter Performance Analysis of a Tensor Processing Unit", ISCA 2017.

Google TPU Generation II (2017)



https://www.nextplatform.com/2017/05/17/first-depth-look-googles-new-second-generation-tpu/

4 TPU chips
vs 1 chip in TPU1


High Bandwidth Memory
vs DDR3


Floating point operations
vs FP16

45 TFLOPS per chip
vs 23 TOPS


Designed for training
and inference
vs only inference


Google TPU Generation III





TPU v2 - 4 chips, 2 cores per chip





TPU v3 - 4 chips, 2 cores per chip

32GB HBM per chip
vs 16GB HBM in TPU2


4 Matrix Units per chip
vs 2 Matrix Units in TPU2

90 TFLOPS per chip
vs 45 TFLOPS in TPU2

https://cloud.google.com/tpu/docs/system-architecture

An Example Modern Systolic Array: TPU (II)

As reading a large SRAM uses much more power than arithmetic, the matrix unit uses systolic execution to save energy by reducing reads and writes of the Unified Buffer [Kun80][Ram91][Ovt15b]. Figure 4 shows that data flows in from the left, and the weights are loaded from the top. A given 256-element multiply-accumulate operation moves through the matrix as a diagonal wavefront. The weights are preloaded, and take effect with the advancing wave alongside the first data of a new block. Control and data are pipelined to give the illusion that the 256 inputs are read at once, and that they instantly update one location of each of 256 accumulators. From a correctness perspective, software is unaware of the systolic nature of the matrix unit, but for performance, it does worry about the latency of the unit.



Jouppi et al., "In-Datacenter Performance Analysis of a Tensor Processing Unit", ISCA 2017.

An Example Modern Systolic Array: TPU (III)





Figure 1. TPU Block Diagram. The main computation part is the yellow Matrix Multiply unit in the upper right hand corner. Its inputs are the blue Weight FIFO and the blue Unified Buffer (UB) and its output is the blue Accumulators (Acc). The yellow Activation Unit performs the nonlinear functions on the Acc, which go to the UB.

Many (Other) AI/ML Chips

- Alibaba
- Amazon
- Facebook
- Google
- Huawei
- Intel
- Microsoft
- NVIDIA
- Tesla
- Many Others and Many Startups…

- **Many More to Come…**


Many (Other) AI/ML Chips



Lectures on Systolic Arrays & ML/AI Acceleration

- Digital Design and Computer Architecture, Spring 2021, Lecture 19
  - **VLIW, Systolic Arrays, DAE** (ETH Zürich, Spring 2021)
  - https://www.youtube.com/watch?v=UtLy4Yagdys&list=PL5Q2soXY2Zi_uej3aY39YB5pfW4SJ7LlN&index=21
- Computer Architecture, Fall 2020, Lecture 9b
  - **EDEN: Efficient DNN Inference** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=HmB32OXMKMY&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=16
- Computer Architecture, Fall 2020, Lecture 9c
  - **SMASH: Accelerating Sparse Matrix Operations** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=78aikMbxkGc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=17

Lecture on Systolic Arrays & ML Acceleration



Digital Design & Computer Arch. - Lecture 19: VLIW, Systolic Arrays, DAE (ETH Zürich, Spring 2021)

1,152 views • Streamed live on May 7, 2021

41 2 SHARE SAVE ...

Onur Mutlu Lectures
16.2K subscribers

ANALYTICS EDIT VIDEO


https://www.youtube.com/onurmutlulectures

Accelerating Genome Analysis


Our Dream (circa 2007)


- An embedded device that can perform comprehensive genome analysis in real time (within a minute)
  - Which of these DNAs does this DNA segment match with?
  - What is the likely genetic disposition of this patient to this drug?
  - What disease/condition might this particular DNA/RNA piece associated with?
  - . . .

What Is a Genome Made Of?



DNA Under Electron Microscope





human chromosome #12
from HeLa's cell

DNA Sequencing

- Goal:
  - Find the complete sequence of A, C, G, T's in DNA.

- Challenge:
  - There is no machine that takes long DNA as an input, and gives the complete sequence as output
  - All sequencing machines chop DNA into pieces and identify relatively small pieces (but not how they fit together)


Untangling Yarn Balls & DNA Sequencing



Genome Sequencers



Roche/454



AB SOLiD



Illumina MiSeq



Complete Genomics



Oxford Nanopore MinION





Illumina HiSeq2000



Pacific Biosciences RS



Oxford Nanopore GridION

Illumina NovaSeq 6000




Ion Torrent PGM




Ion Torrent Proton

… and more! All produce data with different properties.



1 Sequencing



2 Read Mapping

Genome Analysis


```
reference: TTTATCGCTTCCATGACGCAG
read1:       ATCGCATCC
read2:      TATCGCATC
read3:           CATCCATGA
read4:         CGCTTCCAT
read5:               CCATGACGC
read6:             TTCCATGAC
```

3 Variant Calling




4 Scientific Discovery


Genome Sequence Alignment: Example



Source: By Aaron E. Darling, István Miklós, Mark A. Ragan - Figure 1 from Darling AE, Miklós I, Ragan MA (2008). "Dynamics of Genome Rearrangement in Bacterial Populations". PLOS Genetics. DOI:10.1371/journal.pgen.1000128., CC BY 2.5, https://commons.wikimedia.org/w/index.php?curid=30550950




1 Sequencing



Read Mapping 2

Bottlenecked in Mapping!!



on average

2 M

bases/min

(0.6%)

Hash Table Based Read Mappers

- + Guaranteed to find *all* mappings → sensitive
- + Can tolerate up to *e* errors

nature genetics


http://mrfast.sourceforge.net/

Personalized copy number and segmental duplication maps using next-generation sequencing

Can Alkan[1,2], Jeffrey M Kidd[1], Tomas Marques-Bonet[1,3], Gozde Aksay[1], Francesca Antonacci[1], Fereydoun Hormozdiari[4], Jacob O Kitzman[1], Carl Baker[1], Maika Malig[1], Onur Mutlu[5], S Cenk Sahinalp[4], Richard A Gibbs[6] & Evan E Eichler[1,2]

Alkan+, **"Personalized copy number and segmental duplication maps using next-generation sequencing"**, Nature Genetics 2009.

Read Mapping Execution Time Breakdown



Idea

Filter fast before you align

Minimize costly
"approximate string comparisons"

Our First Filter: Pure Software Approach

- Download the source code and try for yourself
  - Download link to FastHASH

Xin *et al. BMC Genomics* 2013, **14**(Suppl 1):S13
http://www.biomedcentral.com/1471-2164/14/S1/S13



PROCEEDINGS Open Access

Accelerating read mapping with FastHASH

Hongyi Xin[1], Donghyuk Lee[1], Farhad Hormozdiari[2], Samihan Yedkar[1], Onur Mutlu[1*], Can Alkan[3*]

From The Eleventh Asia Pacific Bioinformatics Conference (APBC 2013)
Vancouver, Canada. 21-24 January 2013

Shifted Hamming Distance: SIMD Acceleration

https://github.com/CMU-SAFARI/Shifted-Hamming-Distance

Bioinformatics, 31(10), 2015, 1553–1560
doi: 10.1093/bioinformatics/btu856
Advance Access Publication Date: 10 January 2015
Original Paper



Sequence analysis


Shifted Hamming distance: a fast and accurate SIMD-friendly filter to accelerate alignment verification in read mapping

Hongyi Xin[1,*], John Greth[2], John Emmons[2], Gennady Pekhimenko[1], Carl Kingsford[3], Can Alkan[4,*] and Onur Mutlu[2,*]

Xin+, **"Shifted Hamming Distance: A Fast and Accurate SIMD-friendly Filter to Accelerate Alignment Verification in Read Mapping", Bioinformatics 2015.**

GateKeeper: FPGA-Based Alignment Filtering





1 **High throughput DNA sequencing (HTS) technologies**

2 **Read Pre-Alignment Filtering**
Fast & Low False Positive Rate

3 **Read Alignment**
Slow & Zero False Positives

GateKeeper: FPGA-Based Alignment Filtering

- Mohammed Alser, Hasan Hassan, Hongyi Xin, Oguz Ergin, Onur Mutlu, and Can Alkan
  "GateKeeper: A New Hardware Architecture for Accelerating Pre-Alignment in DNA Short Read Mapping"
  Bioinformatics, [published online, May 31], 2017.
  [Source Code]
  [Online link at Bioinformatics Journal]

GateKeeper: a new hardware architecture for accelerating pre-alignment in DNA short read mapping

Mohammed Alser ✉, Hasan Hassan, Hongyi Xin, Oğuz Ergin, Onur Mutlu ✉, Can Alkan ✉

Bioinformatics, Volume 33, Issue 21, 1 November 2017, Pages 3355–3363,
https://doi.org/10.1093/bioinformatics/btx342


Published: 31 May 2017 **Article history** ▾

DNA Read Mapping & Filtering

- Problem: **Heavily bottlenecked by Data Movement**
- GateKeeper FPGA performance limited by DRAM bandwidth [Alser+, Bioinformatics 2017]
- Ditto for SHD on SIMD [Xin+, Bioinformatics 2015]
- Solution: Processing-in-memory can alleviate the bottleneck
- However, we need to design mapping & filtering algorithms to fit processing-in-memory

In-Memory DNA Sequence Analysis

- Jeremie S. Kim, Damla Senol Cali, Hongyi Xin, Donghyuk Lee, Saugata Ghose, Mohammed Alser, Hasan Hassan, Oguz Ergin, Can Alkan, and Onur Mutlu,
  "GRIM-Filter: Fast Seed Location Filtering in DNA Read Mapping Using Processing-in-Memory Technologies"
  BMC Genomics, 2018.
  *Proceedings of the 16th Asia Pacific Bioinformatics Conference (**APBC**)*, Yokohama, Japan, January 2018.
  [Slides (pptx) (pdf)]
  [Source Code]
  [arxiv.org Version (pdf)]
  [Talk Video at AACBB 2019]



GRIM-Filter: Fast seed location filtering in DNA read mapping using processing-in-memory technologies

Jeremie S. Kim[1,6*], Damla Senol Cali[1], Hongyi Xin[2], Donghyuk Lee[3], Saugata Ghose[1], Mohammed Alser[4], Hasan Hassan[6], Oguz Ergin[5], Can Alkan[4*] and Onur Mutlu[6,1*]

From The Sixteenth Asia Pacific Bioinformatics Conference 2018
Yokohama, Japan. 15-17 January 2018

Shouji (障子) [Alser+, Bioinformatics 2019]

Mohammed Alser, Hasan Hassan, Akash Kumar, Onur Mutlu, and Can Alkan,
"Shouji: A Fast and Efficient Pre-Alignment Filter for Sequence Alignment"
Bioinformatics, [published online, March 28], 2019.
[Source Code]
[Online link at Bioinformatics Journal]

Bioinformatics, 2019, 1–9
doi: 10.1093/bioinformatics/btz234
Advance Access Publication Date: 28 March 2019
Original Paper

OXFORD

Sequence alignment

Shouji: a fast and efficient pre-alignment filter for sequence alignment

Mohammed Alser[1,2,3,*], Hasan Hassan[1], Akash Kumar[2], Onur Mutlu[1,3,*] and Can Alkan[3,*]

[1]Computer Science Department, ETH Zürich, Zürich 8092, Switzerland, [2]Chair for Processor Design, Center For Advancing Electronics Dresden, Institute of Computer Engineering, Technische Universität Dresden, 01062 Dresden, Germany and [3]Computer Engineering Department, Bilkent University, 06800 Ankara, Turkey

*To whom correspondence should be addressed.

Associate Editor: Inanc Birol

Received on September 13, 2018; revised on February 27, 2019; editorial decision on March 7, 2019; accepted on March 27, 2019

SneakySnake [Alser+, Bioinformatics 2020]

Mohammed Alser, Taha Shahroodi, Juan-Gomez Luna, Can Alkan, and Onur Mutlu,
"SneakySnake: A Fast and Accurate Universal Genome Pre-Alignment Filter for CPUs, GPUs, and FPGAs"
Bioinformatics, to appear in 2020.
[Source Code]
[Online link at Bioinformatics Journal]

Bioinformatics
doi.10.1093/bioinformatics/xxxxxx
Advance Access Publication Date: Day Month Year
Manuscript Category

OXFORD

Subject Section

SneakySnake: A Fast and Accurate Universal Genome Pre-Alignment Filter for CPUs, GPUs, and FPGAs

Mohammed Alser [1,2,*], Taha Shahroodi [1], Juan Gómez-Luna [1,2], Can Alkan [4,*], and Onur Mutlu [1,2,3,4,*]

[1] Department of Computer Science, ETH Zurich, Zurich 8006, Switzerland
[2] Department of Information Technology and Electrical Engineering, ETH Zurich, Zurich 8006, Switzerland
[3] Department of Electrical and Computer Engineering, Carnegie Mellon University, Pittsburgh 15213, PA, USA
[4] Department of Computer Engineering, Bilkent University, Ankara 06800, Turkey

GenASM Framework [MICRO 2020]

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.
  [Lighting Talk Video (1.5 minutes)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (18 minutes)]
  [Slides (pptx) (pdf)]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali[†⋈] Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim[◇†]
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose[⋆†] Onur Mutlu[◇†▽]

[†]*Carnegie Mellon University* [⋈]*Processor Architecture Research Lab, Intel Labs* [▽]*Bilkent University* [◇]*ETH Zürich*
[‡]*Facebook* [⊙]*King Mongkut's University of Technology North Bangkok* [⋆]*University of Illinois at Urbana–Champaign*

Quick Note: Key Principles and Results

- Two key principles:
  - Exploit the structure of the genome to minimize computation
  - Morph and exploit the structure of the underlying hardware to maximize performance and efficiency

- **Algorithm-architecture co-design** for DNA read mapping
  - **Speeds up** read mapping by **~100-1000X**
  - **Improves accuracy** of read mapping in the presence of errors

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, https://doi.org/10.1093/bib/bby017
Published: 02 April 2018 **Article history** ▾



Oxford Nanopore MinION

Senol Cali+, "**Nanopore Sequencing Technology and Tools for Genome Assembly: Computational Analysis of the Current State, Bottlenecks and Future Directions**," Briefings in Bioinformatics, 2018.
[Preliminary arxiv.org version]

Nanopore Genome Assembly Pipeline




Figure 1. The analyzed genome assembly pipeline using nanopore sequence data, with its five steps and the associated tools for each step.

Senol Cali+, "**Nanopore Sequencing Technology and Tools for Genome Assembly,**" Briefings in Bioinformatics, 2018.

Recall Our Dream

- An embedded device that can perform comprehensive genome analysis in real time (within a minute)

- Still a long ways to go
  - Energy efficiency
  - Performance (latency)
  - Security
  - **Huge memory bottleneck**

Future of Genome Sequencing & Analysis



MinION from ONT



SmidgION from ONT

Why Do We Care? An Example from 2020

200 Oxford Nanopore sequencers have left UK for China, to support rapid, near-sample coronavirus sequencing for outbreak surveillance

Fri 31st January 2020

Following extensive support of, and collaboration with, public health professionals in China, Oxford Nanopore has shipped an additional 200 MinION sequencers and related consumables to China. These will be used to support the ongoing surveillance of the current coronavirus outbreak, adding to a large number of the devices already installed in the country.



Each MinION sequencer is approximately the size of a stapler, and can provide rapid sequence information about the coronavirus.






700Kg of Oxford Nanopore sequencers and consumables are on their way for use by Chinese scientists in understanding the current coronavirus outbreak.

Source: https://nanoporetech.com/about-us/news/200-oxford-nanopore-sequencers-have-left-uk-china-support-rapid-near-sample

Sequencing of COVID-19


- **Whole genome sequencing (WGS) and sequence data analysis are important**
  - To detect the virus from a human sample such as saliva, Bronchoalveolar fluid etc.
  - To understand the sources and modes of transmission of the virus
  - To discover the genomic characteristics of the virus, and compare with better-known viruses (e.g., 02-03 SARS epidemic)
  - To design and evaluate the diagnostic tests and deep-dive studies
- **Two key areas of COVID-19 genomic research**
  - To sequence the genome of the virus itself, COVID-19, in order to track the mutations in the virus.
  - To explore the genes of infected patients. This analysis can be used to understand why some people get more severe symptoms than others, as well as, help with the development of new treatments in the future.

COVID-19 Nanopore Sequencing (I)



- From ONT (https://nanoporetech.com/covid-19/overview)

COVID-19 Nanopore Sequencing (II)



- From ONT (https://nanoporetech.com/covid-19/overview)

Future of Genome Sequencing & Analysis




MinION from ONT



SmidgION from ONT


Accelerating Genome Analysis: Overview

- Mohammed Alser, Zulal Bingol, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, and Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  IEEE Micro (***IEEE MICRO***), Vol. 40, No. 5, pages 65-75, September/October 2020.
  [Slides (pptx)(pdf)]
  [Talk Video (1 hour 2 minutes)]



More on Fast Genome Analysis …

- Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  Invited Lecture at Technion, Virtual, 26 January 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (1 hour 37 minutes, including Q&A)]
  [Related Invited Paper (at IEEE Micro, 2020)]



Detailed Lectures on Genome Analysis

- Computer Architecture, Fall 2020, Lecture 3a
  - **Introduction to Genome Sequence Analysis** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=CrRb32v7SJc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=5
- Computer Architecture, Fall 2020, Lecture 8
  - **Intelligent Genome Analysis** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=ygmQpdDTL7o&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=14
- Computer Architecture, Fall 2020, Lecture 9a
  - **GenASM: Approx. String Matching Accelerator** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=XoLpzmN-Pas&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=15
- Accelerating Genomics Project Course, Fall 2020, Lecture 1
  - **Accelerating Genomics** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=rgjl8ZyLsAg&list=PL5Q2soXY2Zi9E2bBVAgCqLgwiDRQDTyId

Challenge and Opportunity for Future

High Performance

(to solve
the **toughest** & **all** problems)

Challenge and Opportunity for Future


Personalized and Private

(in every aspect of life:
health, medicine,
spaces, devices, robotics, ...)

Concluding Remarks

A Quote from A Famous Architect

- "architecture [...] based upon principle, and not upon precedent"



Precedent-Based Design

- "architecture […] based upon principle, and not upon precedent"



Principled Design

- "architecture [...] based upon principle, and not upon precedent"




www.GreatBuildings.com

Another Example: Precedent-Based Design



Source: http://cookiemagik.deviantart.com/art/Train-station-207266944

Principled Design



Source: By Toni_V, CC BY-SA 2.0, https://commons.wikimedia.org/w/index.php?curid=4087256

Another Principled Design



Source: By Martín Gómez Tagle - Lisbon, Portugal, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=13764903

Source: http://www.arcspace.com/exhibitions/unsorted/santiago-calatrava/

Another Principled Design



Source: CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=172107

Principle Applied to Another Structure





Source: By 準建築人手札網站 Forgemind ArchiMedia - Flickr: IMG_2489.JPG, CC BY 2.0, https://commons.wikimedia.org/w/index.php?curid=51498396, https://en.wikipedia.org/wiki/Santiago_Calatrava

Source: https://www.dezeen.com/2016/08/29/santiago-calatrava-oculus-world-trade-center-transportation-hub-new-york-photographs-hufton-crow/

Overarching Principles for Computing?



Source: http://spectrum.ieee.org/image/MjYzMzAyMg.jpeg

We Need to Exploit Good Principles

- Data-centric design
- All components intelligent
- Good cross-layer communication, expressive interfaces
- Better-than-worst-case design
- Heterogeneity
- Flexibility, adaptability


Open minds

Concluding Remarks


- It is time to design principled computing architectures to achieve the highest security, performance, and efficiency
- Discover design principles for fundamentally secure and reliable computer architectures
- Design complete systems to be balanced and energy-efficient, i.e., data-centric (or memory-centric) and low-latency
- Enable new platforms for genomics, medicine, health, AI/ML
- This can
  - Lead to **orders-of-magnitude** improvements
  - **Enable new applications & computing platforms**
  - **Enable better understanding of nature**
  - **…**

The Future is Very Bright

- Regardless of challenges
  - in underlying technology and overlying problems/requirements



We Need to Think and Act Across the Stack



We can get there step by step

PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu[a,b], Saugata Ghose[b,c], Juan Gómez-Luna[a], Rachata Ausavarungnirun[d]

SAFARI Research Group

[a] *ETH Zürich*
[b] *Carnegie Mellon University*
[c] *University of Illinois at Urbana-Champaign*
[d] *King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
"A Modern Primer on Processing in Memory"
Invited Book Chapter in ***Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann***, Springer, to be published in 2021.

https://arxiv.org/pdf/1903.03988.pdf

PIM Review and Open Problems (II)

A Workload and Programming Ease Driven Perspective of Processing-in-Memory

Saugata Ghose[†] Amirali Boroumand[†] Jeremie S. Kim[†§] Juan Gómez-Luna[§] Onur Mutlu[§†]

[†]*Carnegie Mellon University* [§]*ETH Zürich*


Saugata Ghose, Amirali Boroumand, Jeremie S. Kim, Juan Gomez-Luna, and Onur Mutlu,
"Processing-in-Memory: A Workload-Driven Perspective"
Invited Article in IBM Journal of Research & Development, Special Issue on Hardware for Artificial Intelligence, to appear in November 2019.
[Preliminary arXiv version]

https://arxiv.org/pdf/1907.12947.pdf

A Tutorial on Memory-Centric Systems

- Onur Mutlu,
  "Memory-Centric Computing Systems"
  Invited Tutorial at *66th International Electron Devices Meeting (**IEDM**)*, Virtual, 12 December 2020.
  [Slides (pptx) (pdf)]
  [Executive Summary Slides (pptx) (pdf)]
  [Tutorial Video (1 hour 51 minutes)]
  [Executive Summary Video (2 minutes)]
  [Abstract and Bio]
  [Related Keynote Paper from VLSI-DAT 2020]
  [Related Review Paper on Processing in Memory]

https://www.youtube.com/watch?v=H3sEaINPBOE



IEDM 2020 Tutorial: Memory-Centric Computing Systems, Onur Mutlu, 12 December 2020

1,862 views • Dec 23, 2020

55 0 SHARE SAVE

Onur Mutlu Lectures
15.2K subscribers

ANALYTICS EDIT VIDEO

Speaker: Professor Onur Mutlu (https://people.inf.ethz.ch/omutlu/)
Date: December 12, 2020
Abstract and Bio: https://ieee-iedm.org/wp-content/uplo...

Funding Acknowledgments

- Alibaba, AMD, ASML, Google, Facebook, Hi-Silicon, HP Labs, Huawei, IBM, Intel, Microsoft, Nvidia, Oracle, Qualcomm, Rambus, Samsung, Seagate, VMware
- NSF
- NIH
- GSRC
- SRC
- CyLab

Acknowledgments

- My current and past students and postdocs
  - Rachata Ausavarungnirun, Abhishek Bhowmick, Amirali Boroumand, Rui Cai, Yu Cai, Kevin Chang, Saugata Ghose, Kevin Hsieh, Tyler Huberty, Ben Jaiyen, Samira Khan, Jeremie Kim, Yoongu Kim, Yang Li, Jamie Liu, Lavanya Subramanian, Donghyuk Lee, Yixin Luo, Justin Meza, Gennady Pekhimenko, Vivek Seshadri, Lavanya Subramanian, Nandita Vijaykumar, HanBin Yoon, Jishen Zhao, …
- My collaborators
  - Can Alkan, Chita Das, Phil Gibbons, Sriram Govindan, Norm Jouppi, Mahmut Kandemir, Mike Kozuch, Konrad Lai, Ken Mai, Todd Mowry, Yale Patt, Moinuddin Qureshi, Partha Ranganathan, Bikash Sharma, Kushagra Vaid, Chris Wilkerson, …

Acknowledgments

SAFARI

SAFARI Research Group

safari.ethz.ch


Think BIG, Aim HIGH!

https://safari.ethz.ch

Onur Mutlu's SAFARI Research Group

Computer architecture, HW/SW, systems, bioinformatics, security, memory

https://safari.ethz.ch/safari-newsletter-january-2021/



Think BIG, Aim HIGH!

SAFARI

https://safari.ethz.ch

SAFARI Newsletter April 2020 Edition

- https://safari.ethz.ch/safari-newsletter-april-2020/

SAFARI
SAFARI Research Group

View in your browser

Think Big, Aim High



Dear SAFARI friends,

2019 and the first three months of 2020 have been very positive eventful times for SAFARI.

SAFARI Newsletter January 2021 Edition

- https://safari.ethz.ch/safari-newsletter-january-2021/

SAFARI
SAFARI Research Group

Newsletter
January 2021

Think Big, Aim High, and Have a Wonderful 2021!



Dear SAFARI friends,

Happy New Year! We are excited to share our group highlights with you in this second edition of the SAFARI newsletter (You can find the first edition from April 2020 **here**). 2020 has

Future Computing Platforms

Challenges and Opportunities

Onur Mutlu

omutlu@gmail.com

https://people.inf.ethz.ch/omutlu

16 May 2021

IEEE Egypt & IEEE Future University in Egypt Student Branch

SAFARI ETH zürich Carnegie Mellon

More on My Research & Teaching


Brief Self Introduction




- Onur Mutlu
  - Full Professor @ ETH Zurich ITET (INFK), since September 2015
  - Strecker Professor @ Carnegie Mellon University ECE/CS, 2009-2016, 2016-…
  - PhD from UT-Austin, worked at Google, VMware, Microsoft Research, Intel, AMD
  - https://people.inf.ethz.ch/omutlu/
  - omutlu@gmail.com (Best way to reach me)
  - https://people.inf.ethz.ch/omutlu/projects.htm
- Research and Teaching in:
  - Computer architecture, computer systems, hardware security, bioinformatics
  - Memory and storage systems
  - Hardware security, safety, predictability
  - Fault tolerance
  - Hardware/software cooperation
  - Architectures for bioinformatics, health, medicine
  - …

Current Research Mission

Computer architecture, HW/SW, systems, bioinformatics, security




Heterogeneous Processors and Accelerators






Hybrid Main Memory





Graphics and Vision Processing





Persistent Memory/Storage


Build fundamentally better architectures

Four Key Current Directions

- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
  - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

The Transformation Hierarchy

Computer Architecture (expanded view)




Computer Architecture (narrow view)

Axiom

To achieve the highest energy efficiency and performance:

we must take the expanded view

of computer architecture




Co-design across the hierarchy: Algorithms to devices

Specialize as much as possible within the design goals

Current Research Mission & Major Topics

Build fundamentally better architectures




Broad research spanning apps, systems, logic with architecture at the center

- Data-centric arch. for low energy & high perf.
  - Proc. in Mem/DRAM, NVM, unified mem/storage
- Low-latency & predictable architectures
  - Low-latency, low-energy yet low-cost memory
  - QoS-aware and predictable memory systems
- Fundamentally secure/reliable/safe arch.
  - Tolerating all bit flips; patchable HW; secure mem
- Architectures for ML/AI/Genomics/Health/Med
  - Algorithm/arch./logic co-design; full heterogeneity
- Data-driven and data-aware architectures
  - ML/AI-driven architectural controllers and design
  - Expressive memory and expressive systems

Onur Mutlu's SAFARI Research Group

Computer architecture, HW/SW, systems, bioinformatics, security, memory

https://safari.ethz.ch/safari-newsletter-april-2020/



Think BIG, Aim HIGH!

SAFARI

https://safari.ethz.ch

SAFARI Newsletter January 2021 Edition

- https://safari.ethz.ch/safari-newsletter-january-2021/

SAFARI
SAFARI Research Group

Newsletter
January 2021

Think Big, Aim High, and Have a Wonderful 2021!



Dear SAFARI friends,

Happy New Year! We are excited to share our group highlights with you in this second edition of the SAFARI newsletter (You can find the first edition from April 2020 **here**). 2020 has

Principle: Teaching and Research

...

Teaching drives Research

Research drives Teaching

...

Principle: Insight and Ideas

Focus on Insight

Encourage New Ideas

Research & Teaching: Some Overview Talks

https://www.youtube.com/onurmutlulectures

- Future Computing Architectures
  - https://www.youtube.com/watch?v=kgiZlSOcGFM&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=1
- Enabling In-Memory Computation
  - https://www.youtube.com/watch?v=njX_14584Jw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=16
- Accelerating Genome Analysis
  - https://www.youtube.com/watch?v=r7sn41lH-4A&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=41
- Rethinking Memory System Design
  - https://www.youtube.com/watch?v=F7xZLNMIY1E&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=3
- Intelligent Architectures for Intelligent Machines
  - https://www.youtube.com/watch?v=c6_LgzuNdkw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=25
- The Story of RowHammer
  - https://www.youtube.com/watch?v=sgd7PHQQ1AI&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=39

An Interview on Research and Education

- Computing Research and Education (@ ISCA 2019)
  - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz

- Maurice Wilkes Award Speech (10 minutes)
  - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=15

More Thoughts and Suggestions

- Onur Mutlu,
  "Some Reflections (on DRAM)"
  *Award Speech for ACM SIGARCH Maurice Wilkes Award, at the **ISCA** Awards Ceremony*, Phoenix, AZ, USA, 25 June 2019.
  [Slides (pptx) (pdf)]
  [Video of Award Acceptance Speech (Youtube; 10 minutes) (Youku; 13 minutes)]
  [Video of Interview after Award Acceptance (Youtube; 1 hour 6 minutes) (Youku; 1 hour 6 minutes)]
  [News Article on "ACM SIGARCH Maurice Wilkes Award goes to Prof. Onur Mutlu"]

- Onur Mutlu,
  "How to Build an Impactful Research Group"
  *57th Design Automation Conference Early Career Workshop (**DAC**)*, Virtual, 19 July 2020.
  [Slides (pptx) (pdf)]

Referenced Papers, Talks, Artifacts

- All are available at

https://people.inf.ethz.ch/omutlu/projects.htm

http://scholar.google.com/citations?user=7XyGUGkAAAAJ&hl=en

https://www.youtube.com/onurmutlulectures

https://github.com/CMU-SAFARI/

Readings, Videos, Reference Materials

Research & Teaching: Some Overview Talks

https://www.youtube.com/onurmutlulectures

- Future Computing Architectures
  - https://www.youtube.com/watch?v=kgiZlSOcGFM&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=1
- Enabling In-Memory Computation
  - https://www.youtube.com/watch?v=njX_14584Jw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=16
- Accelerating Genome Analysis
  - https://www.youtube.com/watch?v=r7sn41lH-4A&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=41
- Rethinking Memory System Design
  - https://www.youtube.com/watch?v=F7xZLNMIY1E&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=3
- Intelligent Architectures for Intelligent Machines
  - https://www.youtube.com/watch?v=c6_LgzuNdkw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=25
- The Story of RowHammer
  - https://www.youtube.com/watch?v=sgd7PHQQ1AI&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=39

Accelerated Memory Course (~6.5 hours)

- ACACES 2018
  - Memory Systems and Memory-Centric Computing Systems
  - Taught by Onur Mutlu July 9-13, 2018
  - ~6.5 hours of lectures

- Website for the Course including Videos, Slides, Papers
  - https://people.inf.ethz.ch/omutlu/acaces2018.html
  - https://www.youtube.com/playlist?list=PL5Q2soXY2Zi-HXxomthrpDpMJm05P6J9x

- All Papers are at:
  - https://people.inf.ethz.ch/omutlu/projects.htm
  - Final lecture notes and readings (for all topics)

Longer Memory Course (~18 hours)

- TU Wien 2019
  - Memory Systems and Memory-Centric Computing Systems
  - Taught by Onur Mutlu June 12-19, 2019
  - ~18 hours of lectures

- Website for the Course including Videos, Slides, Papers
  - https://safari.ethz.ch/memory_systems/TUWien2019
  - https://www.youtube.com/playlist?list=PL5Q2soXY2Zi_gntM55VoMlKlw7YrXOhbl

- All Papers are at:
  - https://people.inf.ethz.ch/omutlu/projects.htm
  - Final lecture notes and readings (for all topics)

An Interview on Research and Education

- Computing Research and Education (@ ISCA 2019)
  - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz

- Maurice Wilkes Award Speech (10 minutes)
  - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=15

More Thoughts and Suggestions

- Onur Mutlu,
  "Some Reflections (on DRAM)"
  *Award Speech for ACM SIGARCH Maurice Wilkes Award, at the **ISCA** Awards Ceremony*, Phoenix, AZ, USA, 25 June 2019.
  [Slides (pptx) (pdf)]
  [Video of Award Acceptance Speech (Youtube; 10 minutes) (Youku; 13 minutes)]
  [Video of Interview after Award Acceptance (Youtube; 1 hour 6 minutes) (Youku; 1 hour 6 minutes)]
  [News Article on "ACM SIGARCH Maurice Wilkes Award goes to Prof. Onur Mutlu"]

- Onur Mutlu,
  "How to Build an Impactful Research Group"
  *57th Design Automation Conference Early Career Workshop (**DAC**)*, Virtual, 19 July 2020.
  [Slides (pptx) (pdf)]

Reference Overview Paper

A Modern Primer on Processing in Memory

Onur Mutlu[a,b], Saugata Ghose[b,c], Juan Gómez-Luna[a], Rachata Ausavarungnirun[d]

SAFARI Research Group

[a] *ETH Zürich*
[b] *Carnegie Mellon University*
[c] *University of Illinois at Urbana-Champaign*
[d] *King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
"A Modern Primer on Processing in Memory"
Invited Book Chapter in ***Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann***, Springer, to be published in 2021.

https://arxiv.org/pdf/1903.03988.pdf

Reference Overview Paper I

Processing Data Where It Makes Sense: Enabling In-Memory Computation

Onur Mutlu[a,b], Saugata Ghose[b], Juan Gómez-Luna[a], Rachata Ausavarungnirun[b,c]

[a] *ETH Zürich*
[b] *Carnegie Mellon University*
[c] *King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun, **"Processing Data Where It Makes Sense: Enabling In-Memory Computation"**
*Invited paper in Microprocessors and Microsystems (**MICPRO**)*, June 2019. [arXiv version]

https://arxiv.org/pdf/1903.03988.pdf

Reference Overview Paper II

A Workload and Programming Ease Driven Perspective of Processing-in-Memory

Saugata Ghose[†] Amirali Boroumand[†] Jeremie S. Kim[†§] Juan Gómez-Luna[§] Onur Mutlu[§†]

[†]*Carnegie Mellon University* [§]*ETH Zürich*

Saugata Ghose, Amirali Boroumand, Jeremie S. Kim, Juan Gomez-Luna, and Onur Mutlu,
"Processing-in-Memory: A Workload-Driven Perspective"
Invited Article in IBM Journal of Research & Development, Special Issue on Hardware for Artificial Intelligence, to appear in November 2019.
[Preliminary arXiv version]

https://arxiv.org/pdf/1907.12947.pdf

Reference Overview Paper III

Enabling the Adoption of Processing-in-Memory: Challenges, Mechanisms, Future Research Directions


SAUGATA GHOSE, KEVIN HSIEH, AMIRALI BOROUMAND,
RACHATA AUSAVARUNGNIRUN
Carnegie Mellon University

ONUR MUTLU
ETH Zürich and Carnegie Mellon University

Saugata Ghose, Kevin Hsieh, Amirali Boroumand, Rachata Ausavarungnirun, Onur Mutlu, **"Enabling the Adoption of Processing-in-Memory: Challenges, Mechanisms, Future Research Directions"**
Invited Book Chapter, to appear in 2018.
[Preliminary arxiv.org version]

Reference Overview Paper IV

- Onur Mutlu and Lavanya Subramanian,
  "Research Problems and Opportunities in Memory Systems"
  *Invited Article in Supercomputing Frontiers and Innovations (**SUPERFRI**)*, 2014/2015.



Research Problems and Opportunities in Memory Systems

Onur Mutlu[1], *Lavanya Subramanian*[1]

https://people.inf.ethz.ch/omutlu/pub/memory-systems-research_superfri14.pdf

Reference Overview Paper V

- Onur Mutlu,
  "The RowHammer Problem and Other Issues We May Face as Memory Becomes Denser"
  *Invited Paper in Proceedings of the Design, Automation, and Test in Europe Conference (**DATE**)*, Lausanne, Switzerland, March 2017.
  [Slides (pptx) (pdf)]



The RowHammer Problem
and Other Issues We May Face as Memory Becomes Denser

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch
https://people.inf.ethz.ch/omutlu

https://people.inf.ethz.ch/omutlu/pub/rowhammer-and-other-memory-issues_date17.pdf

Reference Overview Paper VI

- Onur Mutlu,
  "Memory Scaling: A Systems Architecture Perspective"
  *Technical talk at MemCon 2013 (**MEMCON**)*, Santa Clara, CA, August 2013. [Slides (pptx) (pdf)]
  [Video] [Coverage on StorageSearch]



Memory Scaling: A Systems Architecture Perspective

Onur Mutlu
Carnegie Mellon University
onur@cmu.edu
http://users.ece.cmu.edu/~omutlu/

https://people.inf.ethz.ch/omutlu/pub/memory-scaling_memcon13.pdf

Reference Overview Paper VII



Proceedings of the IEEE, Sept. 2017

Error Characterization, Mitigation, and Recovery in Flash-Memory-Based Solid-State Drives

This paper reviews the most recent advances in solid-state drive (SSD) error characterization, mitigation, and data recovery techniques to improve both SSD's reliability and lifetime.

By Yu Cai, Saugata Ghose, Erich F. Haratsch, Yixin Luo, and Onur Mutlu

https://arxiv.org/pdf/1706.08642

Reference Overview Paper VIII

- Onur Mutlu and Jeremie Kim,
  "RowHammer: A Retrospective"
  IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems (***TCAD***) *Special Issue on Top Picks in Hardware and Embedded Security*, 2019.
  [Preliminary arXiv version]
  [Slides from COSADE 2019 (pptx)]
  [Slides from VLSI-SOC 2020 (pptx) (pdf)]
  [Talk Video (30 minutes)]


RowHammer: A Retrospective

Onur Mutlu[§‡] Jeremie S. Kim[‡§]
[§]ETH Zürich [‡]Carnegie Mellon University

Related Videos and Course Materials (I)

- **Undergraduate Digital Design & Computer Architecture Course Lecture Videos (2020, 2019, 2018, 2017, 2015, 2014, 2013)**
- **Undergraduate Digital Design & Computer Architecture Course Materials (2020, 2019, 2018, 2015, 2014, 2013)**

- **Graduate Computer Architecture Course Lecture Videos (2019, 2018, 2017, 2015, 2013)**
- **Graduate Computer Architecture Course Materials (2019, 2018, 2017, 2015, 2013)**

- **Parallel Computer Architecture Course Materials (Lecture Videos)**

Related Videos and Course Materials (II)

- Seminar in Computer Architecture Course Lecture Videos (Spring 2020, Fall 2019, Spring 2019, 2018)
- Seminar in Computer Architecture Course Materials (Spring 2020, Fall 2019, Spring 2019, 2018)

- Memory Systems Course Lecture Videos (Sept 2019, July 2019, June 2019, October 2018)
- Memory Systems Short Course Lecture Materials (Sept 2019, July 2019, June 2019, October 2018)
- ACACES Summer School Memory Systems Course Lecture Videos (2018, 2013)
- ACACES Summer School Memory Systems Course Materials (2018, 2013)

Some Open Source Tools (I)

- Rowhammer – Program to Induce RowHammer Errors
  - https://github.com/CMU-SAFARI/rowhammer
- Ramulator – Fast and Extensible DRAM Simulator
  - https://github.com/CMU-SAFARI/ramulator
- MemSim – Simple Memory Simulator
  - https://github.com/CMU-SAFARI/memsim
- NOCulator – Flexible Network-on-Chip Simulator
  - https://github.com/CMU-SAFARI/NOCulator
- SoftMC – FPGA-Based DRAM Testing Infrastructure
  - https://github.com/CMU-SAFARI/SoftMC
- Other open-source software from my group
  - **https://github.com/CMU-SAFARI/**
  - **http://www.ece.cmu.edu/~safari/tools.html**

Some Open Source Tools (II)

- MQSim – A Fast Modern SSD Simulator
  - https://github.com/CMU-SAFARI/MQSim
- Mosaic – GPU Simulator Supporting Concurrent Applications
  - https://github.com/CMU-SAFARI/Mosaic
- IMPICA – Processing in 3D-Stacked Memory Simulator
  - https://github.com/CMU-SAFARI/IMPICA
- SMLA – Detailed 3D-Stacked Memory Simulator
  - https://github.com/CMU-SAFARI/SMLA
- HWASim – Simulator for Heterogeneous CPU-HWA Systems
  - https://github.com/CMU-SAFARI/HWASim

- Other open-source software from my group
  - **https://github.com/CMU-SAFARI/**
  - **http://www.ece.cmu.edu/~safari/tools.html**

More Open Source Tools (III)

- A lot more open-source software from my group
  - https://github.com/CMU-SAFARI/
  - http://www.ece.cmu.edu/~safari/tools.html



ramulator-pim

A fast and flexible simulation infrastructure for exploring general-purpose processing-in-memory (PIM) architectures. Ramulator-PIM combines a widely-used simulator for out-of-order and in-order processors (ZSim) with Ramulator, a DRAM simulator with memory models for DDRx, LPDDRx, GDDRx, WIOx, HBMx, and HMCx. Ramulator is described in the IEEE ...

C++ 11 29 6 0 Updated 19 days ago

SMASH

SMASH is a hardware-software cooperative mechanism that enables highly-efficient indexing and storage of sparse matrices. The key idea of SMASH is to compress sparse matrices with a hierarchical bitmap compression format that can be accelerated from hardware. Described by Kanellopoulos et al. (MICRO '19) https://people.inf.ethz.ch/omutlu/pub/SMA...

C 1 6 0 0 Updated on May 17

MQSim

MQSim is a fast and accurate simulator modeling the performance of modern multi-queue (MQ) SSDs as well as traditional SATA based SSDs. MQSim faithfully models new high-bandwidth protocol implementations, steady-state SSD conditions, and the full end-to-end latency of requests in modern SSDs. It is described in detail in the FAST 2018 paper by A...

C++ MIT 54 62 10 1 Updated on May 15

Apollo

Apollo is an assembly polishing algorithm that attempts to correct the errors in an assembly. It can take multiple set of reads in a single run and polish the assemblies of genomes of any size. Described in the Bioinformatics journal paper (2020) by Firtina et al. at https://people.inf.ethz.ch/omutlu/pub/apollo-technology-independent-genome-asse...

C++ GPL-3.0 1 12 0 0 Updated on May 10

ramulator

A Fast and Extensible DRAM Simulator, with built-in support for modeling many different DRAM technologies including DDRx, LPDDRx, GDDRx, WIOx, HBMx, and various academic proposals. Described in the IEEE CAL 2015 paper by Kim et al. at http://users.ece.cmu.edu/~omutlu/pub/ramulator_dram_simulator-ieee-cal15.pdf

C++ MIT 93 170 37 2 Updated on Apr 13

Shifted-Hamming-Distance

Source code for the Shifted Hamming Distance (SHD) filtering mechanism for sequence alignment. Described in the Bioinformatics journal paper (2015) by Xin et al. at http://users.ece.cmu.edu/~omutlu/pub/shifted-hamming-distance_bioinformatics15_proofs.pdf

C GPL-2.0 5 20 0 1 Updated on Mar 29

SneakySnake

The first and the only pre-alignment filtering algorithm that works on all modern high-performance computing architectures. It works efficiently and fast on CPU, FPGA, and GPU architectures and that greatly (by more than two orders of magnitude) expedites sequence alignment calculation. Described by Alser et al. (preliminary version at https://a...

VHDL GPL-3.0 3 11 0 0 Updated on Mar 10

AirLift

AirLift is a tool that updates mapped reads from one reference genome to another. Unlike existing tools, It accounts for regions not shared between the two reference genomes and enables remapping across all parts of the references. Described by Kim et al. (preliminary version at http://arxiv.org/abs/1912.08735)

C 0 3 0 0 Updated on Feb 19

GPGPUSim-Ramulator

The source code for GPGPUSim+Ramulator simulator. In this version, GPGPUSim uses Ramulator to simulate the DRAM. This simulator is used to produce some of the

Referenced Papers, Talks, Artifacts

- All are available at

https://people.inf.ethz.ch/omutlu/projects.htm

http://scholar.google.com/citations?user=7XyGUGkAAAAJ&hl=en

https://www.youtube.com/onurmutlulectures

https://github.com/CMU-SAFARI/

An Interview on Research and Education

- Computing Research and Education (@ ISCA 2019)
  - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz

- Maurice Wilkes Award Speech (10 minutes)
  - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=15

More Thoughts and Suggestions

- Onur Mutlu,
  "Some Reflections (on DRAM)"
  *Award Speech for ACM SIGARCH Maurice Wilkes Award, at the **ISCA** Awards Ceremony*, Phoenix, AZ, USA, 25 June 2019.
  [Slides (pptx) (pdf)]
  [Video of Award Acceptance Speech (Youtube; 10 minutes) (Youku; 13 minutes)]
  [Video of Interview after Award Acceptance (Youtube; 1 hour 6 minutes) (Youku; 1 hour 6 minutes)]
  [News Article on "ACM SIGARCH Maurice Wilkes Award goes to Prof. Onur Mutlu"]

- Onur Mutlu,
  "How to Build an Impactful Research Group"
  *57th Design Automation Conference Early Career Workshop (**DAC**)*, Virtual, 19 July 2020.
  [Slides (pptx) (pdf)]

End of Backup Slides