

Memory-Centric Computing

Enabling Fundamentally-Efficient Computers

Onur Mutlu

omutlu@gmail.com

<https://people.inf.ethz.ch/omutlu>

30 November 2024

HKUST-GZ

SAFARI

ETH zürich

Computing

is Bottlenecked by Data

Data is Key for AI, ML, Genomics, ...


- Important workloads are all data intensive
- They require rapid and efficient processing of large amounts of data
- Data is increasing
 - We can generate more than we can process
 - We need to perform more sophisticated analyses on more data

Huge Demand for Performance & Efficiency

Exponential Growth of Neural Networks



Memory and compute requirements




1800x more compute
In just 2 years

Tomorrow, **multi-trillion** parameter models

~4 orders of magnitude increase
in memory requirement in
just a few years!

Huge Demand for Performance & Efficiency




development of new sequencing technologies



Oxford Nanopore MinION

Number of Genomes Sequenced



The Economist

Source: Illumina

Do We Want This?



Or This?



High Performance,

Energy Efficient,

Sustainable

(All at the Same Time)


The Problem

Data access is the major performance and energy bottleneck


Our current
design principles
cause great energy waste
(and great performance loss)

Today's Computing Systems

- Processor centric
- All data processed in the processor → at great system cost




Perils of Processor-Centric Design



Most of the system is dedicated to storing and moving data

Yet, system is still bottlenecked by memory

AMD's 3D Last Level Cache (2021)




AMD increases the L3 size of their 8-core Zen 3 processors from 32 MB to 96 MB


Additional 64 MB L3 cache die
stacked on top of the processor die

- Connected using Through Silicon Vias (TSVs)
- Total of 96 MB L3 cache

<https://community.microcenter.com/discussion/5134/comparing-zen-3-to-zen-2>



Deeper and Larger Memory Hierarchies




IBM POWER10,
2020

Cores:
15-16 cores,
8 threads/core

L2 Caches:
2 MB per core

L3 Cache:
120 MB shared

Deeper and Larger Memory Hierarchies



Apple M1 Ultra System (2022)

It's the Memory, Stupid!

- **“It's the Memory, Stupid!”** (Richard Sites, MPR, 1996)

RICHARD SITES


It's the Memory, Stupid!

When we started the Alpha architecture design in 1988, we estimated a 25-year lifetime and a relatively modest 32% per year compounded performance improvement of implementations over that lifetime (1,000× total). We guesstimated about 10× would come from CPU clock improvement, 10× from multiple instruction issue, and 10× from multiple processors.

5, 1996  MICROPROCESSOR REPORT


I expect that over the coming decade memory subsystem design will be the *only* important design issue for microprocessors.

Processor-Centric System Performance



Processor-Centric System Performance


- All of Google's Data Center Workloads (2015):



Data Movement vs. Computation Energy


Communication Dominates Arithmetic

Dally, HiPEAC 2015




A memory access consumes $\sim 100-1000X$ the energy of a complex addition

Data Movement vs. Computation Energy



Data Movement vs. Computation Energy



A memory access consumes 6400X
the energy of a simple integer addition

Energy Waste in Mobile Devices

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, "[Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks](#)" *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS)*, Williamsburg, VA, USA, March 2018.

62.7% of the total system energy
is spent on **data movement**

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand¹

Saugata Ghose¹

Youngsok Kim²

Rachata Ausavarungnirun¹

Eric Shiu³

Rahul Thakur³

Daehyun Kim^{4,3}

Aki Kuusela³

Allan Knies³

Parthasarathy Ranganathan³

Onur Mutlu^{5,1}

Energy Waste in Accelerators

- Amirali Boroumand, Saugata Ghose, Berkin Akin, Ravi Narayanaswami, Geraldo F. Oliveira, Xiaoyu Ma, Eric Shiu, and Onur Mutlu,
["Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks"](#)
Proceedings of the 30th International Conference on Parallel Architectures and Compilation Techniques (PACT), Virtual, September 2021.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#) (14 minutes)]

> 90% of the total system energy is spent on memory in large ML models

Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand^{†◇}
Geraldo F. Oliveira^{*}

Saugata Ghose[‡]
Xiaoyu Ma[§]

Berkin Akin[§]
Eric Shiu[§]

Ravi Narayanaswami[§]
Onur Mutlu^{*†}

[†]Carnegie Mellon Univ.


[◇]Stanford Univ.

[‡]Univ. of Illinois Urbana-Champaign

[§]Google

^{*}ETH Zürich

Example Energy Breakdowns



**In LSTMs and Transducers used by Google,
>90% energy spent on off-chip interconnect and DRAM**

Fundamental Problem


Processing of data
is performed
far away from the data

We Need A Paradigm Shift To ...

- Enable computation with minimal data movement
- Compute where it makes sense (where data resides)
- Make computing architectures more data-centric

Process Data Where It Makes Sense

Sensors



A lot of
SRAM

Storage


DRAM

DRAM

Storage


Apple M1 Ultra System (2022)

Memory as an Accelerator



Memory similar to a "conventional" accelerator

Goal: Processing Inside Memory/Storage



- Many questions ... How do we design the:
 - ❑ compute-capable memory & controllers?
 - ❑ processors & communication units?
 - ❑ software & hardware interfaces?
 - ❑ system software, compilers, languages?
 - ❑ algorithms & theoretical foundations?

Problem
Algorithm
Program/Language
System Software
SW/HW Interface
Micro-architecture
Logic
Devices
Electrons

Processing in/near Memory: An Old Idea

- Kautz, "Cellular Logic-in-Memory Arrays", IEEE TC 1969.

IEEE TRANSACTIONS ON COMPUTERS, VOL. C-18, NO. 8, AUGUST 1969


Cellular Logic-in-Memory Arrays

WILLIAM H. KAUTZ, MEMBER, IEEE

Abstract—As a direct consequence of large-scale integration, many advantages in the design, fabrication, testing, and use of digital circuitry can be achieved if the circuits can be arranged in a two-dimensional iterative, or cellular, array of identical elementary networks, or cells. When a small amount of storage is included in each cell, the same array may be regarded either as a logically enhanced memory array, or as a logic array whose elementary gates and connections can be "programmed" to realize a desired logical behavior.

In this paper the specific engineering features of such cellular logic-in-memory (CLIM) arrays are discussed, and one such special-purpose array, a cellular sorting array, is described in detail to illustrate how these features may be achieved in a particular design. It is shown how the cellular sorting array can be employed as a single-address, multiword memory that keeps in order all words stored within it. It can also be used as a content-addressed memory, a pushdown memory, a buffer memory, and (with a lower logical efficiency) a programmable array for the realization of arbitrary switching functions. A second version of a sorting array, operating on a different sorting principle, is also described.

Index Terms—Cellular logic, large-scale integration, logic arrays logic in memory, push-down memory, sorting, switching functions.



$$\begin{aligned} \hat{x} &= \bar{w}x + wy \\ s_y &= wcx, r_y = wc\bar{x} \\ \hat{z} &= M(x, \bar{y}, z) = x\bar{y} + z(x + \bar{y}) \end{aligned}$$

Fig. 1. Cellular sorting array I.

Processing in/near Memory: An Old Idea

- Stone, "A Logic-in-Memory Computer," IEEE TC 1970.

A Logic-in-Memory Computer

HAROLD S. STONE

Abstract—If, as presently projected, the cost of microelectronic arrays in the future will tend to reflect the number of pins on the array rather than the number of gates, the logic-in-memory array is an extremely attractive computer component. Such an array is essentially a microelectronic memory with some combinational logic associated with each storage element.

Why In-Memory Computation Today?

- **Huge demand from Applications & Systems**
 - ❑ Data access bottleneck
 - ❑ Energy & power bottlenecks
 - ❑ Data movement energy dominates computation energy
 - ❑ Need all at the same time: performance, energy, sustainability
 - ❑ We can improve all metrics by minimizing data movement
- **Huge problems with Memory Technology**
 - ❑ Memory technology scaling is not going well (e.g., RowHammer)
 - ❑ Many scaling issues demand intelligence in memory
 - ❑ Emerging technologies can enable new functions in memory
- **Designs are squeezed in the middle**

Technology Push Toward Memory-Centric Computing

An Example: The RowHammer Problem

- One can **predictably induce bit flips** in commodity DRAM chips
 - All recent DRAM chips are fundamentally vulnerable
- First example of how a **simple hardware failure mechanism** can create a **widespread system security vulnerability**

WIRED

Forget Software—Now Hackers Are Exploiting Physics

BUSINESS	CULTURE	DESIGN	GEAR	SCIENCE
----------	---------	--------	------	---------

ANDY GREENBERG SECURITY 08.31.16 7:00 AM

SHARE



SHARE
18276




TWEET

FORGET SOFTWARE—NOW HACKERS ARE EXPLOITING PHYSICS


Kim+, "[Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors](#)," ISCA 2014.

Modern Memory is Prone to Disturbance Errors



Repeatedly reading a row enough times (before memory gets refreshed) induces **disturbance errors** in adjacent rows in **most real DRAM chips you can buy today**

Read Disturbance Worsens with Scaling



RowHammer [ISCA 2014]

- Yoongu Kim, Ross Daly, Jeremie Kim, Chris Fallin, Ji Hye Lee, Donghyuk Lee, Chris Wilkerson, Konrad Lai, and Onur Mutlu,
"Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors"

Proceedings of the 41st International Symposium on Computer Architecture (ISCA), Minneapolis, MN, June 2014.

[[Slides \(pptx\)](#)] [[pdf](#)] [[Lightning Session Slides \(pptx\)](#)] [[pdf](#)] [[Source Code and Data](#)] [[Lecture Video](#) (1 hr 49 mins), 25 September 2020]

One of the 7 papers of 2012-2017 selected as Top Picks in Hardware and Embedded Security for IEEE TCAD ([link](#)). Selected to the ISCA-50 25-Year Retrospective Issue covering 1996-2020 in 2023 ([Retrospective \(pdf\)](#) [Full Issue](#)). Winner of the 2024 IFIP Jean-Claude Laprie Award in dependable computing ([link](#)).

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors

Yoongu Kim¹ Ross Daly* Jeremie Kim¹ Chris Fallin* Ji Hye Lee¹
Donghyuk Lee¹ Chris Wilkerson² Konrad Lai Onur Mutlu¹

¹Carnegie Mellon University

²Intel Labs

Many RowHammer Exploits

- One can exploit RowHammer to
- Take over a system
- Read data they do not have access to
- Break out of virtual machine sandboxes
- Corrupt important data → render ML inference useless
- Steal secret data (e.g., crypto keys & ML model parameters)



Rowhammer

Robustness Implications



Rowhammer

It's like breaking into an apartment by repeatedly slamming a neighbor's door until the vibrations open the door you were after

A RowHammer Survey Across the Stack

- Onur Mutlu and Jeremie Kim,
["RowHammer: A Retrospective"](#)
IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems (TCAD) Special Issue on Top Picks in Hardware and Embedded Security, 2019.
[[Preliminary arXiv version](#)]
[[Slides from COSADE 2019 \(pptx\)](#)]
[[Slides from VLSI-SOC 2020 \(pptx\) \(pdf\)](#)]
[[Talk Video](#) (1 hr 15 minutes, with Q&A)]

RowHammer: A Retrospective

Onur Mutlu^{§‡}
§ETH Zürich

Jeremie S. Kim^{‡§}
‡Carnegie Mellon University

A RowHammer Survey: Recent Update

- Onur Mutlu, Ataberk Olgun, and A. Giray Yaglikci, **"Fundamentally Understanding and Solving RowHammer"**
Invited Special Session Paper at the 28th Asia and South Pacific Design Automation Conference (ASP-DAC), Tokyo, Japan, January 2023.
[arXiv version]
[Slides (pptx) (pdf)]
[Talk Video (26 minutes)]

Fundamentally Understanding and Solving RowHammer

Onur Mutlu
onur.mutlu@safari.ethz.ch
ETH Zürich
Zürich, Switzerland

Ataberk Olgun
ataberk.olgund@safari.ethz.ch
ETH Zürich
Zürich, Switzerland

A. Giray Yağlıkçı
giray.yaglikci@safari.ethz.ch
ETH Zürich
Zürich, Switzerland

<https://arxiv.org/pdf/2211.07613.pdf>

Main Memory Needs
Intelligent Controllers

An “Early” Position Paper [IMW’13]

- Onur Mutlu,
"Memory Scaling: A Systems Architecture Perspective"
Proceedings of the 5th International Memory Workshop (IMW), Monterey, CA, May 2013. Slides
(pptx) (pdf)
EETimes Reprint

Memory Scaling: A Systems Architecture Perspective

Onur Mutlu
Carnegie Mellon University
onur@cmu.edu
<http://users.ece.cmu.edu/~omutlu/>

Industry's Intelligent DRAM Controllers (I)

ISSCC 2023 / SESSION 28 / HIGH-DENSITY MEMORIES

28.8 A 1.1V 16Gb DDR5 DRAM with Probabilistic-Aggressor Tracking, Refresh-Management Functionality, Per-Row Hammer Tracking, a Multi-Step Precharge, and Core-Bias Modulation for Security and Reliability Enhancement

Woongrae Kim, Chulmoon Jung, Seongnyuh Yoo, Duckhwa Hong, Jeongjin Hwang, Jungmin Yoon, Ohyong Jung, Joonwoo Choi, Sanga Hyun, Mankeun Kang, Sangho Lee, Dohong Kim, Sanghyun Ku, Donhyun Choi, Nogeun Joo, Sangwoo Yoon, Junseok Noh, Byeongyong Go, Cheolhoe Kim, Sunil Hwang, Mihyun Hwang, Seol-Min Yi, Hyungmin Kim, Sanghyuk Heo, Yeonsu Jang, Kyoungchul Jang, Shinho Chu, Yoonna Oh, Kwidong Kim, Junghyun Kim, Soohwan Kim, Jeongtae Hwang, Sangil Park, Junphyo Lee, Inchul Jeong, Joohwan Cho, Jonghwan Kim

SK hynix Semiconductor, Icheon, Korea




Industry's Intelligent DRAM Controllers (II)

SK hynix Semiconductor, Icheon, Korea

DRAM products have been recently adopted in a wide range of high-performance computing applications: such as in cloud computing, in big data systems, and IoT devices. This demand creates larger memory capacity requirements, thereby requiring aggressive DRAM technology node scaling to reduce the cost per bit [1,2]. However, DRAM manufacturers are facing technology scaling challenges due to row hammer and refresh retention time beyond 1a-nm [2]. Row hammer is a failure mechanism, where repeatedly activating a DRAM row disturbs data in adjacent rows. Scaling down severely threatens reliability since a reduction of DRAM cell size leads to a reduction in the intrinsic row hammer tolerance [2,3]. To improve row hammer tolerance, there is a need to probabilistically activate adjacent rows with carefully sampled active addresses and to improve intrinsic row hammer tolerance [2]. In this paper, row-hammer-protection and refresh-management schemes are presented to guarantee DRAM security and reliability despite the aggressive scaling from 1a-nm to sub 10-nm nodes. The probabilistic-aggressor-tracking scheme with a refresh-management function (RFM) and per-row hammer tracking (PRHT) improve DRAM resilience. A multi-step precharge reinforces intrinsic row-hammer tolerance and a core-bias modulation improves retention time: even in the face of cell-transistor degradation due to technology scaling. This comprehensive scheme leads to a reduced probability of failure, due to row hammer attacks, by 93.1% and an improvement in retention time by 17%.

Industry's Intelligent DRAM Controllers (III)



ISSCC 2023 / SESSION 28 / HIGH-DENSITY MEMORIES

28.8 A 1.1V 16Gb DDR5 DRAM with Probabilistic-Aggressor Tracking, Refresh-Management Functionality, Per-Row Hammer Tracking, a Multi-Step Precharge, and Core-Bias Modulation for Security and Reliability Enhancement

Woongrae Kim, Chulmoon Jung, Seongnyuh Yoo, Duckhwa Hong, Jeongjin Hwang, Jungmin Yoon, Dhyong Jung, Joonwoo Choi, Sanga Hyun, Mankeun Kang, Sangho Lee, Dohong Kim, Sanghyun Ku, Donhyun Choi, Nogeun Joo, Sangwoo Yoon, Junseok Noh, Byeongyong Go, Cheolhoe Kim, Sunil Hwang, Mihyun Hwang, Seol-Min Yi, Hyungmin Kim, Sanghyuk Heo, Yeonsu Jang, Kyoungchul Jang, Shinho Chu, Yoonna Oh, Kwidong Kim, Junghyun Kim, Soohwan Kim, Jeongtae Hwang, Sangil Park, Junphyo Lee, Inchul Jeong, Joohwan Cho, Jonghwan Kim

SK hynix Semiconductor, Icheon, Korea

RowHammer Solutions in JEDEC (2024)



STANDARDS & DOCUMENTS	COMMITTEES	NEWS	EVENTS & MEETINGS	JOIN
DDR5 SDRAM		JESD79-5C	Apr 2024	
Release Number: Version 1.30				
Version 1.30				
<p>This standard defines the DDR5 SDRAM specification, including features, functionalities, AC and DC characteristics, packages, and ball/signal assignments. The purpose of this Standard is to define the minimum set of requirements for JEDEC compliant 8 Gb through 32 Gb for x4, x8, and x16 DDR5 SDRAM devices. This standard was created based on the DDR4 standards (JESD79-4) and some aspects of the DDR, DDR2, DDR3, and LPDDR4 standards (JESD79, JESD79-2, JESD79-3, and JESD209-4).</p>				
Committee(s): JC-42 , JC-42.3				

Are Solutions Good?





- Haocong Luo, Ataberk Olgun, Giray Yaglikci, Yahya Can Tugrul, Steve Rhyner, M. Banu Cavlak, Joel Lindegger, Mohammad Sadrosadati, and Onur Mutlu, **"RowPress: Amplifying Read Disturbance in Modern DRAM Chips"**

Proceedings of the 50th International Symposium on Computer Architecture (ISCA), Orlando, FL, USA, June 2023.

[[Slides \(pptx\)](#) ([pdf](#))]

[[Lightning Talk Slides \(pptx\)](#) ([pdf](#))]

[[Lightning Talk Video](#) (3 minutes)]

[[RowPress Source Code and Datasets \(Officially Artifact Evaluated with All Badges\)](#)]

***Officially artifact evaluated as available, reusable and reproducible.
Best artifact award at ISCA 2023. IEEE Micro Top Pick in 2024.***

RowPress: Amplifying Read-Disturbance in Modern DRAM Chips

Haocong Luo Ataberk Olgun A. Giray Yağlıkçı Yahya Can Tuğrul Steve Rhyner
Meryem Banu Cavlak Joël Lindegger Mohammad Sadrosadati Onur Mutlu

ETH Zürich

A Very Recent PhD Thesis

- A. Giray Yaglikci, "[Enabling Efficient and Scalable DRAM Read Disturbance Mitigation via New Experimental Insights into Modern DRAM Chips](#)," PhD Thesis, ETH Zürich, 2024.
[[Slides \(pdf\) \(pptx\)](#)]
[[Thesis arXiv \(abs\) \(pdf\)](#)]
[[SAFARI News](#)]

ENABLING EFFICIENT AND SCALABLE DRAM READ DISTURBANCE MITIGATION VIA NEW EXPERIMENTAL INSIGHTS INTO MODERN DRAM CHIPS

ABDULLAH GİRAY YAĞLIKÇI

<https://arxiv.org/pdf/2408.15044.pdf>

More to Come...

Emerging Memories Also Need Intelligent Controllers

- Benjamin C. Lee, Engin Ipek, Onur Mutlu, and Doug Burger, **"Architecting Phase Change Memory as a Scalable DRAM Alternative"** *Proceedings of the 36th International Symposium on Computer Architecture (ISCA)*, pages 2-13, Austin, TX, June 2009. [Slides \(pdf\)](#)
One of the 13 computer architecture papers of 2009 selected as Top Picks by IEEE Micro. Selected as a CACM Research Highlight. 2022 Persistent Impact Prize.

Architecting Phase Change Memory as a Scalable DRAM Alternative

Benjamin C. Lee† Engin Ipek† Onur Mutlu‡ Doug Burger†

†Computer Architecture Group
Microsoft Research
Redmond, WA
{blee, ipek, dburger}@microsoft.com

‡Computer Architecture Laboratory
Carnegie Mellon University
Pittsburgh, PA
onur@cmu.edu

Why In-Memory Computation Today?

- **Huge demand from Applications & Systems**
 - Data access bottleneck
 - Energy & power bottlenecks
 - Data movement energy dominates computation energy
 - Need all at the same time: performance, energy, sustainability
 - We can improve all metrics by minimizing data movement
- **Huge problems with Memory Technology**
 - Memory technology scaling is not going well (e.g., RowHammer)
 - Many scaling issues demand intelligence in memory
 - Emerging technologies can enable new functions in memory
- **Designs are squeezed in the middle**


Processing in Memory: Two Types

1. Processing **near** Memory
2. Processing **using** Memory



Processing-in-Memory: Two Types

Two main approaches for Processing-in-Memory:


- 1 Processing-Near-Memory:** Computation logic is added to the same die as memory or to the logic layer of 3D-stacked memory
- 2 Processing-Using-Memory:** uses the operational principles of memory cells & circuitry to perform computation




Processing-in-Memory Landscape Today




[Samsung 2021]




[Alibaba 2022]



[SK Hynix 2022]



[Samsung 2021]



[UPMEM 2019]

Processing-in-Memory Landscape Today

IEEE COMPUTER ARCHITECTURE LETTERS, VOL. 22, NO. 1, JANUARY-JUNE

Computational CXL-Memory Solution for Accelerating Memory-Intensive Applications

Joonseop Sim ^{ID}, Soohong Ahn ^{ID}, Taeyoung Ahn ^{ID},
Seungyong Lee ^{ID}, Myunghyun Rhee, Jooyoung Kim ^{ID},
Kwangsik Shin, Donguk Moon ^{ID},
Euseok Kim, and Kyoung Park ^{ID}

Abstract—CXL interface is the up-to-date technology that enables effective memory expansion by providing a memory-sharing protocol in configuring heterogeneous devices. However, its limited physical bandwidth can be a significant bottleneck for emerging data-intensive applications. In this work, we propose a novel CXL-based memory disaggregation architecture with a real-world prototype demonstration, which overcomes the bandwidth limitation of the CXL interface using near-data processing. The experimental results demonstrate that our design achieves up to $1.9\times$ better performance/power efficiency than the existing CPU system.

Index Terms—Compute express link (CXL), near-data-processing (NDP)




Fig. 6. FPGA prototype of proposed CMS card.

Processing-in-Memory Landscape Today

Samsung Processing in Memory Technology at Hot Chips 2023

By Patrick Kennedy - August 28, 2023




Samsung PIM PNM For Transformer Based AI HC35_Page_24

Opportunity: 3D-Stacked Logic+Memory



Hybrid Memory Cube
C O N S O R T I U M




Memory

Logic


Other "True 3D" technologies
under development

Tesseract System for Graph Processing


Interconnected set of 3D-stacked memory+logic chips with simple cores



Tesseract System for Graph Processing




Tesseract System for Graph Processing




Evaluated Systems

DDR3-OoO




102.4GB/s

HMC-OoO




640GB/s

HMC-MC



640GB/s


Tesseract




8TB/s

Tesseract Graph Processing Performance

>13X Performance Improvement



Tesseract Graph Processing System Energy



More on Tesseract

- Junwhan Ahn, Sungpack Hong, Sungjoo Yoo, Onur Mutlu, and Kiyoung Choi,
"A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing"
Proceedings of the 42nd International Symposium on Computer Architecture (ISCA), Portland, OR, June 2015.
[\[Slides \(pptx\) \(pdf\)\]](#) [\[Lightning Session Slides \(pptx\) \(pdf\)\]](#)
Top Picks Honorable Mention by IEEE Micro.
Selected to the ISCA-50 25-Year Retrospective Issue covering 1996-2020 in 2023 (Retrospective (pdf) Full Issue).

A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn Sungpack Hong[§] Sungjoo Yoo Onur Mutlu[†] Kiyoung Choi
junwhan@snu.ac.kr, sungpack.hong@oracle.com, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr

Seoul National University

[§]Oracle Labs

[†]Carnegie Mellon University

A Short Retrospective @ 50 Years of ISCA

Retrospective: A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn¹ Sungpack Hong[‡] Sungjoo Yoo[▽] Onur Mutlu[§] Kiyoung Choi[▽]
¹Google DeepMind [‡]Oracle Labs [§]ETH Zürich [▽]Seoul National University

Abstract—Our ISCA 2015 paper [1] provides a new programmable processing-in-memory (PIM) architecture and system design that can accelerate key data-intensive applications, with a focus on graph processing workloads. Our major idea was to completely rethink the system, including the programming model, data partitioning mechanisms, system support, instruction set architecture, along with near-memory execution units and their communication architecture, such that an important workload can be accelerated at a maximum level using a distributed system of well-connected near-memory accelerators. We built our accelerator system, Tesseract, using 3D-stacked memories with logic layers, where each logic layer contains general-purpose processing cores and each other using a message-passing programming model. Cores could be specialized for graph processing (or any other application to be accelerated).

To our knowledge, our paper was the first to completely design a near-memory accelerator system from scratch such that it is both generally programmable and specifically customizable to accelerate important applications, with a case study on major graph processing workloads. Enabling work in academia and industry showed that similar approaches to system design can greatly benefit both graph processing workloads and other applications, such as machine learning, for which ideas from Tesseract seem to have been influential.

This short retrospective provides a brief analysis of our ISCA 2015 paper and its impact. We briefly describe the major ideas and contributions of the work, discuss later works that built on it or were influenced by it, and make some educated guesses on what the future may bring on PIM and accelerator systems.

I. BACKGROUND, APPROACH & MINDSET

We started our research when 3D-stacked memories (e.g., [2–4]) were viable and seemed to have promise for building effective and practical processing-near-memory systems. Such near-memory systems could lead to improvements, but there was little to no research that examined how an accelerator could be completely (re-)designed using such near-memory technology, from its hardware architecture to its programming model and software system, and what the performance and energy benefits could be of such a re-design. We set out to answer these questions in our ISCA 2015 paper [1].

We followed several major principles to design our accelerator from the ground up. We believe these principles are still important: a major contribution and influence of our work was in putting all of these together in a cohesive full-system design and demonstrating the large performance and energy benefits that can be obtained from such a design. We see a similar approach in many modern large-scale accelerator systems in machine learning today (e.g., [5–9]). Our principles are:

1. *Near-memory execution* to enable/exploit the high data access bandwidth modern workloads (e.g., graph processing) need and to reduce data movement and access latency.

2. *General programmability* so that the system can be easily adopted, extended, and customized for many workloads.

3. *Maximal acceleration capability* to maximize the performance and energy benefits. We set ourselves free from backward compatibility and cost constraints. We aimed to completely re-design the system stack. Our goal was to explore the maximal performance and energy efficiency benefits we can gain from a near-memory accelerator if we had complete freedom to change things as much as we needed. We contrast this approach to the *minimal intrusion* approach we also explored in a separate ISCA 2015 paper [10].

4. *Customizable to specific workloads*, such that we can maximize acceleration benefits. Our focus workload was graph

analytics/processing, a key workload at the time and today. However, our design principles are not limited to graph processing and the system we built is customizable to other workloads as well, e.g., machine learning, genome analysis.

5. *Memory-capacity-proportional performance*, i.e., processing capability should proportionally grow (i.e., scale) as memory capacity increases and vice versa. This enables scaling of data-intensive workloads that need both memory and compute.

6. *Exploit new technology (3D stacking)* that enables tight integration of memory and logic and helps multiple above principles (e.g., enables customizable near-memory acceleration capability in the logic layer of a 3D-stacked memory chip).

7. *Good communication and scaling capability* to support scalability to large dataset sizes and to enable memory-capacity-proportional performance. To this end, we provided scalable communication mechanisms between execution cores and carefully interconnected small accelerator chips to form a large distributed system of accelerator chips.

8. *Maximal and efficient use of memory bandwidth* to supply the high-bandwidth data access that modern workloads need. To this end, we introduced new, specialized mechanisms for prefetching and a programming model that helps leverage application semantics for hardware optimization.

II. CONTRIBUTIONS AND INFLUENCE

We believe the major contributions of our work were 1) complete rethinking of how an accelerator system should be designed to enable maximal acceleration capability, and 2) the design and analysis of such an accelerator with this mindset and using the aforementioned principles to demonstrate its effectiveness in an important class of workloads.

One can find examples of our approach in modern large-scale machine learning (ML) accelerators, which are perhaps the most successful incarnation of scalable near-memory execution architectures. ML infrastructure today (e.g., [5–9]) consists of accelerator chips, each containing compute units and high-bandwidth memory tightly packaged together, and features scale-up capability enabled by connecting thousands of such chips with high-bandwidth interconnection links. The system-wide rethinking that was done to enable such accelerators and many of the principles used in such accelerators resemble our ISCA 2015 paper’s approach.

The “memory-capacity-proportional performance” principle we explored in the paper shares similarities with how ML workloads are scaled up today. Similar to how we carefully sharded graphs across our accelerator chips to greatly improve effective memory bandwidth in our paper, today’s ML workloads are sharded across a large number of accelerators by leveraging data/model parallelism and optimizing the placement to balance communication overheads and compute scalability [11, 12]. With the advent of large generative models requiring high memory bandwidth for fast training and inference, the scaling behavior where capacity and bandwidth are scaled together has become an essential architectural property to support modern data-intensive workloads.

The “maximal acceleration capability” principle we used in Tesseract provides much larger performance and energy improvements and better customization than the “minimalist” approach that our other ISCA 2015 paper on *PIM-Enabled Instructions* [10] explored: “minimally change” an existing

system to incorporate (near-memory) acceleration capability to ease programming and keep costs low. So far, the industry has more widely adopted the maximal approach to overcome the pressing scaling bottlenecks of major workloads. The key enabler that bridges the programmability gap between the maximal approach favoring large performance & energy benefits and the minimal approach favoring ease of programming is compilation techniques. These techniques lower well-defined high-level constructs into lower-level primitives [12, 13]; our ISCA 2015 papers [1, 10] and a follow-up work [14] explore them lightly. We believe that a good programming model that enables large benefits coupled with support for it across the entire system stack (including compilers & hardware) will continue to be important for effective near-memory system and accelerator designs [14]. We also believe that the maximal versus minimal approaches that are initially explored in our two ISCA 2015 papers is a useful way of exploring emerging technologies (e.g., near-memory accelerators) to better understand the tradeoffs of system designs that exploit such technologies.

III. INFLUENCE ON LATER WORKS

Our paper was at the beginning of a proliferation of scalable near-memory processing systems designed to accelerate key applications (see [15] for many works on the topic). Tesseract has inspired many near-memory system ideas (e.g., [16–28]) and served as the de facto comparison point for such systems, including near-memory graph processing accelerators that built on Tesseract and improved various aspects of Tesseract. Since machine learning accelerators that use high-bandwidth memory (e.g., [5, 29]) and industrial PIM prototypes (e.g., [30–41]) are now in the market, near-memory processing is no longer an “eccentric” architecture it used to be when Tesseract was originally published.

Graph processing & analytics workloads remain as an important and growing class of applications in various forms, ranging from large-scale industrial graph analysis engines (e.g., [42]) to graph neural networks [43]. Our focus on large-scale graph processing in our ISCA 2015 paper increased attention to this domain in the computer architecture community, resulting in subsequent research on efficient hardware architectures for graph processing (e.g., [44–46]).

IV. SUMMARY AND FUTURE OUTLOOK

We believe that our ISCA 2015 paper’s principled rethinking of system design to accelerate an important class of data-intensive workloads provided significant value and enabled/influenced a large body of follow-on works and ideas. We expect that such rethinking of system design for key workloads, especially with a focus on “maximal acceleration capability,” will continue to be critical as pressing technology and application scaling challenges increasingly require us to think differently to substantially improve performance and energy (as well as other metrics). We believe the principles exploited in Tesseract are fundamental and they will remain useful and likely become even more important as systems become more constrained due to the continuously-increasing memory access and computation demands of future workloads. We also project that as hardware substrates for near-memory acceleration (e.g., 3D stacking, in-DRAM computation, NVM-based PIM, processing using memory [15]) evolve and mature, systems will take advantage of them even more, likely using principles similar to those used in the design of Tesseract.

REFERENCES

- [1] J. Ahn *et al.*, “A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing,” in *ISCA*, 2015.
- [2] Hybrid Memory Cube Consortium, “HMC Specification 1.1,” 2013.
- [3] J. Jeddeloh and B. Keeth, “Hybrid Memory Cube: New DRAM Architecture Increases Density and Performance,” in *VLSIT*, 2012.
- [4] JEDEC, “High Bandwidth Memory (HBM) DRAM,” Standard No. JESD235, 2015.

- [5] N. Jouppi *et al.*, “TPU v4: An Optically Reconfigurable Supercomputer for Machine Learning with Hardware Support for Embedding,” in *ISCA*, 2023.
- [6] J. Fowers *et al.*, “A Configurable Cloud-Scale DNN Processor for Real-Time AI,” in *ISCA*, 2018.
- [7] S. Liu, “Cerebras Architecture Deep Dive: First Look Inside the Hardware/Software Co-Design for Deep Learning,” in *IEEE Micro*, 2023.
- [8] E. Talpes *et al.*, “The Microarchitectural Design of Dora, Tesla’s Exa-Scale Computer,” in *IEEE Micro*, 2023.
- [9] A. Ishii and R. Wells, “NVLink-Network Switch - NVIDIA’s Switch Chip for High Communication-Bandwidth SuperPODs,” in *Hot Chips*, 2022.
- [10] J. Ahn *et al.*, “PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture,” in *ISCA*, 2015.
- [11] R. Pope *et al.*, “Efficiently Scaling Transformer Inference,” in *MLSys*, 2023.
- [12] D. Lepikhin *et al.*, “GShard: Scaling Giant Models with Conditional Computation and Automatic Sharding,” in *ICLR*, 2021.
- [13] S. Wang *et al.*, “Overlap Communication with Dependent Computation via Decomposition in Large Deep Learning Models,” in *ASPLOS*, 2023.
- [14] J. Ahn *et al.*, “AIM: Energy-Efficient Aggregation Inside the Memory Hierarchy,” *ACM TACD*, vol. 13, no. 4, 2016.
- [15] O. Mutlu *et al.*, “A Modern Primer on Processing in Memory,” *Emerging Computing: From Devices to Systems*, 2021, <https://arxiv.org/abs/2012.03192>.
- [16] M. Zhang *et al.*, “GraphR: Reducing Communication for PIM-Based Graph Processing with Efficient Data Partitioning,” in *HPCA*, 2018.
- [17] L. Song, “GraphR: Accelerating Graph Processing Using ReRAM,” in *HPD*, 2018.
- [18] Z. Zhuo *et al.*, “GraphQ: Scalable PIM-Based Graph Processing,” in *MICRO*, 2019.
- [19] G. Dai *et al.*, “GraphH: An In-Processing-in-Memory Architecture for Large-Scale Graph Processing,” in *IEEE TCAD*, 2018.
- [20] G. Li *et al.*, “GraphIA: An In-Situ Accelerator for Large-Scale Graph Processing,” in *MEMSYS*, 2018.
- [21] S. Rheindt *et al.*, “NEMESIS: Near-Memory Graph Copy Enhanced System Software,” in *MEMSYS*, 2019.
- [22] L. Belayneh and V. Bertacco, “GraphVine: Exploiting Multicast for Scalable Graph Analytics,” in *DATE*, 2020.
- [23] N. Challapalle *et al.*, “Gauss-X: Graph Analytics Accelerator Supporting Sparse Data Representation using Crossbar Architectures,” in *ISCA*, 2020.
- [24] M. Zhou *et al.*, “Ultra Efficient Accelerator for De Novo Genome Assembly,” in *IEEE TCAD*, 2018.
- [25] X. Xie *et al.*, “SpaceA: Sparse Matrix Vector Multiplication on Processing-in-Memory Accelerator,” in *HPCA*, 2021.
- [26] M. Zhou *et al.*, “HyGraph: Accelerating Graph Processing with Hybrid Memory-Centric Computing,” in *HPCA*, 2022.
- [27] M. Lenjani *et al.*, “Gearbox: A Case for Supporting Accumulation Dispatching and Hybrid Partitioning in PIM-based Accelerators,” in *ISCA*, 2022.
- [28] M. Orenes-Vera *et al.*, “Dalorex: A Data-Local Program Execution and Architecture for Memory-Bound Applications,” in *HPCA*, 2023.
- [29] J. Choquette, “Nvidia Hopper GPU: Scaling Performance,” in *Hot Chips*, 2022.
- [30] F. Devaux, “The True Processing In-Memory Accelerator,” in *Hot Chips*, 2019.
- [31] J. Gómez-Luna *et al.*, “Benchmarking a New Paradigm: Experimental Analysis and Characterization of a Real Processing-in-Memory System,” *IEEE Access*, 2022.
- [32] J. Gomez-Luna *et al.*, “Evaluating Machine Learning Workloads on Memory-Centric Computing Systems,” in *ISPASS*, 2023.
- [33] S. Lee *et al.*, “Hardware Architecture and Software Stack for PIM Based on Commercial DRAM Technology: Industrial Product,” in *ISCA*, 2021.
- [34] Y.-C. Kwon *et al.*, “25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2, with a 1.2 TOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications,” in *ISSCC*, 2021.
- [35] L. Ke *et al.*, “Near-Memory Processing in Action: Accelerating Personalized Recommendation with AxDIMM,” in *IEEE Micro*, 2021.
- [36] D. Lee *et al.*, “Improving In-Memory Database Operations with Accelerated DIMM (AxDIMM),” in *DaMoN*, 2022.
- [37] S. Lee *et al.*, “A 1nm In-Memory 125V R6B, 16Gb/s/bin GDDR6-based Accelerator-in-Memory supporting ITFLops MAC Operation and Various Activation Functions for Deep-Learning Applications,” in *ISSCC*, 2022.
- [38] D. Niu *et al.*, “184QPS/W 64Mb/m² 3D Logic-to-DRAM Hybrid Bonding with Process-Near-Memory Engine for Recommendation System,” in *ISSCC*, 2022.
- [39] Y. Kwon, “System Architecture and Software Stack for GDDR6-AIM,” in *Hot Chips*, 2022.
- [40] G. Singh *et al.*, “FPGA-based Near-Memory Acceleration of Modern Data-Intensive Applications,” *IEEE Micro*, 2021.
- [41] G. Singh *et al.*, “Accelerating Weight Prediction using Near-Memory Reconfigurable Fabric,” *ACM TACD*, 2021.
- [42] S. Hong *et al.*, “PGX-D: A Fast Distributed Graph Processing Engine,” in *SC*, 2015.
- [43] T. N. Kipf and M. Welling, “Semi-Supervised Classification with Graph Convolutional Networks,” in *ICLR*, 2017.
- [44] L. Nai *et al.*, “GraphPIM: Enabling Instruction-Level PIM Offloading in Graph Computing Frameworks,” in *HPCA*, 2017.
- [45] M. Besta *et al.*, “NISA: Set-Centric Instruction Set Architecture for Graph Mining on Processing-in-Memory Systems,” in *MICRO*, 2021.
- [46] T. J. Ham *et al.*, “Graphicionado: A High-Performance and Energy-Efficient Accelerator for Graph Analytics,” in *MICRO*, 2016.

Accelerating Graph Pattern Mining

- Maciej Besta, Raghavendra Kanakagiri, Grzegorz Kwasniewski, Rachata Ausavarungnirun, Jakub Beránek, Konstantinos Kanellopoulos, Kacper Janda, Zur Vonarburg-Shmaria, Lukas Gianinazzi, Ioana Stefan, Juan Gómez-Luna, Marcin Copik, Lukas Kapp-Schwoerer, Salvatore Di Girolamo, Nils Blach, Marek Konieczny, Onur Mutlu, and Torsten Hoefler,

"SISA: Set-Centric Instruction Set Architecture for Graph Mining on Processing-in-Memory Systems"

Proceedings of the [54th International Symposium on Microarchitecture \(MICRO\)](#), Virtual, October 2021.

[[Slides \(pdf\)](#)]

[[Talk Video](#) (22 minutes)]

[[Lightning Talk Video](#) (1.5 minutes)]

[[Full arXiv version](#)]

SISA: Set-Centric Instruction Set Architecture for Graph Mining on Processing-in-Memory Systems

Maciej Besta¹, Raghavendra Kanakagiri², Grzegorz Kwasniewski¹, Rachata Ausavarungnirun³, Jakub Beránek⁴, Konstantinos Kanellopoulos¹, Kacper Janda⁵, Zur Vonarburg-Shmaria¹, Lukas Gianinazzi¹, Ioana Stefan¹, Juan Gómez-Luna¹, Marcin Copik¹, Lukas Kapp-Schwoerer¹, Salvatore Di Girolamo¹, Nils Blach¹, Marek Konieczny⁵, Onur Mutlu¹, Torsten Hoefler¹

¹ETH Zurich, Switzerland
Thailand

²IIT Tirupati, India

³King Mongkut's University of Technology North Bangkok,

⁴Technical University of Ostrava, Czech Republic

⁵AGH-UST, Poland

Accelerating Neural Network Inference

- Amirali Boroumand, Saugata Ghose, Berkin Akin, Ravi Narayanaswami, Geraldo F. Oliveira, Xiaoyu Ma, Eric Shiu, and Onur Mutlu,
"Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks"
Proceedings of the 30th International Conference on Parallel Architectures and Compilation Techniques (PACT), Virtual, September 2021.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#) (14 minutes)]

Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand^{†◇}

Saugata Ghose[‡]

Berkin Akin[§]

Ravi Narayanaswami[§]

Geraldo F. Oliveira^{*}

Xiaoyu Ma[§]

Eric Shiu[§]

Onur Mutlu^{*†}

[†]*Carnegie Mellon Univ.*

[◇]*Stanford Univ.*

[‡]*Univ. of Illinois Urbana-Champaign*

[§]*Google*

^{*}*ETH Zürich*

Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand

Saugata Ghose

Berkin Akin

Ravi Narayanaswami

Geraldo F. Oliveira

Xiaoyu Ma

Eric Shiu

Onur Mutlu

PACT 2021

SAFARI

Carnegie Mellon



UNIVERSITY OF
ILLINOIS
URBANA-CHAMPAIGN



ETH zürich

Executive Summary

Context: We extensively analyze a state-of-the-art edge ML accelerator (Google Edge TPU) using 24 Google edge models

- Wide range of models (CNNs, LSTMs, Transducers, RCNNs)

Problem: The Edge TPU accelerator suffers from **three challenges:**

- It operates **significantly below** its peak throughput
- It operates **significantly below** its theoretical energy efficiency
- It **inefficiently** handles memory accesses

Key Insight: These shortcomings arise from **the monolithic design** of the Edge TPU accelerator

- The Edge TPU accelerator design does not account for **layer heterogeneity**

Key Mechanism: A new framework called **Mensa**


- Mensa consists of heterogeneous accelerators whose dataflow and hardware are specialized for specific families of layers

Key Results: We design a version of Mensa for Google edge ML models

- Mensa improves performance and energy by **3.0X** and **3.1X**
- Mensa reduces cost and improves area efficiency


Google Edge Neural Network Models

We analyze inference execution using 24 edge NN models



Diversity Across the Models



Insight 1: there is **significant variation** in terms of layer characteristics **across the models**



Diversity Within the Models

Insight 2: even **within** each model, layers exhibit **significant variation** in terms of layer characteristics

For example, our analysis of edge **CNN** models shows:





Variation in **MAC intensity**: up to **200x** across layers

Variation in **FLOP/Byte**: up to **244x** across layers









Mensa High-Level Overview

Edge TPU Accelerator



Monolithic Accelerator

Mensa



Acc. 1


Acc. 2

Acc. 3

Heterogeneous Accelerators

Identifying Layer Families

Key observation: the majority of layers group into a small number of layer families




Families 1 & 2: low parameter footprint, high data reuse and **MAC** intensity
→ compute-centric layers

Families 3, 4 & 5: high parameter footprint, low data reuse and **MAC** intensity
→ data-centric layers


Mensa: Energy Reduction

■ Total Static ■ PE ■ Param Buffer+NoC
■ Act Buffer+NoC ■ Off-chip Interconnect ■ DRAM



Mensa-G reduces energy consumption by **3.0X** compared to the baseline Edge TPU

Mensa: Throughput Improvement



Mensa-G improves inference throughput by 3.1X
compared to the baseline Edge TPU

Mensa: Highly-Efficient ML Inference

- Amirali Boroumand, Saugata Ghose, Berkin Akin, Ravi Narayanaswami, Geraldo F. Oliveira, Xiaoyu Ma, Eric Shiu, and Onur Mutlu,
"Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks"
Proceedings of the 30th International Conference on Parallel Architectures and Compilation Techniques (PACT), Virtual, September 2021.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#) (14 minutes)]

Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand^{†◇}

Saugata Ghose[‡]

Berkin Akin[§]

Ravi Narayanaswami[§]

Geraldo F. Oliveira^{*}

Xiaoyu Ma[§]

Eric Shiu[§]

Onur Mutlu^{*†}

[†]*Carnegie Mellon Univ.*

[◇]*Stanford Univ.*

[‡]*Univ. of Illinois Urbana-Champaign*

[§]*Google*

^{*}*ETH Zürich*

Accelerating Mobile Workloads with PIM

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu,

"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"

Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS), Williamsburg, VA, USA, March 2018.

[[Slides \(pptx\) \(pdf\)](#)] [[Lightning Session Slides \(pptx\) \(pdf\)](#)] [[Poster \(pptx\) \(pdf\)](#)]

[[Lightning Talk Video](#) (2 minutes)]

[[Full Talk Video](#) (21 minutes)]

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand¹

Saugata Ghose¹

Youngsok Kim²

Rachata Ausavarungnirun¹

Eric Shiu³

Rahul Thakur³

Daehyun Kim^{4,3}

Aki Kuusela³

Allan Knies³

Parthasarathy Ranganathan³

Onur Mutlu^{5,1}

Accelerating DNA Read Mapping

- Jeremie S. Kim, Damla Senol Cali, Hongyi Xin, Donghyuk Lee, Saugata Ghose, Mohammed Alser, Hasan Hassan, Oguz Ergin, Can Alkan, and Onur Mutlu,
["GRIM-Filter: Fast Seed Location Filtering in DNA Read Mapping Using Processing-in-Memory Technologies"](#)
BMC Genomics, 2018.
Proceedings of the 16th Asia Pacific Bioinformatics Conference (APBC), Yokohama, Japan, January 2018.
[[Slides \(pptx\) \(pdf\)](#)]
[[Source Code](#)]
[[arxiv.org Version \(pdf\)](#)]
[[Talk Video at AACBB 2019](#)]

GRIM-Filter: Fast seed location filtering in DNA read mapping using processing-in-memory technologies

Jeremie S. Kim^{1,6*}, Damla Senol Cali¹, Hongyi Xin², Donghyuk Lee³, Saugata Ghose¹, Mohammed Alser⁴, Hasan Hassan⁶, Oguz Ergin⁵, Can Alkan^{4*} and Onur Mutlu^{6,1*}

In-Storage Genomic Data Filtering [ASPLOS 2022]

- Nika Mansouri Ghiasi, Jisung Park, Harun Mustafa, Jeremie Kim, Ataberk Olgun, Arvid Gollwitzer, Damla Senol Cali, Can Firtina, Haiyu Mao, Nour Almadhoun Alserr, Rachata Ausavarungnirun, Nandita Vijaykumar, Mohammed Alser, and Onur Mutlu, **"GenStore: A High-Performance and Energy-Efficient In-Storage Computing System for Genome Sequence Analysis"**
Proceedings of the 27th International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS), Virtual, February-March 2022.
[[Lightning Talk Slides \(pptx\)](#)] ([pdf](#))
[[Lightning Talk Video](#) (90 seconds)]

GenStore: A High-Performance In-Storage Processing System for Genome Sequence Analysis

Nika Mansouri Ghiasi¹ Jisung Park¹ Harun Mustafa¹ Jeremie Kim¹ Ataberk Olgun¹
Arvid Gollwitzer¹ Damla Senol Cali² Can Firtina¹ Haiyu Mao¹ Nour Almadhoun Alserr¹
Rachata Ausavarungnirun³ Nandita Vijaykumar⁴ Mohammed Alser¹ Onur Mutlu¹

¹ETH Zürich ²Bionano Genomics ³KMUTNB ⁴University of Toronto

In-Storage Metagenomics [ISCA 2024]

- Nika Mansouri Ghiasi, Mohammad Sadrosadati, Harun Mustafa, Arvid Gollwitzer, Can Firtina, Julien Eudine, Haiyu Mao, Joel Lindegger, Meryem Banu Cavlak, Mohammed Alser, Jisung Park, and Onur Mutlu,

"MegIS: High-Performance and Low-Cost Metagenomic Analysis with In-Storage Processing"

Proceedings of the 51st Annual International Symposium on Computer Architecture (ISCA), Buenos Aires, Argentina, July 2024.

[[Slides \(pptx\)](#)] [[pdf](#)]

[[arXiv version](#)]

MegIS: High-Performance, Energy-Efficient, and Low-Cost Metagenomic Analysis with In-Storage Processing

Nika Mansouri Ghiasi¹ Mohammad Sadrosadati¹ Harun Mustafa¹ Arvid Gollwitzer¹
Can Firtina¹ Julien Eudine¹ Haiyu Mao¹ Joël Lindegger¹ Meryem Banu Cavlak¹
Mohammed Alser¹ Jisung Park² Onur Mutlu¹
¹ETH Zürich ²POSTECH

Many More Examples ...

A Modern Primer on Processing in Memory

Onur Mutlu^{a,b}, Saugata Ghose^{b,c}, Juan Gómez-Luna^a, Rachata Ausavarungnirun^d

SAFARI Research Group

^a*ETH Zürich*

^b*Carnegie Mellon University*

^c*University of Illinois at Urbana-Champaign*

^d*King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,

"A Modern Primer on Processing in Memory"

*Invited Book Chapter in **Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann**, Springer, to be published in 2021.*

Processing in Memory: Two Types

1. Processing **near** Memory
2. Processing **using** Memory

Processing using DRAM

- We can natively support
 - Bulk bitwise AND, OR, NOT, MAJ, NOR, NAND
 - Bulk bitwise COPY and INIT/ZERO
 - True Random Number Generation; Physical Unclonable Functions
 - More complex computation using Lookup Tables
- At low cost
- Using analog computation capability of DRAM
 - Idea: activating (multiple) rows performs computation
 - Even in commodity off-the-shelf DRAM chips!
- **30X-257X performance and energy improvements**

Seshadri+, "RowClone: Fast and Efficient In-DRAM Copy and Initialization of Bulk Data," MICRO 2013.

Seshadri+, "Fast Bulk Bitwise AND and OR in DRAM", IEEE CAL 2015.


Seshadri+, "Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology," MICRO 2017.

Hajinazar+, "SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM," ASPLOS 2021.

Oliveira+, "MIMDRAM: An End-to-End Processing-Using-DRAM System for High-Throughput, Energy-Efficient and Programmer-Transparent Multiple-Instruction Multiple-Data Processing," HPCA 2024.

Starting Simple: Data Copy and Initialization


memmove & memcpy: 5% cycles in Google's datacenter [Kanev+ ISCA'15]



Forking




**Zero initialization
(e.g., security)**



Checkpointing




**VM Cloning
Deduplication**



Page Migration

•••
Many more

Future Systems: In-Memory Copy




1046ns, 3.6uJ → 90ns, 0.04uJ


RowClone: In-DRAM Row Copy

Idea: Two consecutive ACTivates

Negligible HW cost



RowClone: Latency and Energy Savings



Seshadri et al., "RowClone: Fast and Efficient In-DRAM Copy and Initialization of Bulk Data," MICRO 2013.

More on RowClone

- Vivek Seshadri, Yoongu Kim, Chris Fallin, Donghyuk Lee, Rachata Ausavarungnirun, Gennady Pekhimenko, Yixin Luo, Onur Mutlu, Michael A. Kozuch, Phillip B. Gibbons, and Todd C. Mowry,
["RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization"](#)
Proceedings of the [46th International Symposium on Microarchitecture \(MICRO\)](#), Davis, CA, December 2013. [[Slides \(pptx\)](#)] [[pdf](#)] [[Lightning Session Slides \(pptx\)](#)] [[pdf](#)] [[Poster \(pptx\)](#)] [[pdf](#)]

RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization


Vivek Seshadri Yoongu Kim Chris Fallin* Donghyuk Lee
vseshadr@cs.cmu.edu yoongukim@cmu.edu cfallin@c1f.net donghyuk1@cmu.edu

Rachata Ausavarungnirun Gennady Pekhimenko Yixin Luo
rachata@cmu.edu gpekhime@cs.cmu.edu yixinluo@andrew.cmu.edu

Onur Mutlu Phillip B. Gibbons† Michael A. Kozuch† Todd C. Mowry
onur@cmu.edu phillip.b.gibbons@intel.com michael.a.kozuch@intel.com tcm@cs.cmu.edu

Carnegie Mellon University †Intel Pittsburgh


In-DRAM AND/OR: Triple Row Activation



Final State
 $AB + BC + AC$

$C(A + B) +$
 $\sim C(AB)$

Bulk Bitwise Operations in Workloads



In-DRAM Acceleration of Database Queries

`'select count(*) from T where c1 <= val <= c2'`




Figure 11: Speedup offered by Ambit over baseline CPU with SIMD for BitWeaving

Seshadri+, "Ambit: In-Memory Accelerator for Bulk Bitwise Operations using Commodity DRAM Technology," MICRO 2017.

More on Ambit

- Vivek Seshadri, Donghyuk Lee, Thomas Mullins, Hasan Hassan, Amirali Boroumand, Jeremie Kim, Michael A. Kozuch, Onur Mutlu, Phillip B. Gibbons, and Todd C. Mowry,
["Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology"](#)
Proceedings of the [50th International Symposium on Microarchitecture \(MICRO\)](#), Boston, MA, USA, October 2017.
[\[Slides \(pptx\) \(pdf\)\]](#) [\[Lightning Session Slides \(pptx\) \(pdf\)\]](#) [\[Poster \(pptx\) \(pdf\)\]](#)

Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology

Vivek Seshadri^{1,5} Donghyuk Lee^{2,5} Thomas Mullins^{3,5} Hasan Hassan⁴ Amirali Boroumand⁵
Jeremie Kim^{4,5} Michael A. Kozuch³ Onur Mutlu^{4,5} Phillip B. Gibbons⁵ Todd C. Mowry⁵

¹Microsoft Research India ²NVIDIA Research ³Intel ⁴ETH Zürich ⁵Carnegie Mellon University

SIMDRAM Framework

- Nastaran Hajinazar, Geraldo F. Oliveira, Sven Gregorio, Joao Dinis Ferreira, Nika Mansouri Ghiasi, Minesh Patel, Mohammed Alser, Saugata Ghose, Juan Gomez-Luna, and Onur Mutlu, **["SIMDRAM: An End-to-End Framework for Bit-Serial SIMD Computing in DRAM"](#)** *Proceedings of the 26th International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS)*, Virtual, March-April 2021.
[[2-page Extended Abstract](#)]
[[Short Talk Slides \(pptx\)](#) ([pdf](#))]
[[Talk Slides \(pptx\)](#) ([pdf](#))]
[[Short Talk Video](#) (5 mins)]
[[Full Talk Video](#) (27 mins)]

SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM

*Nastaran Hajinazar^{1,2}

Nika Mansouri Ghiasi¹

*Geraldo F. Oliveira¹

Minesh Patel¹

Juan Gómez-Luna¹

Sven Gregorio¹

Mohammed Alser¹

Onur Mutlu¹

João Dinis Ferreira¹



Saugata Ghose³

¹ETH Zürich

²Simon Fraser University

³University of Illinois at Urbana–Champaign

SIMDRAM Framework: Overview



SIMDRAM Key Results

Evaluated on:

- 16 complex in-DRAM operations
- 7 commonly-used real-world applications

SIMDRAM provides:

- **88×** and **5.8×** the **throughput** of a **CPU** and a **high-end GPU**, respectively, over **16 operations**
- **257×** and **31×** the **energy efficiency** of a **CPU** and a **high-end GPU**, respectively, over **16 operations**
- **21×** and **2.1×** the **performance** of a **CPU** and a **high-end GPU**, over **seven real-world applications**

SAFARI

More on SIMD RAM

- Nastaran Hajinazar, Geraldo F. Oliveira, Sven Gregorio, Joao Dinis Ferreira, Nika Mansouri Ghiasi, Minesh Patel, Mohammed Alser, Saugata Ghose, Juan Gomez-Luna, and Onur Mutlu, "[SIMDRAM: An End-to-End Framework for Bit-Serial SIMD Computing in DRAM](#)" *Proceedings of the 26th International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS)*, Virtual, March-April 2021.
[[2-page Extended Abstract](#)]
[[Short Talk Slides \(pptx\)](#) ([pdf](#))]
[[Talk Slides \(pptx\)](#) ([pdf](#))]
[[Short Talk Video](#) (5 mins)]
[[Full Talk Video](#) (27 mins)]

SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM

*Nastaran Hajinazar^{1,2}

Nika Mansouri Ghiasi¹

*Geraldo F. Oliveira¹

Minesh Patel¹

Juan Gómez-Luna¹

Sven Gregorio¹

Mohammed Alser¹

Onur Mutlu¹

João Dinis Ferreira¹

Saugata Ghose³

¹ETH Zürich

²Simon Fraser University

³University of Illinois at Urbana–Champaign

MIMDRAM: More Flexible Processing using DRAM

- **Appears at HPCA 2024** <https://arxiv.org/pdf/2402.19080.pdf>

MIMDRAM: An End-to-End Processing-Using-DRAM System for High-Throughput, Energy-Efficient and Programmer-Transparent Multiple-Instruction Multiple-Data Computing

Geraldo F. Oliveira[†] Ataberk Olgun[†] Abdullah Giray Yağlıkçı[†] F. Nisa Bostancı[†]
Juan Gómez-Luna[†] Saugata Ghose[‡] Onur Mutlu[†]


[†] *ETH Zürich*

[‡] *Univ. of Illinois Urbana-Champaign*

Our goal is to design a flexible PUD system that overcomes the limitations caused by the large and rigid granularity of PUD. To this end, we propose MIMDRAM, a hardware/software co-designed PUD system that introduces new mechanisms to allocate and control only the necessary resources for a given PUD operation. The key idea of MIMDRAM is to leverage fine-grained DRAM (i.e., the ability to independently access smaller segments of a large DRAM row) for PUD computation. MIMDRAM exploits this key idea to enable a multiple-instruction multiple-data (MIMD) execution model in each DRAM subarray (and SIMD execution within each DRAM row segment).

MIMDRAM: Key Idea (I)

DRAM's hierarchical organization can enable fine-grained access



Key Issue:

on a DRAM access, the global wordline propagates across all DRAM mats




Fine-Grained DRAM:

segments the global wordline to access individual DRAM mats

MIMDRAM: Key Idea (II)

Fine-Grained DRAM:

segments the global wordline to access **individual** DRAM mats



Fine-grained DRAM for energy-efficient DRAM access:

[Cooper-Balis+, 2010]: Fine-Grained Activation for Power Reduction in DRAM

[Udipi+, 2010]: Rethinking DRAM Design and Organization for Energy-Constrained Multi-Cores

[Zhang+, 2014]: Half-DRAM

[Ha+, 2016]: Improving Energy Efficiency of DRAM by Exploiting Half Page Row Access

[O'Connor+, 2017]: Fine-Grained DRAM

[Olgun+, 2024]: Sectored DRAM


Sectored DRAM

- Ataberk Olgun, F. Nisa Bostanci, Geraldo F. Oliveira, Yahya Can Tugrul, Rahul Bera, A. Giray Yaglikci, Hasan Hassan, Oguz Ergin, and Onur Mutlu, **"Sectored DRAM: A Practical Energy-Efficient and High-Performance Fine-Grained DRAM Architecture"**
ACM Transactions on Architecture and Code Optimization (TACO),
[online] June 2024.
[[arXiv version](#)]
[[ACM Digital Library version](#)]

Sectored DRAM: A Practical Energy-Efficient and High-Performance Fine-Grained DRAM Architecture

Ataberk Olgun[§] F. Nisa Bostanci^{§†} Geraldo F. Oliveira[§] Yahya Can Tuğrul^{§†} Rahul Bera[§]
A. Giray Yağlıkçı[§] Hasan Hassan[§] Oğuz Ergin[†] Onur Mutlu[§]

MIMDRAM: Key Idea (III)




Fine-grained DRAM for processing-using-DRAM:

1 Improves SIMD utilization

- for a single PUD operation, only access the DRAM mats with target data

MIMDRAM: Key Idea (III)




Fine-grained DRAM for processing-using-DRAM:

1 Improves SIMD utilization

- for a single PUD operation, only access the DRAM mats with target data
 - for multiple PUD operations, execute independent operations concurrently
- **multiple instruction, multiple data (MIMD) execution model**

MIMDRAM: Key Idea (III)



Fine-grained DRAM for processing-using-DRAM:


1 Improves SIMD utilization

- for a single PUD operation, only access the DRAM mats with target data
- for multiple PUD operations, execute independent operations concurrently
→ **multiple instruction, multiple data (MIMD) execution model**

2 Enables low-cost interconnects for vector reduction

- global and local data buses can be used for inter-/intra-mat communication

MIMDRAM: Key Idea (III)



Fine-grained DRAM for processing-using-DRAM:

1 Improves SIMD utilization

- for a single PUD operation, only access the DRAM mats with target data
- for multiple PUD operations, execute independent operations concurrently
→ **multiple instruction, multiple data (MIMD) execution model**

2 Enables low-cost interconnects for vector reduction

- global and local data buses can be used for inter-/intra-mat communication

3 Eases programmability

- SIMD parallelism in a DRAM mat is on par with vector ISAs' SIMD width


MIMDRAM: Compiler Support (I)

Goal

Transparently:
extract SIMD parallelism from an application, and
schedule PUD instructions while maximizing utilization



Three new LLVM-based passes targeting PUD execution



MIMDRAM: Compiler Support (II)

code identification

source code


```
for(i; i<1024;i++)  
{  
  C[i]=A[i]+B[i];  
  F[i]=D[i]*E[i];  
  G[i]=C[i]-F[i];  
}  
for(){}
```

loop auto-vectorization


```
%1=load<1024 x i32*> %A  
...  
%3=add<1024 x i32> %1,%2  
store %3,<1024 x i32*> %C  
...  
%6=mul<1024 x i32> %4,%5  
...  
%7=sub<1024 x i32> %3,%6  
...
```

code scheduling & data mapping

DDG



scheduling




code generation

final binary

```
*A=pim_malloc(s,mat_i)  
*D=pim_malloc(s,mat_j)  
*t=pim_malloc(s,mat_i)  
...  
bbop_add(C,A,B,mat_i)  
bbop_mul(F,D,E,mat_j)  
bbop_mov(t,F)  
bbop_sub(G,C,t,mat_i)
```

Goal Identify SIMD parallelism, generate PUD instructions, and set the appropriate vectorization factor


MIMDRAM: Compiler Support (II)



Goal Identify SIMD parallelism, generate PUD instructions, and set the appropriate vectorization factor

Goal Improve SIMD utilization by allowing the distribution of independent PUD instructions across DRAM mats

MIMDRAM: Compiler Support (III)




Goal Identify SIMD parallelism, generate PUD instructions, and set the appropriate vectorization factor

Goal Improve SIMD utilization by allowing the distribution of independent PUD instructions across DRAM mats

Goal Generate the appropriate binary for data allocation and PUD instructions

MIMDRAM Perf, Energy, Perf/Watt



582X and 13,612X the energy efficiency of CPU and GPU, respectively

Capabilities of Off-The-Shelf Memory

Existing DRAM Chips

Are Already Quite Capable

Real Processing Using Memory Prototype

- End-to-end RowClone & TRNG using off-the-shelf DRAM chips
- Idea: Violate DRAM timing parameters to mimic RowClone

PiDRAM: A Holistic End-to-end FPGA-based Framework for Processing-in-DRAM

Ataberk Olgun^{§†}

Juan Gómez Luna[§]

Konstantinos Kanellopoulos[§]

Behzad Salami^{§*}

Hasan Hassan[§]

Oğuz Ergin[†]

Onur Mutlu[§]

§ETH Zürich

†TOBB ETÜ


*BSC

<https://arxiv.org/pdf/2111.00082.pdf>

<https://github.com/cmu-safari/pidram>

<https://www.youtube.com/watch?v=qeukNs5XI3g&t=4192s>

Real Processing-using-Memory Prototype



<https://arxiv.org/pdf/2111.00082.pdf>

<https://github.com/cmu-safari/pidram>

<https://www.youtube.com/watch?v=qeukNs5XI3g&t=4192s>

Real Processing-using-Memory Prototype

☰ README.md ✎

Building a PiDRAM Prototype

To build PiDRAM's prototype on Xilinx ZC706 boards, developers need to use the two sub-projects in this directory. `fpga-zynq` is a repository branched off of [UCB-BAR's fpga-zynq](#) repository. We use `fpga-zynq` to generate rocket chip designs that support end-to-end DRAM PuM execution. `controller-hardware` is where we keep the main Vivado project and Verilog sources for PiDRAM's memory controller and the top level system design.

Rebuilding Steps

1. Navigate into `fpga-zynq` and read the README file to understand the overall workflow of the repository
 - Follow the readme in `fpga-zynq/rocket-chip/riscv-tools` to install dependencies
2. Create the Verilog source of the rocket chip design using the `ZynqCopyFPGAConfig`
 - Navigate into `zc706`, then run `make rocket CONFIG=ZynqCopyFPGAConfig -j<number of cores>`
3. Copy the generated Verilog file (should be under `zc706/src`) and overwrite the same file in `controller-hardware/source/hdl/impl/rocket-chip`
4. Open the Vivado project in `controller-hardware/Vivado_Project` using Vivado 2016.2
5. Generate a bitstream
6. Copy the bitstream (`system_top.bit`) to `fpga-zynq/zc706`
7. Use the `./build_script.sh` to generate the new `boot.bin` under `fpga-images-zc706`, you can use this file to program the FPGA using the SD-Card
 - For details, follow the relevant instructions in `fpga-zynq/README.md`

You can run programs compiled with the RISC-V Toolchain supplied within the `fpga-zynq` repository. To install the toolchain, follow the instructions under `fpga-zynq/rocket-chip/riscv-tools`.

Generating DDR3 Controller IP sources

We cannot provide the sources for the Xilinx PHY IP we use in PiDRAM's memory controller due to licensing issues. We describe here how to regenerate them using Vivado 2016.2. First, you need to generate the IP RTL files:


- 1- Open IP Catalog
- 2- Find "Memory Interface Generator (MIG 7 Series)" IP and double click

<https://arxiv.org/pdf/2111.00082.pdf>

<https://github.com/cmu-safari/pidram>

<https://www.youtube.com/watch?v=qeukNs5XI3g&t=4192s>

Microbenchmark Copy/Initialization Throughput



**In-DRAM Copy and Initialization
improve throughput by 119x and 89x**

More on PiDRAM

- Ataberk Olgun, Juan Gomez Luna, Konstantinos Kanellopoulos, Behzad Salami, Hasan Hassan, Oguz Ergin, and Onur Mutlu,
["PiDRAM: A Holistic End-to-end FPGA-based Framework for Processing-in-DRAM"](#)
ACM Transactions on Architecture and Code Optimization (TACO), March 2023.
[\[arXiv version\]](#)
Presented at the [18th HiPEAC Conference](#), Toulouse, France, January 2023.
[\[Slides \(pptx\) \(pdf\)\]](#)
[\[Longer Lecture Slides \(pptx\) \(pdf\)\]](#)
[\[Lecture Video \(40 minutes\)\]](#)
[\[PiDRAM Source Code\]](#)

PiDRAM: A Holistic End-to-end FPGA-based Framework for Processing-in-DRAM

Ataberk Olgun[§] Juan Gómez Luna[§] Konstantinos Kanellopoulos[§] Behzad Salami[§]
Hasan Hassan[§] Oğuz Ergin[†] Onur Mutlu[§]

[§]*ETH Zürich*

[†]*TOBB University of Economics and Technology*

DRAM Chips Are Already (Quite) Capable!

- **Appears at HPCA 2024** <https://arxiv.org/pdf/2402.18736.pdf>

Functionally-Complete Boolean Logic in Real DRAM Chips: Experimental Characterization and Analysis

İsmail Emir Yüksel Yahya Can Tuğrul Ataberk Olgun F. Nisa Bostancı A. Giray Yağlıkçı
Geraldo F. Oliveira Haocong Luo Juan Gómez-Luna Mohammad Sadrosadati Onur Mutlu

ETH Zürich

We experimentally demonstrate that COTS DRAM chips are capable of performing 1) functionally-complete Boolean operations: NOT, NAND, and NOR and 2) many-input (i.e., more than two-input) AND and OR operations. We present an extensive characterization of new bulk bitwise operations in 256 off-the-shelf modern DDR4 DRAM chips. We evaluate the reliability of these operations using a metric called success rate: the fraction of correctly performed bitwise operations. Among our 19 new observations, we highlight four major results. First, we can perform the NOT operation on COTS DRAM chips with 98.37% success rate on average. Second, we can perform up to 16-input NAND, NOR, AND, and OR operations on COTS DRAM chips with high reliability (e.g., 16-input NAND, NOR, AND, and OR with average success rate of 94.94%, 95.87%, 94.94%, and 95.85%, respectively). Third, data pattern only slightly

The Capability of COTS DRAM Chips

We demonstrate that COTS DRAM chips:

1 Can copy one row into up to 31 other rows with >99.98% success rate


2 Can perform **NOT operation** with up to **32 output operands**

3 Can perform up to **16-input AND, NAND, OR, and NOR operations**


In-DRAM Multiple Row Copy (Multi-RowCopy)

Simultaneously activate many rows to copy **one row's content** to **multiple destination rows**

RowClone




Multi-RowCopy




Key Idea: NOT Operation

Connect rows in neighboring subarrays through a **NOT gate** by consecutively activating rows




Key Idea: NAND, NOR, AND, OR

Manipulate the bitline voltage to express a wide variety of functions using simultaneous multi-row activation in neighboring subarrays



Two-Input AND and NAND Operations



$V_{DD}=1$ & $GND=0$

X	Y	COM	REF
0	0	0	1
0	1	0	1
1	0	0	1
1	1	1	0
		AND	NAND

Many-Input AND, NAND, OR, and NOR Operations

We can express **AND, NAND, OR, and NOR** operations by **carefully manipulating the reference voltage**

Functionally-Complete Boolean Logic in Real DRAM Chips: Experimental Characterization and Analysis

İsmail Emir Yüksel Yahya Can Tuğrul Ataberk Olgun F. Nisa Bostancı A. Giray Yağlıkçı
Geraldo F. Oliveira Haocong Luo Juan Gómez-Luna Mohammad Sadrosadati Onur Mutlu


ETH Zürich

(More details in the paper)

<https://arxiv.org/pdf/2402.18736.pdf>

DRAM Testing Infrastructure

- Developed from [DRAM Bender \[Olgun+, TCAD'23\]*](#)
- **Fine-grained control** over DRAM commands, timings, and temperature




DRAM Chips Tested

- 256 DDR4 chips from two major DRAM manufacturers
- Covers different die revisions and chip densities


Chip Mfr.	#Modules (#Chips)	Die Rev.	Mfr. Date ^a	Chip Density	Chip Org.	Speed Rate
SK Hynix	9 (72)	M	N/A	4Gb	x8	2666MT/s
	5 (40)	A	N/A	4Gb	x8	2133MT/s
	1 (16)	A	N/A	8Gb	x8	2666MT/s
	1 (32)	A	18-14	4Gb	x4	2400MT/s
	1 (32)	A	16-49	8Gb	x4	2400MT/s
	1 (32)	M	16-22	8Gb	x4	2666MT/s
Samsung	1 (8)	F	21-02	4Gb	x8	2666MT/s
	2 (16)	D	21-10	8Gb	x8	2133MT/s
	1 (8)	A	22-12	8Gb	x8	3200MT/s

Robustness of Multi-RowCopy




COTS DRAM chips can copy one row's content to up to 31 rows with a very high success rate

Performing AND, NAND, OR, and NOR



COTS DRAM chips can perform {2, 4, 8, 16}-input AND, NAND, OR, and NOR operations

Performing AND, NAND, OR, and NOR



**COTS DRAM chips can perform
16-input AND, NAND, OR, and NOR operations
with very high success rate (>94%)**

More on Functionally-Complete DRAM

- Ismail Emir Yuksel, Yahya Can Tugrul, Ataberk Olgun, F. Nisa Bostanci, A. Giray Yaglikci, Geraldo F. Oliveira, Haocong Luo, Juan Gomez-Luna, Mohammad Sadrosadati, and Onur Mutlu,
"Functionally-Complete Boolean Logic in Real DRAM Chips: Experimental Characterization and Analysis"
Proceedings of the 30th International Symposium on High-Performance Computer Architecture (HPCA), April 2024.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[arXiv version](#)]
[[FCDRAM Source Code](#)]

Functionally-Complete Boolean Logic in Real DRAM Chips: Experimental Characterization and Analysis

Ismail Emir Yüksel Yahya Can Tuğrul Ataberk Olgun F. Nisa Bostancı A. Giray Yağlıkçı
Geraldo F. Oliveira Haocong Luo Juan Gómez-Luna Mohammad Sadrosadati Onur Mutlu

ETH Zürich

More on Multi-Row Copy

- Ismail Emir Yuksel, Yahya Can Tugrul, F. Nisa Bostanci, Geraldo F. Oliveira, A. Giray Yaglikci, Ataberk Olgun, Melina Soysal, Haocong Luo, Juan Gomez-Luna, Mohammad Sadrosadati, and Onur Mutlu,

"Simultaneous Many-Row Activation in Off-the-Shelf DRAM Chips: Experimental Characterization and Analysis"

Proceedings of the 54th Annual IEEE/IFIP International Conference on Dependable Systems and Networks (DSN), Brisbane, Australia, June 2024.

[[Slides \(pptx\)](#)] [[pdf](#)]

[[arXiv version](#)]

[[SiMRA-DRAM Source Code \(Officially Artifact Evaluated with All Badges\)](#)]

Officially artifact evaluated as both code and dataset available, reviewed and reproducible.



Simultaneous Many-Row Activation in Off-the-Shelf DRAM Chips: Experimental Characterization and Analysis

İsmail Emir Yüksel¹ Yahya Can Tuğrul^{1,2} F. Nisa Bostancı¹ Geraldo F. Oliveira¹

A. Giray Yağlıkçı¹ Ataberk Olgun¹ Melina Soysal¹ Haocong Luo¹

Juan Gómez-Luna¹ Mohammad Sadrosadati¹ Onur Mutlu¹

¹*ETH Zürich*

²*TOBB University of Economics and Technology*

What Else Can We Do
Using Commodity Memories?

In-DRAM True Random Number Generation

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, Lois Orosa, and Onur Mutlu, "[D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput](#)"

Proceedings of the [25th International Symposium on High-Performance Computer Architecture \(HPCA\)](#), Washington, DC, USA, February 2019.

[[Slides \(pptx\)](#) ([pdf](#))]

[[Full Talk Video](#) (21 minutes)]

[[Full Talk Lecture Video](#) (27 minutes)]

Top Picks Honorable Mention by IEEE Micro.

D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput

Jeremie S. Kim^{‡§}

Minesh Patel[§]

Hasan Hassan[§]

Lois Orosa[§]

Onur Mutlu^{§‡}

[‡]Carnegie Mellon University

[§]ETH Zürich

In-DRAM True Random Number Generation

- Ataberk Olgun, Minesh Patel, A. Giray Yaglikci, Haocong Luo, Jeremie S. Kim, F. Nisa Bostanci, Nandita Vijaykumar, Oguz Ergin, and Onur Mutlu,
["QUAC-TRNG: High-Throughput True Random Number Generation Using Quadruple Row Activation in Commodity DRAM Chips"](#)
Proceedings of the [48th International Symposium on Computer Architecture \(ISCA\)](#), Virtual, June 2021.
[\[Slides \(pptx\) \(pdf\)\]](#)
[\[Short Talk Slides \(pptx\) \(pdf\)\]](#)
[\[Talk Video \(25 minutes\)\]](#)
[\[SAFARI Live Seminar Video \(1 hr 26 mins\)\]](#)

QUAC-TRNG: High-Throughput True Random Number Generation Using Quadruple Row Activation in Commodity DRAM Chips

Ataberk Olgun^{§†}

Minesh Patel[§]

A. Giray Yağlıkçı[§]

Haocong Luo[§]

Jeremie S. Kim[§]

F. Nisa Bostanci^{§†}

Nandita Vijaykumar^{§⊙}

Oğuz Ergin[†]

Onur Mutlu[§]

[§]*ETH Zürich*

[†]*TOBB University of Economics and Technology*

[⊙]*University of Toronto*

In-DRAM True Random Number Generation

- F. Nisa Bostanci, Ataberk Olgun, Lois Orosa, A. Giray Yaglikci, Jeremie S. Kim, Hasan Hassan, Oguz Ergin, and Onur Mutlu,
"DR-STRaNGe: End-to-End System Design for DRAM-based True Random Number Generators"
Proceedings of the 28th International Symposium on High-Performance Computer Architecture (HPCA), Virtual, April 2022.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Short Talk Slides \(pptx\)](#)] [[pdf](#)]

DR-STRaNGe: End-to-End System Design for DRAM-based True Random Number Generators

F. Nisa Bostanci^{†§} Ataberk Olgun^{†§} Lois Orosa[§] A. Giray Yağlıkçı[§]
Jeremie S. Kim[§] Hasan Hassan[§] Oğuz Ergin[†] Onur Mutlu[§]

[†]*TOBB University of Economics and Technology* [§]*ETH Zürich*

In-DRAM Physical Unclonable Functions

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, and Onur Mutlu,
["The DRAM Latency PUF: Quickly Evaluating Physical Unclonable Functions by Exploiting the Latency-Reliability Tradeoff in Modern DRAM Devices"](#)
Proceedings of the 24th International Symposium on High-Performance Computer Architecture (HPCA), Vienna, Austria, February 2018.
[[Lightning Talk Video](#)]
[[Slides \(pptx\) \(pdf\)](#)] [[Lightning Session Slides \(pptx\) \(pdf\)](#)]
[[Full Talk Lecture Video](#) (28 minutes)]

The DRAM Latency PUF:

Quickly Evaluating Physical Unclonable Functions

by Exploiting the Latency-Reliability Tradeoff in Modern Commodity DRAM Devices

Jeremie S. Kim^{†§}

Minesh Patel[§]

Hasan Hassan[§]

Onur Mutlu^{§†}

[†]Carnegie Mellon University

[§]ETH Zürich

In-DRAM Lookup-Table Based Execution

João Dinis Ferreira, Gabriel Falcao, Juan Gómez-Luna, Mohammed Alser, Lois Orosa, Mohammad Sadrosadati, Jeremie S. Kim, Geraldo F. Oliveira, Taha Shahroodi, Anant Nori, and Onur Mutlu,

"pLUTo: Enabling Massively Parallel Computation in DRAM via Lookup Tables"

Proceedings of the 55th International Symposium on Microarchitecture (MICRO), Chicago, IL, USA, October 2022.

[[Slides \(pptx\)](#)] ([pdf](#))]

[[Longer Lecture Slides \(pptx\)](#)] ([pdf](#))]

[[Lecture Video](#) (26 minutes)]

[[arXiv version](#)]

[[Source Code \(Officially Artifact Evaluated with All Badges\)](#)]

Officially artifact evaluated as available, reusable and reproducible.



pLUTo: Enabling Massively Parallel Computation in DRAM via Lookup Tables

João Dinis Ferreira[§]

Gabriel Falcao[†]

Juan Gómez-Luna[§]

Mohammed Alser[§]

Lois Orosa^{§∇}

Mohammad Sadrosadati[§]

Jeremie S. Kim[§]

Geraldo F. Oliveira[§]

Taha Shahroodi[‡]

Anant Nori^{*}

Onur Mutlu[§]

[§]ETH Zürich

[†]IT, University of Coimbra

[∇]Galicia Supercomputing Center

[‡]TU Delft

^{*}Intel

In-Flash Bulk Bitwise Execution

- Jisung Park, Roknoddin Azizi, Geraldo F. Oliveira, Mohammad Sadrosadati, Rakesh Nadig, David Novo, Juan Gómez-Luna, Myungsook Kim, and Onur Mutlu, **"Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory"**
Proceedings of the 55th International Symposium on Microarchitecture (MICRO), Chicago, IL, USA, October 2022.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Longer Lecture Slides \(pptx\)](#)] [[pdf](#)]
[[Lecture Video](#) (44 minutes)]
[[arXiv version](#)]

Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory

Jisung Park^{§∇} Roknoddin Azizi[§] Geraldo F. Oliveira[§] Mohammad Sadrosadati[§]
Rakesh Nadig[§] David Novo[†] Juan Gómez-Luna[§] Myungsook Kim[‡] Onur Mutlu[§]

[§]ETH Zürich [∇]POSTECH [†]LIRMM, Univ. Montpellier, CNRS [‡]Kyungpook National University

Processing in Memory: Two Types

1. Processing **near** Memory
2. Processing **using** Memory

PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu^{a,b}, Saugata Ghose^{b,c}, Juan Gómez-Luna^a, Rachata Ausavarungnirun^d

SAFARI Research Group

^a*ETH Zürich*

^b*Carnegie Mellon University*

^c*University of Illinois at Urbana-Champaign*

^d*King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,

"A Modern Primer on Processing in Memory"

*Invited Book Chapter in **Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann**, Springer, to be published in 2021.*

How to Enable Adoption of Processing in Memory


Potential Barriers to Adoption of PIM

1. **Applications & software** for PIM
2. Ease of **programming** (interfaces and compiler/HW support)
3. **System** and **security** support: coherence, synchronization, virtual memory, isolation, communication interfaces, ...
4. **Runtime** and **compilation** systems for adaptive scheduling, data mapping, access/sharing control, ...
5. **Infrastructures** to assess benefits and feasibility

All can be solved with change of mindset

We Need to Revisit the Entire Stack

- With a **memory-centric mindset**



We can get there step by step

Adoption: How to Ease Programmability? (I)

- Kevin Hsieh, Eiman Ebrahimi, Gwangsun Kim, Niladrish Chatterjee, Mike O'Connor, Nandita Vijaykumar, Onur Mutlu, and Stephen W. Keckler, ["Transparent Offloading and Mapping \(TOM\): Enabling Programmer-Transparent Near-Data Processing in GPU Systems"](#)

Proceedings of the [43rd International Symposium on Computer Architecture \(ISCA\)](#), Seoul, South Korea, June 2016.

[[Slides \(pptx\)](#)] [[pdf](#)]

[[Lightning Session Slides \(pptx\)](#)] [[pdf](#)]

Transparent Offloading and Mapping (TOM): Enabling Programmer-Transparent Near-Data Processing in GPU Systems

Kevin Hsieh[‡] Eiman Ebrahimi[†] Gwangsun Kim* Niladrish Chatterjee[†] Mike O'Connor[†]
Nandita Vijaykumar[‡] Onur Mutlu^{§‡} Stephen W. Keckler[†]

[‡]Carnegie Mellon University [†]NVIDIA ^{*}KAIST [§]ETH Zürich

Adoption: How to Ease Programmability? (II)

- Geraldo F. Oliveira, Alain Kohli, David Novo, Juan Gómez-Luna, Onur Mutlu,
“DaPPA: A Data-Parallel Framework for Processing-in-Memory Architectures,”
in *PACT SRC Student Competition*, Vienna, Austria, October 2023.

DaPPA: A Data-Parallel Framework for Processing-in-Memory Architectures

Geraldo F. Oliveira*

Alain Kohli*

David Novo‡

Juan Gómez-Luna*

Onur Mutlu*

**ETH Zürich*

‡*LIRMM, Univ. Montpellier, CNRS*

Adoption: How to Ease Programmability? (III)

- Jinfan Chen, Juan Gómez-Luna, Izzat El Hajj, YuXin Guo, and Onur Mutlu,
"SimplePIM: A Software Framework for Productive and Efficient Processing in Memory"
Proceedings of the 32nd International Conference on Parallel Architectures and Compilation Techniques (PACT), Vienna, Austria, October 2023.

SimplePIM: A Software Framework for Productive and Efficient Processing-in-Memory

Jinfan Chen¹ Juan Gómez-Luna¹ Izzat El Hajj² Yuxin Guo¹ Onur Mutlu¹
¹ETH Zürich ²American University of Beirut

Adoption: How to Ease Programmability? (IV)

- Geraldo F. Oliveira, Juan Gomez-Luna, Lois Orosa, Saugata Ghose, Nandita Vijaykumar, Ivan fernandez, Mohammad Sadrosadati, and Onur Mutlu, **"DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks"**
IEEE Access, 8 September 2021.
Preprint in arXiv, 8 May 2021.
[[arXiv preprint](#)]
[[IEEE Access version](#)]
[[DAMOV Suite and Simulator Source Code](#)]
[[SAFARI Live Seminar Video](#) (2 hrs 40 mins)]
[[Short Talk Video](#) (21 minutes)]

DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks

GERALDO F. OLIVEIRA, ETH Zürich, Switzerland

JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland

LOIS OROSA, ETH Zürich, Switzerland

SAUGATA GHOSE, University of Illinois at Urbana–Champaign, USA

NANDITA VIJAYKUMAR, University of Toronto, Canada

IVAN FERNANDEZ, University of Malaga, Spain & ETH Zürich, Switzerland

MOHAMMAD SADROSADATI, ETH Zürich, Switzerland

ONUR MUTLU, ETH Zürich, Switzerland

Adoption: How to Ease Programmability? (V)

■ Appears in IEEE TETC 2023

ALP: Alleviating CPU-Memory Data Movement Overheads in Memory-Centric Systems

Nika Mansouri Ghiasi, Nandita Vijaykumar, Geraldo F. Oliveira, Lois Orosa, Ivan Fernandez, Mohammad Sadrosadati, Konstantinos Kanellopoulos, Nastaran Hajinazar, Juan Gómez Luna, Onur Mutlu

Abstract—Recent advances in memory technology have enabled near-data processing (NDP) to tackle main memory bottlenecks in modern systems. Prior works partition applications into segments (e.g., instructions, loops, functions) and execute memory-bound segments of the applications on NDP computation units, while mapping the cache-friendly application segments to host CPU cores that access a deeper cache hierarchy. Partitioning applications between NDP and host cores causes inter-segment data movement overhead, which is the overhead from moving data generated from one segment and used in the consecutive segments. This overhead can be large if the segments map to cores in different parts of the system (i.e., host and NDP). Prior works take two approaches to the inter-segment data movement overhead when partitioning applications between NDP and host cores. The first class of works maps segments to NDP or host cores based on the properties of each segment, neglecting the performance impact of the inter-segment data movement. Such partitioning techniques suffer from inter-segment data movement overhead. The second class of works maps segments to host or NDP cores based on the overall memory bandwidth savings of each segment (which depends on the memory bandwidth savings within each segment and the inter-segment data movement overhead between other segments). These works do not offload each segment to the best-fitting core if they incur high inter-segment data movement overhead. Therefore these works miss some of the potential NDP performance benefits. We show that mapping each segment (here basic block) to its best-fitting core based on the properties of each segment, assuming no inter-segment data movement, can provide substantial performance benefits. However, we show that the inter-segment data movement reduces this benefit significantly.

To this end, we introduce ALP, a new programmer-transparent technique to leverage the performance benefits of NDP by *alleviating* the performance impact of inter-segment data movement between host and memory and enabling efficient partitioning of applications between host and NDP cores. ALP alleviates the inter-segment data movement overhead by *proactively and accurately* transferring the required data between the segments mapped on host and NDP cores. This is based on the key observation that the instructions that generate the inter-segment data stay the same across different executions of a program on different input sets. ALP uses a compiler pass to identify these instructions and uses specialized hardware support to transfer data between the host and NDP cores at runtime. Using both the compiler and runtime information, ALP efficiently maps application segments to either host or NDP cores considering 1) the properties of each segment, 2) the inter-segment data movement overhead between different segments, and 3) whether this inter-segment data movement overhead can be alleviated proactively and in a timely manner. We evaluate ALP across a wide range of workloads and show on average 54.3% and 45.4% speedup compared to executing the application only on the host CPU or only the NDP cores, respectively.

Adoption: How to Maintain Coherence? (I)

- Amirali Boroumand, Saugata Ghose, Minesh Patel, Hasan Hassan, Brandon Lucia, Kevin Hsieh, Krishna T. Malladi, Hongzhong Zheng, and Onur Mutlu,
"LazyPIM: An Efficient Cache Coherence Mechanism for Processing-in-Memory"
IEEE Computer Architecture Letters (**CAL**), June 2016.

LazyPIM: An Efficient Cache Coherence Mechanism for Processing-in-Memory

Amirali Boroumand[†], Saugata Ghose[†], Minesh Patel[†], Hasan Hassan^{†§}, Brandon Lucia[†],
Kevin Hsieh[†], Krishna T. Malladi^{*}, Hongzhong Zheng^{*}, and Onur Mutlu^{‡†}

[†] *Carnegie Mellon University* ^{*} *Samsung Semiconductor, Inc.* [§] *TOBB ETÜ* [‡] *ETH Zürich*

Adoption: How to Maintain Coherence? (II)

- Amirali Boroumand, Saugata Ghose, Minesh Patel, Hasan Hassan, Brandon Lucia, Kevin Hsieh, Krishna T. Malladi, Hongzhong Zheng, and Onur Mutlu,

"CoNDA: Efficient Cache Coherence Support for Near-Data Accelerators"

Proceedings of the 46th International Symposium on Computer Architecture (ISCA), Phoenix, AZ, USA, June 2019.

CoNDA: Efficient Cache Coherence Support for Near-Data Accelerators

Amirali Boroumand[†]

Saugata Ghose[†]

Minesh Patel^{*}

Hasan Hassan^{*}

Brandon Lucia[†]

Rachata Ausavarungnirun^{†‡}

Kevin Hsieh[†]

Nastaran Hajinazar^{◇†}

Krishna T. Malladi[§]

Hongzhong Zheng[§]

Onur Mutlu^{*†}

[†]Carnegie Mellon University

^{*}ETH Zürich

[‡]KMUTNB

[◇]Simon Fraser University

[§]Samsung Semiconductor, Inc.

Adoption: How to Support Synchronization?

- Christina Giannoula, Nandita Vijaykumar, Nikela Papadopoulou, Vasileios Karakostas, Ivan Fernandez, Juan Gómez-Luna, Lois Orosa, Nectarios Koziris, Georgios Goumas, Onur Mutlu, [**"SynCron: Efficient Synchronization Support for Near-Data-Processing Architectures"**](#)
Proceedings of the 27th International Symposium on High-Performance Computer Architecture (HPCA), Virtual, February-March 2021.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Short Talk Slides \(pptx\)](#)] [[pdf](#)]
[[Talk Video](#) (21 minutes)]
[[Short Talk Video](#) (7 minutes)]

SynCron: Efficient Synchronization Support for Near-Data-Processing Architectures

Christina Giannoula^{†‡} Nandita Vijaykumar^{*‡} Nikela Papadopoulou[†] Vasileios Karakostas[†] Ivan Fernandez^{§‡}
Juan Gómez-Luna[‡] Lois Orosa[‡] Nectarios Koziris[†] Georgios Goumas[†] Onur Mutlu[‡]
[†]*National Technical University of Athens* [‡]*ETH Zürich* ^{*}*University of Toronto* [§]*University of Malaga*

Adoption: How to Support Virtual Memory?

- Kevin Hsieh, Samira Khan, Nandita Vijaykumar, Kevin K. Chang, Amirali Boroumand, Saugata Ghose, and Onur Mutlu,
["Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation"](#)
Proceedings of the 34th IEEE International Conference on Computer Design (ICCD), Phoenix, AZ, USA, October 2016.

Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation

Kevin Hsieh[†] Samira Khan[‡] Nandita Vijaykumar[†]

Kevin K. Chang[†] Amirali Boroumand[†] Saugata Ghose[†] Onur Mutlu^{§†}

[†]*Carnegie Mellon University* [‡]*University of Virginia* [§]*ETH Zürich*

Adoption: Evaluation Infrastructures (I)

- Geraldo F. Oliveira, Juan Gomez-Luna, Lois Orosa, Saugata Ghose, Nandita Vijaykumar, Ivan fernandez, Mohammad Sadrosadati, and Onur Mutlu, **"DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks"**
IEEE Access, 8 September 2021.
Preprint in arXiv, 8 May 2021.
[[arXiv preprint](#)]
[[IEEE Access version](#)]
[[DAMOV Suite and Simulator Source Code](#)]
[[SAFARI Live Seminar Video](#) (2 hrs 40 mins)]
[[Short Talk Video](#) (21 minutes)]

DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks

GERALDO F. OLIVEIRA, ETH Zürich, Switzerland

JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland

LOIS OROSA, ETH Zürich, Switzerland

SAUGATA GHOSE, University of Illinois at Urbana–Champaign, USA

NANDITA VIJAYKUMAR, University of Toronto, Canada

IVAN FERNANDEZ, University of Malaga, Spain & ETH Zürich, Switzerland

MOHAMMAD SADROSADATI, ETH Zürich, Switzerland

ONUR MUTLU, ETH Zürich, Switzerland

Adoption: Evaluation Infrastructures (II)

- Ataberk Olgun, Juan Gomez Luna, Konstantinos Kanellopoulos, Behzad Salami, Hasan Hassan, Oguz Ergin, and Onur Mutlu,
["PiDRAM: A Holistic End-to-end FPGA-based Framework for Processing-in-DRAM"](#)
ACM Transactions on Architecture and Code Optimization (TACO), March 2023.
[\[arXiv version\]](#)
Presented at the [18th HiPEAC Conference](#), Toulouse, France, January 2023.
[\[Slides \(pptx\) \(pdf\)\]](#)
[\[Longer Lecture Slides \(pptx\) \(pdf\)\]](#)
[\[Lecture Video \(40 minutes\)\]](#)
[\[PiDRAM Source Code\]](#)

PiDRAM: A Holistic End-to-end FPGA-based Framework for Processing-in-DRAM

Ataberk Olgun[§]

Juan Gómez Luna[§]

Konstantinos Kanellopoulos[§]

Behzad Salami[§]

Hasan Hassan[§]

Oğuz Ergin[†]

Onur Mutlu[§]

[§]ETH Zürich

[†]TOBB University of Economics and Technology

Adoption: Evaluation Infrastructures (III)

- Haocong Luo, Yahya Can Tugrul, F. Nisa Bostanci, Ataberk Olgun, A. Giray Yaglikci, and Onur Mutlu,
"Ramulator 2.0: A Modern, Modular, and Extensible DRAM Simulator"
*Preprint on **arxiv**, August 2023.*
[\[arXiv version\]](#)
[\[Ramulator 2.0 Source Code\]](#)

Ramulator 2.0: A Modern, Modular, and Extensible DRAM Simulator

Haocong Luo, Yahya Can Tuğrul, F. Nisa Bostancı, Ataberk Olgun, A. Giray Yağlıkçı, and Onur Mutlu

<https://arxiv.org/pdf/2308.11030.pdf>

Concluding Remarks

Fundamentally Energy-Efficient **(Data-Centric)** Computing Architectures

Fundamentally High-Performance **(Data-Centric)** Computing Architectures

Computing Architectures with Minimal Data Movement

Concluding Remarks

- We must design systems to be **balanced, high-performance, energy-efficient** (all at the same time) → intelligent systems
 - **Data-centric, data-driven, data-aware**
- Enable computation capability inside and close to memory
- This can
 - Lead to **orders-of-magnitude** improvements
 - **Enable new applications & computing platforms**
 - **Enable better understanding of nature**
 - ...
- Future of **truly memory-centric computing** is bright
 - We need to do research & design across the computing stack

Fundamentally Better Architectures

Data-centric


Data-driven

Data-aware



We Need to Revisit the Entire Stack

- With a **data-centric mindset**



We can get there step by step

PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu^{a,b}, Saugata Ghose^{b,c}, Juan Gómez-Luna^a, Rachata Ausavarungnirun^d

SAFARI Research Group

^a*ETH Zürich*

^b*Carnegie Mellon University*

^c*University of Illinois at Urbana-Champaign*

^d*King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,

"A Modern Primer on Processing in Memory"

*Invited Book Chapter in **Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann**, Springer, to be published in 2021.*

Referenced Papers, Talks, Artifacts

- All are available at

<https://people.inf.ethz.ch/omutlu/projects.htm>

<https://www.youtube.com/onurmutlulectures>

<https://github.com/CMU-SAFARI/>

Open Source Tools: SAFARI GitHub



SAFARI Research Group at ETH Zurich and Carnegie Mellon University

Site for source code and tools distribution from SAFARI Research Group at ETH Zurich and Carnegie Mellon University.

👤 440 followers 📍 ETH Zurich and Carnegie Mellon U... 🔗 <https://safari.ethz.ch/> ✉ omutlu@gmail.com

🏠 Overview 📁 Repositories 80 📁 Projects 📁 Packages 👤 People 13

📁 ramulator Public

A Fast and Extensible DRAM Simulator, with built-in support for modeling many different DRAM technologies including DDRx, LPDDRx, GDDRx, WIOx, HBMx, and various academic proposals. Described in the...

● C++ ☆ 583 🍷 209

📁 prim-benchmarks Public

PRIM (Processing-In-Memory benchmarks) is the first benchmark suite for a real-world processing-in-memory (PIM) architecture. PRIM is developed to evaluate, analyze, and characterize the first publ...

● C ☆ 137 🍷 50

📁 MQSim Public

MQSim is a fast and accurate simulator modeling the performance of modern multi-queue (MQ) SSDs as well as traditional SATA based SSDs. MQSim faithfully models new high-bandwidth protocol implement...

● C++ ☆ 277 🍷 149

📁 rowhammer Public

Source code for testing the Row Hammer error mechanism in DRAM devices. Described in the ISCA 2014 paper by Kim et al. at http://users.ece.cmu.edu/~omutlu/pub/dram-row-hammer_isca14.pdf.

● C ☆ 217 🍷 42

📁 SoftMC Public

SoftMC is an experimental FPGA-based memory controller design that can be used to develop tests for DDR3 SODIMMs using a C++ based API. The design, the interface, and its capabilities and limitatio...

● Verilog ☆ 127 🍷 28

📁 Pythia Public

A customizable hardware prefetching framework using online reinforcement learning as described in the MICRO 2021 paper by Bera et al. (<https://arxiv.org/pdf/2109.12021.pdf>).

● C++ ☆ 117 🍷 36

<https://github.com/CMU-SAFARI/>

Funding Acknowledgments

- Alibaba, AMD, ASML, Google, Facebook, Hi-Silicon, HP Labs, Huawei, IBM, Intel, Microsoft, Nvidia, Oracle, Qualcomm, Rambus, Samsung, Seagate, VMware, Xilinx
- NSF
- NIH
- GSRC
- SRC
- CyLab
- EFCL
- SNSF
- ACCESS

Thank you!

Acknowledgments

SAFARI

SAFARI Research Group

safari.ethz.ch

Think BIG, Aim HIGH!

<https://safari.ethz.ch>

SAFARI Newsletter June 2023 Edition

- <https://safari.ethz.ch/safari-newsletter-june-2023/>

SAFARI
SAFARI Research Group

Think Big, Aim High



ETH zürich

View in your browser

June 2023



SAFARI Newsletter July 2024 Edition

- <https://safari.ethz.ch/safari-newsletter-july-2024/>



PIM Tutorial November 2024 Edition


MICRO 2024 - Tutorial on Memory-Centric Computing Systems

Saturday, November 2nd, Austin, Texas, USA

Organizers: Geraldo F. Oliveira, Dr. Mohammad Sadrosadati, Ataberk Olgun, Professor Onur Mutlu

Program: <https://events.safari.ethz.ch/micro24-memorycentric-tutorial/>

Overview of PIM | PIM taxonomy
PIM in memory & storage
Real-world PNM systems
PUM for bulk bitwise operations
Programming techniques & tools
Infrastructures for PIM Research
Research challenges & opportunities



<https://www.youtube.com/watch?v=KV2MXvcBgb0>

<https://events.safari.ethz.ch/micro24-memorycentric-tutorial/>

Memory-Centric Computing

Enabling Fundamentally-Efficient Computers

Onur Mutlu

omutlu@gmail.com

<https://people.inf.ethz.ch/omutlu>

30 November 2024

HKUST-GZ

SAFARI

ETH zürich

Real DRAM Chips
Are Already Quite Capable:
FC-DRAM & SiMRA

Recall: DRAM Testing Infrastructure




An Experimental Study of Data Retention Behavior in Modern DRAM Devices: Implications for Retention Time Profiling Mechanisms (Liu et al., ISCA 2013)

The Efficacy of Error Mitigation Techniques for DRAM Retention Failures: A Comparative Experimental Study (Khan et al., SIGMETRICS 2014)


Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors (Kim et al., ISCA 2014)

Adaptive-Latency DRAM: Optimizing DRAM Timing for the Common-Case (Lee et al., HPCA 2015)

AVATAR: A Variable-Retention-Time (VRT) Aware Refresh for DRAM Systems (Qureshi et al., DSN 2015)




Recall: DRAM Testing Infrastructure



SoftMC: Open Source DRAM Infrastructure

- Hasan Hassan et al., "[SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies](#)," HPCA 2017.

- Flexible
- Easy to Use (C++ API)
- Open-source
github.com/CMU-SAFARI/SoftMC



SoftMC: Open Source DRAM Infrastructure

- Hasan Hassan, Nandita Vijaykumar, Samira Khan, Saugata Ghose, Kevin Chang, Gennady Pekhimenko, Donghyuk Lee, Oguz Ergin, and Onur Mutlu, **"SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies"**

Proceedings of the 23rd International Symposium on High-Performance Computer Architecture (HPCA), Austin, TX, USA, February 2017.

[[Slides \(pptx\) \(pdf\)](#)] [[Lightning Session Slides \(pptx\) \(pdf\)](#)]

[[Full Talk Lecture](#) (39 minutes)]

[[Source Code](#)]

SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies

Hasan Hassan^{1,2,3} Nandita Vijaykumar³ Samira Khan^{4,3} Saugata Ghose³ Kevin Chang³
Gennady Pekhimenko^{5,3} Donghyuk Lee^{6,3} Oguz Ergin² Onur Mutlu^{1,3}

¹*ETH Zürich* ²*TOBB University of Economics & Technology* ³*Carnegie Mellon University*
⁴*University of Virginia* ⁵*Microsoft Research* ⁶*NVIDIA Research*

DRAM Bender

- Ataberk Olgun, Hasan Hassan, A Giray Yağlıkçı, Yahya Can Tuğrul, Lois Orosa, Haocong Luo, Minesh Patel, Oğuz Ergin, and Onur Mutlu,
"DRAM Bender: An Extensible and Versatile FPGA-based Infrastructure to Easily Test State-of-the-art DRAM Chips"
IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems (TCAD), 2023.
[[Extended arXiv version](#)]
[[DRAM Bender Source Code](#)]
[[DRAM Bender Tutorial Video](#) (43 minutes)]




DRAM Bender: An Extensible and Versatile FPGA-based Infrastructure to Easily Test State-of-the-art DRAM Chips

Ataberk Olgun[§] Hasan Hassan[§] A. Giray Yağlıkçı[§] Yahya Can Tuğrul^{§†}
Lois Orosa^{§⊙} Haocong Luo[§] Minesh Patel[§] Oğuz Ergin[†] Onur Mutlu[§]
 [§]*ETH Zürich* [†]*TOBB ETÜ* [⊙]*Galician Supercomputing Center*

DRAM Bender: Prototypes

Testing Infrastructure	Protocol Support	FPGA Support
SoftMC [134]	DDR3	One Prototype
LiteX RowHammer Tester (LRT) [17]	DDR3/4, LPDDR4	Two Prototypes
DRAM Bender (this work)	DDR3/DDR4	Five Prototypes

Five out of the box FPGA-based prototypes



DRAM Chips Are Already (Quite) Capable!

- **Appears at HPCA 2024** <https://arxiv.org/pdf/2402.18736.pdf>

Functionally-Complete Boolean Logic in Real DRAM Chips: Experimental Characterization and Analysis

İsmail Emir Yüksel Yahya Can Tuğrul Ataberk Olgun F. Nisa Bostancı A. Giray Yağlıkçı
Geraldo F. Oliveira Haocong Luo Juan Gómez-Luna Mohammad Sadrosadati Onur Mutlu

ETH Zürich

We experimentally demonstrate that COTS DRAM chips are capable of performing 1) functionally-complete Boolean operations: NOT, NAND, and NOR and 2) many-input (i.e., more than two-input) AND and OR operations. We present an extensive characterization of new bulk bitwise operations in 256 off-the-shelf modern DDR4 DRAM chips. We evaluate the reliability of these operations using a metric called success rate: the fraction of correctly performed bitwise operations. Among our 19 new observations, we highlight four major results. First, we can perform the NOT operation on COTS DRAM chips with 98.37% success rate on average. Second, we can perform up to 16-input NAND, NOR, AND, and OR operations on COTS DRAM chips with high reliability (e.g., 16-input NAND, NOR, AND, and OR with average success rate of 94.94%, 95.87%, 94.94%, and 95.85%, respectively). Third, data pattern only slightly

DRAM Chips Are Already (Quite) Capable!

- <https://arxiv.org/pdf/2312.02880.pdf>

PULSAR: Simultaneous Many-Row Activation for Reliable and High-Performance Computing in Off-the-Shelf DRAM Chips

Ismail Emir Yuksel Yahya Can Tugrul F. Nisa Bostanci Abdullah Giray Yaglikci Ataberk Olgun
Geraldo F. Oliveira Melina Soysal Haocong Luo Juan Gomez Luna Mohammad Sadrosadati
Onur Mutlu

ETH Zurich

We propose PULSAR, a new technique to enable high-success-rate and high-performance PuM operations in off-the-shelf DRAM chips. PULSAR leverages our new observation that a carefully-crafted sequence of DRAM commands simultaneously activates up to 32 DRAM rows. PULSAR overcomes the limitations of existing techniques by 1) replicating the input data to improve the success rate and 2) enabling new bulk bitwise operations (e.g., many-input majority, *Multi-RowInit*, and *Bulk-Write*) to improve the performance.

DRAM Chips Are Already (Quite) Capable!

- **Appears at DSN 2024**




Simultaneous Many-Row Activation in Off-the-Shelf DRAM Chips: Experimental Characterization and Analysis

İsmail Emir Yüksel¹ Yahya Can Tuğrul^{1,2} F. Nisa Bostancı¹ Geraldo F. Oliveira¹
A. Giray Yağlıkçı¹ Ataberk Olgun¹ Melina Soysal¹ Haocong Luo¹
Juan Gómez-Luna¹ Mohammad Sadrosadati¹ Onur Mutlu¹


¹*ETH Zürich* ²*TOBB University of Economics and Technology*

Key Idea: NAND, NOR, AND, OR


Manipulate the bitline voltage to express a wide variety of functions using multiple-row activation in neighboring subarrays



Two-Input AND and NAND Operations




Two-Input AND and NAND Operations



$V_{DD}=1$ & $GND = 0$

X	Y	COM	REF
0	0	0	1


Two-Input AND and NAND Operations



$V_{DD}=1$ & $GND=0$

X	Y	COM	REF
0	0	0	1
0	1	0	1


Two-Input AND and NAND Operations



$V_{DD}=1$ & $GND=0$

X	Y	COM	REF
0	0	0	1
0	1	0	1
1	0	0	1


Two-Input AND and NAND Operations



V_{DD} = 1 & GND = 0

X	Y	COM	REF
0	0	0	1
0	1	0	1
1	0	0	1
1	1	1	0

Two-Input AND and NAND Operations



$V_{DD}=1$ & $GND=0$

X	Y	COM	REF
0	0	0	1
0	1	0	1
1	0	0	1
1	1	1	0
		AND	NAND

Many-Input AND, NAND, OR, and NOR Operations

We can express **AND, NAND, OR, and NOR** operations by **carefully manipulating the reference voltage**

Functionally-Complete Boolean Logic in Real DRAM Chips: Experimental Characterization and Analysis

İsmail Emir Yüksel Yahya Can Tuğrul Ataberk Olgun F. Nisa Bostancı A. Giray Yağlıkçı
Geraldo F. Oliveira Haocong Luo Juan Gómez-Luna Mohammad Sadrosadati Onur Mutlu

ETH Zürich

(More details in the paper)

<https://arxiv.org/pdf/2402.18736.pdf>

Simultaneous Many-Row Activation in Off-the-Shelf DRAM Chips

Experimental Characterization and Analysis



İsmail Emir Yüksel

Yahya C. Tuğrul F. Nisa Bostancı Geraldo F. Oliveira

A. Giray Yağlıkçı Ataberk Olgun Melina Soysal Haocong Luo

Juan Gómez-Luna Mohammad Sadr Onur Mutlu


SAFARI

ETH zürich


In-DRAM Multiple Row Copy (Multi-RowCopy)

Simultaneously activate many rows to copy **one row's content** to **multiple destination rows**


RowClone



Multi-RowCopy




Robustness of Multi-RowCopy



COTS DRAM chips can copy one row's content to up to 31 rows with a very high success rate

Impact of Data Pattern



At most 0.79% decrease in average success rate

Data pattern has a small effect on the success rate of the Multi-RowCopy operation



Simultaneous Many-Row Activation in Off-the-Shelf DRAM Chips: Experimental Characterization and Analysis

İsmail Emir Yüksel¹ Yahya Can Tuğrul^{1,2} F. Nisa Bostancı¹ Geraldo F. Oliveira¹
A. Giray Yağlıkçı¹ Ataberk Olgun¹ Melina Soysal¹ Haocong Luo¹
Juan Gómez-Luna¹ Mohammad Sadrosadati¹ Onur Mutlu¹
¹ETH Zürich ²TOBB University of Economics and Technology

*We experimentally analyze the computational capability of commercial off-the-shelf (COTS) DRAM chips and the robustness of these capabilities under various timing delays between DRAM commands, data patterns, temperature, and voltage levels. We extensively characterize 120 COTS DDR4 chips from two major manufacturers. We highlight four key results of our study. First, COTS DRAM chips are capable of 1) simultaneously activating up to 32 rows (i.e., simultaneous many-row activation), 2) executing a majority of X (MAJX) operation where $X > 3$ (i.e., MAJ5, MAJ7, and MAJ9 operations), and 3) copying a DRAM row (concurrently) to up to 31 other DRAM rows, which we call **MuLti-RowCopy**. Second, storing multiple copies of MAJX's input operands on all simultaneously activated rows drastically increases the success rate (i.e., the percentage of DRAM cells that correctly perform the computation) of the MAJX operation. For example, MAJ3 with 32-row activation (i.e.,*

A subset of PIM proposals devise mechanisms that enable PUM using DRAM cells for computation, including data copy and initialization [67, 72, 77, 78, 89, 104, 127], Boolean logic [56, 64–66, 68, 70, 72, 76, 79, 122, 127–129], majority-based arithmetic [64, 66, 69, 72, 91, 127, 130, 131], and lookup table based operations [82, 106, 107, 132]. We refer to DRAM-based PUM as *Processing-Using-DRAM (PUD)* and the computation performed using DRAM cells as PUD operations.

PUD benefits from the bulk data parallelism in DRAM devices to perform bulk bitwise PUD operations. Prior works show that bulk bitwise operations are used in a wide variety of important applications, including databases and web search [64, 67, 79, 130, 133–140], data analytics [64, 141–144], graph processing [56, 80, 94, 130, 145], genome analysis [60, 99, 146–149], cryptography [150, 151], set operations [56, 64], and hyper-dimensional computing [152–154].

<https://arxiv.org/pdf/2405.06081>

Our Work is Open Source and Artifact Evaluated



Code
Reproducible



Dataset
Reproducible

SiMRA-DRAM Public

Edit Pins Watch 4 Fork 0 Starred 6

main 1 Branch 0 Tags

Go to file Add file Code

File	Commit	Time
unrealismail Update README.md	a51abfa	last month
DRAM-Bender	initial comit	last month
analysis	initial comit	last month
experimental_data	initial comit	last month
LICENSE	initial comit	last month
README.md	Update README.md	last month

Readme View license Activity Custom properties 6 stars 4 watching 0 forks Report repository

Simultaneous Many-Row Activation in Off-the-Shelf DRAM Chips: Experimental Characterization and Analysis

<https://github.com/CMU-SAFARI/SiMRA-DRAM>

What About Other Types of Memories?

In-Flash Bulk Bitwise Execution

- Jisung Park, Roknoddin Azizi, Geraldo F. Oliveira, Mohammad Sadrosadati, Rakesh Nadig, David Novo, Juan Gómez-Luna, Myung Suk Kim, and Onur Mutlu, **"Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory"**
Proceedings of the 55th International Symposium on Microarchitecture (MICRO), Chicago, IL, USA, October 2022.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Longer Lecture Slides \(pptx\)](#)] [[pdf](#)]
[[Lecture Video](#) (44 minutes)]
[[arXiv version](#)]

Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory


Jisung Park^{§∇} Roknoddin Azizi[§] Geraldo F. Oliveira[§] Mohammad Sadrosadati[§]
Rakesh Nadig[§] David Novo[†] Juan Gómez-Luna[§] Myung Suk Kim[‡] Onur Mutlu[§]

[§]ETH Zürich [∇]POSTECH [†]LIRMM, Univ. Montpellier, CNRS [‡]Kyungpook National University

Flash-Cosmos: Basic Ideas

- **Flash-Cosmos** enables

- Computation on multiple operands with a single sensing operation
- Accurate computation results by eliminating raw bit errors in stored data



Multi-Wordline Sensing (MWS): Bitwise AND

▪ Intra-Block MWS:


Simultaneously activates multiple WLs in the same block

→ Bitwise AND of the stored data in the WLs

A bitline reads as '1' only when all the target cells store '1'

→ Equivalent to the bitwise AND of all the target cells

Operate
as a resistance (1)
or an open switch (0)




Multi-Wordline Sensing (MWS): Bitwise AND


▪ Intra-Block MWS:

Simultaneously activates multiple WLs in the same block

→ Bitwise AND of the stored data in the WLs



Flash-Cosmos (Intra-Block MWS) enables bitwise AND of multiple pages in the same block via a single sensing operation



Other Types of Bitwise Operations

Flash-Cosmos also enables
other types of bitwise operations
(NOT/NAND/NOR/XOR/XNOR)
leveraging **existing features** of NAND flash memory

Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory

Jisung Park^{§∇} Roknoddin Azizi[§] Geraldo F. Oliveira[§] Mohammad Sadrosadati[§]
Rakesh Nadig[§] David Novo[†] Juan Gómez-Luna[§] Myungsuk Kim[‡] Onur Mutlu[§]

[§]*ETH Zürich* [∇]*POSTECH* [†]*LIRMM, Univ. Montpellier, CNRS* [‡]*Kyungpook National University*



<https://arxiv.org/abs/2209.05566.pdf>


Results: Real-Device Characterization

No changes to the cell array
of commodity NAND flash chips

Can have many operands
(AND: up to 48, OR: up to 4)
with small increase in sensing latency (< 10%)

ESP significantly improves
the reliability of computation results
(no observed bit error in the tested flash cells)

Results: Performance & Energy



Flash-Cosmos provides significant performance & energy benefits over all the baselines

The larger the number of operands,
the higher the performance & energy benefits

Flash-Cosmos: In-Flash Bulk Bitwise Execution

- Jisung Park, Roknoddin Azizi, Geraldo F. Oliveira, Mohammad Sadrosadati, Rakesh Nadig, David Novo, Juan Gómez-Luna, Myungsook Kim, and Onur Mutlu, **"Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory"**
Proceedings of the 55th International Symposium on Microarchitecture (MICRO), Chicago, IL, USA, October 2022.
[[Slides \(pptx\)](#)] [[pdf](#)]
[[Longer Lecture Slides \(pptx\)](#)] [[pdf](#)]
[[Lecture Video](#) (44 minutes)]
[[arXiv version](#)]

Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory

Jisung Park^{§∇} Roknoddin Azizi[§] Geraldo F. Oliveira[§] Mohammad Sadrosadati[§]
Rakesh Nadig[§] David Novo[†] Juan Gómez-Luna[§] Myungsook Kim[‡] Onur Mutlu[§]

[§]ETH Zürich [∇]POSTECH [†]LIRMM, Univ. Montpellier, CNRS [‡]Kyungpook National University